


ENTRY DOORS

BROCHURE









ABOUT MMI DOOR

YOUR DOORWAY TO A BEAUTIFUL HOME

For over 67 years, MMI DOOR, a wholly owned subsidiary of JELD-WEN Holdings, Inc., has earned the reputation of being the preferred door supplier to building supply dealers and home centers. With 3 locations, MMI DOOR is a true, single source door provider. We strive to be the most dependable and innovative, value-add fabricator in the marketplace.

Our products are stored, assembled and staged in over 700,000 square feet of heated warehouses. Strict quality control standards are followed, allowing us to deliver maximum value. With one of the largest and most diverse inventories in the country, MMI DOOR offers product choices that are second to none.



ABOUT **JELD-WEN**

DEDICATION FROM DAY ONE

Since 1960, when JELD-WEN began with one millwork plant, we've been dedicated to crafting windows and patio doors that enhance the beauty and functionality of your home. Today we continue that tradition with products that are durable and worry-free. It's the result of innovation as a driving force in all that we do.

It begins in the forests where we harvest our premium lumber. In addition to responsible reforestation practices, we recycle as much of our raw resources as possible. Innovation is also at the heart of our design and manufacturing process. With JELD-WEN, you can expect products that are more than just beautiful on the outside. The inner workings of our doors are engineered to function flawlessly for years to come.





Combining our extensive selection of premium fiberglass, fiberglass and steel door styles with 16 stocked collections and 40 special order collections of decorative, energy efficient glass designs allows you to create the perfect exterior door for every application

"Replacing your front door can increase the perceived value of your home 6%" - ODL Proprietary Research

WELCOME HOME

CHOOSE YOUR DOOR

1

61

62

63-64

_	CHOOSE FOOK BOOK
2	DOOR GLASS
3-4	PRE-FINISH PROGRAM
5-6	FIBERGLASS DOORS
7-8	STEEL DOORS
9-10	COMPONENTS & HARDWARE
11-13	DOOR FRAMES
14	ASTRAGALS
15	GLASS-LITE FRAMES
16	HARDWARE & ACCESSORIES
17	TRILENNIUM®
18	PET DOORS
19-22	PATIO & DOUBLE DOORS
23-24	FIRE-RATED DOORS
25-28	SEVERE WEATHER FIBERGLASS DOORS
29-32	ARCHITECTURAL COLLECTION
33-34	SIMULATED DIVIDED LITES
35	CRAFTSMAN COLLECTION
36	SPOTLIGHTS™ COLLECTION
	DECODATIVE CLASS
07	DECORATIVE GLASS
37	BEAUFORT
38	ELEGANT STAR
39	GRACE
40	HARRIS
41	HEIRLOOMS
42	MAJESTIC
43	MONTCLAIRE
44	NOUVEAU
45	OAK PARK
46	PEMBROOK
47	SELWYN
	TEXTURED PRIVACY GLASS
48	BLANCA
49	CHINCHILLA
50	RAIN
51	VAPOR
52-53	SPECIAL ORDER
52-55	MINI BLINDS COLLECTION
55-56	GRILLES BETWEEN GLASS COLLECTION
57-60	CLASSIC COLLECTION
37-00	CLASSIC COLLECTION

EXTERIOR DOOR ORDER FORM


OPENINGS

WARRANTIES

CHOOSE YOUR DOOR

MMI DOOR offers one of the widest selections of fiberglass and steel entry doors in the country. We understand the need and desire for custom millwork products and have based our diverse product offering around that simple fact. Sometimes, with all of the options that are available, simplification is key. Follow these 5 easy steps to choose your new entry door from MMI DOOR.

1. CHOOSE YOUR DOOR CONFIGURATION



2. CHOOSE YOUR DOOR STYLE

The Possibilities are Endless!



3. CHOOSE YOUR GLASS DESIGN

We stock 16 decorative glass collections some with multiple caming options. Plus, we offer over **40** special order decorative glass collections. Here are a few examples











4. CHOOSE YOUR DOOR SURFACE



5. CHOOSE YOUR DOOR FINISH

Choose from our 19 Paint Colors and 6 Stain Colors!



Same Color Both Sides



Different Color Both Sides




Stain One Side Paint on other Side




Same Stain Both Sides

DOOR GLASS

DECORATIVE GLASS COLLECTION



TEXTURED PRIVACY GLASS COLLECTION



ADDITIONAL GLASS OPTIONS



CAMING OPTIONS

Caming is the metal banding that joins panels of glass together in a unique design. Simply said, it is "the lead in leaded glass".

Make sure to choose a caming finish that coordinates your door hardware, outdoor fixtures and interior furnishings to fit your personal style. It may seem like a small detail but it can have a big impact on the overall look of your entryway.









Brass Caming

Nickel Caming

Satin Nickel

Zinc Caming

Patina Caming











Black Chrome

Oil Rubbed Bronze Caming Wrought Iron


Bronze Vein

Nickel Vein Wrought Iron

Wrought

YOUR ENTRY WAY IS A GUEST'S FIRST IMPRESSION -MAKE SURE IT REFLECTS YOU!

PRE-FINISH PROGRAM



NOTHING BEATS A QUALITY FINISH

Our process begins with a dust-free, rigorously inspected unfinished door followed by multi-coat paint or stain applications, baked on at every step. The result is a finish as durable as it is beautiful.

THE MMI DOOR PROMISE

THE PRE-FINISH 5-YEAR LIMITED WARRANTY INCLUDES:

5-Year limited coverage from the date of purchase for the painted or stained finish by MMI DOOR on the door component of any residential premium or standard fiberglass exterior prehung door unit when properly protected from the environment. Please evaluate your current weather exposure and home overhangs, as certain applications of prefinished doors with excessive exposure to weather can void the warranty.




Please see **mmidoor.com** for pre-finished warranty information.

STANDARD PAINT COLORS



BOLD PAINT COLORS



PRE-FINISH PROGRAM

STANDARD STAINS

























Fir Grain



Dark Oak









Rustic Grain













PREMIUM ARCHITECTURAL STAINS















Fir Grain













Oak Grain













Knotty Alder Grain













Mahogany Grain







Espresso





Teak



Actual paint and stain finishes may vary slightly from the sample version.


FIBERGLASS DOORS

FIBERGLASS DOORS

A new fiberglass entry door can add substantial curb appeal to your home. Fiberglass is virtually maintenance free and will not warp, rot, dent, or split.



- · Limited Lifetime Warranty
- · Fiberglass reinforced door skins, full length composite stiles and composite top and bottom rails to prevent water infiltration on all 6 sides
- · Available in smooth or woodgrain designs
- The woodgrain series (Oak, Mahogany, Fir or Rustic) provides the rich appearance of wood with the strength and stability of fiberglass



At MMI DOOR, it is important to make sure our fiberglass exterior door offering meets our customer's goals. Below are examples of the fiberglass door options available. Fiberglass doors are available in a smooth series for easy painting, and four distinctive woodgrain patterns (Fir, Mahogany, Oak and Rustic) suitable for staining or painting.





Fir Grain



















Rustic Grain






Smooth

FIBERGLASS DOORS

ARCHITECTURAL™ COLLECTION

MMI DOOR's Architectural™ Collection is a premium door system for the discerning individual, offering a wood door alternative utilizing the most authentic wood grain replication available. The front door is the threshold to your home: a place of warm welcomes and goodbyes. Whether you need a touchable and authentic wood grain or a luxe and minimalist smooth finish, Architectural doors projects your most stylish self. Substance matters too of course, so all our composite components are clad in fiberglass, match perfectly and have twice the screw-holding power of other materials.




BUILDER'S CLASSIC



The Builder's Classic Collection is our fiberglass door at steel door pricing. The Builder's Classic represents value by offering a limited collection, that cannot be cut down or prefinished and comes with a 2 Year Limited Warranty.


- 2 Year Limited Warranty
- Deep embossing and panel detail provide the most significant curb appeal
- Fiberglass reinforced door skins, full length composite stiles and composite top and bottom rails to prevent water infiltration on all 6 sides



STEEL DOORS

MAJESTIC SERIES

- 10 Year Limited Warranty
- 24 gauge, all steel construction provides superior strength and durability. Galvanization resists rust and corrosion
- The "Double Hip" panel design enhances your home's appearance
- Available with a 90 Minute Fire Rating see page 24







Some of our Steel Doors do qualify for the Energy Star® Program. Please refer to www.mmidoor.com for a complete list of our qualifying products. (Qualification based on 2018 Energy Star® Program Criteria and can change)





STEEL DOORS

REPLACEMENT SERIES

QUICK & EASY INSTALLATION; INSTALLS IN HALF OF THE TIME OF NEW CONSTRUCTION

FINISHES

- Replacement steel exterior doors are durable and manufactured to prevent water absorption, resist rust and come factory primed for easy finishing.
- Replacement Series is designed to be installed using your existing door frame, not the rough stud opening
- Great choice for Do-It-Yourselfers: Minimal tools and product knowledge
- Convenience Simplifies and quickens the installation process



Double Hip Panel Design

6 preset security installation fastening points at critical lockset impact area





Carefully remove and save interior trim



Remove old door, strike plates, hinges and threshold



Insert new replacement unit into the opening from the interior of your home



Nail replacement unit into position



Install security screws



Install door hardware



Install weatherstripped wood stops



Carefully replace the saved interior trim

KEY FEATURES

- 10 Year Limited Warranty.
- · Prehung on a commercial, 18 gauge steel frame
- · All steel door 24 gauge face and 22 gauge reinforced edges for additional strength and security
- 14 Pre-set security installation with fastening points secure the opening 6 at the critical lockset impact area
- All doors are pre-prepped for entry and deadbolt locks and are factory primed
- Weatherstrip system bulb door sweep, adjustable sill, weatherstrip stop and corner seals complete the entire package
- 2/6, 2/8, 2/10 & 3/0 6/8 and 7/0 sizes are available. Sizes may vary by door style
- · Double Hip Panel Design
- · Configurable with clear, decorative, or textured glass
- · Clear glass available with simulated divided lites, mini blinds or grilles between glass

Please Note: 2/8 replacement doors with decorative 1/2 & full lites and 2/6 replacement doors with clear 1/2 & full lites will require a glass offset of 1/4" from lock prep.

COMPONENTS & HARDWARE

WHEN IT COMES TO ACCESSORIES, YOU HAVE OPTIONS WITH MMI DOOR.



TYPES OF SILLS



COMPOSITE ADJUSTABLE SILL



CONTINUOUS SILL



COVER



ADA SILL

GLASS-LITE FRAMES







TYPES OF FRAMES



PRIMED WOOD



FRAMESAVER®




SMOOTH OR GRAINED COMPOSITE



WHITE CAPPED COMPOSITE

ULTIMATE FLIP LEVER™ ASTRAGAL



HARDWARE & ACCESSORIES



RETRACTABLE SCREENS



PET DOORS








COMPONENTS & HARDWARE

SILLS

TYPES OF SILLS

COMPOSITE ADJUSTABLE SILL




Advanced technology sills are made of all-composite substrates, synthetic caps and nosing. These materials prevent rotting, warping or deteriorating over time.

CONTINUOUS SILL



By providing a continuous sill across the door unit, you receive a better fit that prevents leaks. Patented inactive Sidelite Seats are repositional for Mull or Patio System convenience.

FINISHES



MILL

SILL COVER



Composed of a durable material, sill covers give valuable protection against damage to the sill during the construction process.

FIXED INSWING



This sill is perfect for garage and utility doors and comes with a convertible cap to allow easy conversion to an adjustable cap.



FIXED OUTSWING BUMPER



Ultimate protection with increased pressure against the door producing a tight seal and excellent protection for high exposure areas.

ADA COMPLIANT THERMALLY BROKEN



By incorporating a dam that meets ADA height requirements, a better seal is created between the door and sill, while providing ease of entry.



CONTINUOUS HEADERS AND SILLS



Continuous headers and sills are part of an error-free system, built to spec, for greater structural integrity.



One piece mulls feature superior strength, a perfect fit and no additional finishing.



Sill gasket provides a water tight seal between the end of the sill and the door



Our **mull systems** include inactive seats engineered for perfect panel placement.

Z-SERIES SILLS

Synthetic materials eliminate the worries of wood and deliver the best sill on the market. Using a patented design of all synthetic components, the Z-Series Sill eliminates the worries of wood. Built to last, Z-Series sills protect your entry from unsightly damage, rusted screws, discoloration, deformity, gaps and dents.



1. ALL-COMPOSITE SUBSTRATE

All-composite substrates won't rack, warp or rot. Ever.

2. NARROW SYNTHETIC HIGH DAM CAP

The cap resists fading and wear and won't warp or rot. A built-in seal keeps out air and water, even in the most severe conditions. The narrow cap width ensures the drip edge on the door bottom deflects water away from the cap.

3. SEALED ADJUSTMENT SCREWS

Patented sealing plugs hide unsightly screws and keep water and dirt away from the adjustment mechanism, maintaining adjustability of the sill cap over time.

4. COMPOSITE CAP AND NOSING

Provides resistance to wear and discoloration and offer a unique aesthetic appeal.

FRAMES

FRAME TYPES

Prefinishing the frame the same paint or stain color has always been a challenge in our industry. Fortunately, we can prefinish both! Listed below, you will see our 9 frame options and whether they can be painted, stained, or both.



PRIMED WOOD (Paintable)

Our standard wood frame is made of finger-jointed pine and is pre-machined to accept MSystem components - weatherstrip, sills, gaskets and corner seals. The entire frame is pre-primed. ready for paint.



ENDURA - FRAMESAVER® (Primed - Paintable)

A revolutionary wood composite material so resistant to rot and insect damage, we guarantee the frame for life with FrameSaver's® transferable Lifetime Warranty!



ENDURA - FRAMESAVER® **FUSIONFRAME**


(Primed - Paintable Smooth and Textured)

Fusing together the benefits of composite and engineered-wood, FusionFrame delivers the strength and performance needed with a flawless finish. Helping installers overcome common installation challenges, delivering a better install.



WHITE CAPPED (No paint required)

This ready to use pre-painted white frame is long-lasting and rot-free. With its strong screw holding power this frame will maintain its integrity today and tomorrow.



SMOOTH COMPOSITE (Paintable)

The closed cellular structure ensures door frame will not absorb or wick moisture, and prevent warping, rotting and splitting. Twice the screw holding power of traditional wood door frames.



OAK **GRAINED COMPOSITE**

(Paintable & Stainable)

Oak grain poly-fiber door frame system that combines all the strength and convenience of wood with enhanced properties that make it moisture, rot and insect resistant.



FIR GRAINED COMPOSITE (Paintable & Stainable)

Fir grain poly-fiber door frame system that combines all the strength and convenience of wood with enhanced properties that make it moisture, rot, and insect resistant.



MAHOGANY **GRAINED COMPOSITE** (Paintable & Stainable)

Mahogany grain polyfiber door frame system that combines all the strength and convenience of wood with enhanced properties that make it moisture, rot, and insect resistant.



REPLACEMENT DOOR 18 GAUGE STEEL (Paintable)

Our Steel Replacement Door is assembled on an 18 gauge steel frame that is pre-prepped and pre-primed. Reinforced to ensure a proper installation and provide increased security.

CLADDING



Brickmould Matches wood brickmould dimensions exactly



Transoms

Clear and decorative glass in all shapes: rectangle, round top, elliptical, and springline.

MAINTENANCE-FREE ALUMINUM ENTRY DOOR **CLADDING**

- Heavy Duty resists denting
- No painting
- Limited lifetime warranty



- · Storm door ready
- No exposed fasteners
- Entry doors, sidelites and transoms



Wineberry

Sandstone

Green



Brown





Almond



Beige



Terratone



Black

Bahama Bronze

Arctic

FRAMESAVER®

WHY FRAMESAVER®

FrameSaver® Door Frames from Endura are simply the best door frames on the market. Patented composite bottom won't absorb water, warp, crack or rot and finishes and paints just like wood.

FrameSaver's finger-jointed wood composite protects the base of the frame from moisture exposure, and thus prevents water from wicking into the wood. Rot never has a chance to begin.

That's Performance Standard.

FRAMESAVER® FEATURES

FIELD PROVEN: OVER A DECADE OF "NON-ROT" PERFORMANCE

- 1. FRAMESAVER® BRAND STAMPED RIGHT ONTO THE PRODUCT
 - Ensures top quality
- 2. FINISHES AND PAINTS JUST LIKE WOOD
- 3. PATENTED COMPOSITE BOTTOM WILL NOT ABSORB WATER OR ROT
 - Will not wick water or swell
 - Rot never begins
 - Resists mold and insects
- 4. FINGER-JOINTED CONSTRUCTION DELIVERS STRUCTURAL INTEGRITY
 - · Extremely strong and durable



FRAMESAVER®
PROTECTS YOU
FOR LIFE.
GUARANTEED.



FRAMESAVER® FUSIONFRAMETM

DOOR FRAME & INSTALLATION SYSTEM

FusionFrame $^{\text{TM}}$ delivers maintenance free performance and prefinished convenience, with the structural improvements you want, and the installation benefits you never thought possible. *Call for pricing*.






2020 Best of IBS new product finalist Premier Composite Frame System Overcomes installation challenges


- · Installs in less time
- · Corrects out of plumb conditions
- Engineered-wood manages deflection
- Brickmould compatible
- · Supports Storm Doors & Side Lights
- Built in bubble level
- Hidden fastener technology
- Does not wick, rot, or warp

Patented technology

SUPERIOR BASICS

- A. Maintenance-free performance: FrameSaver Technology won't absorb water, warp, crack, or rot with insect protection
- B. Prefinished convenience: With a paintable smooth white or stainable textured finish
- C. Structural rigidity: Engineered core supports installation and resists sagging and bowing









ASTRAGALS

MULTI-POINT ASTRAGAL (MPA)

MPA's cost-effective design works with most standard deadbolt packages, eliminating the need for expensive hardware, extensive machining and allowing for easy installation and retrofitting to existing door units.

- · Three secure locking points stop air and water infiltration
- Ease of installation or retrofit
- Works with most standard deadbolt lock sets
- · Flip Lever standard enhances sealing power
- · 4-way adjustable strike








INTUITIVE CUT DOWN AND ADJUSTMENT Multi-Point Astragal and Flip Lever Astragal

The Multi-Point Astragal and Ultimate Flip Lever™

Astragal can be cut down by up to 7 inches to accommodate all applications.

ULTIMATE FLIP LEVER™ ASTRAGAL



The **Ultimate Flip Lever**™ **Astragal** – One flip of the lever activates both Flush Bolts and the Floating Boot, eliminating the need for bending and reaching – a must-have for taller door systems.

PATENTED DESIGN


- Easy-to-use, enhanced accessibility
- · Spring-loaded Floating Boot and Flush Bolts operate independently, allowing the Floating Boot to form a tight seal against the cap
- Standard in Multi-Point Locking Astragal and Trilennium® Compatible Astragals
- · Upgrade option in Ultimate Astragal

RETRACTABLE FLOATING BOOT

Lifts with the Flush Bolt to prevent excessive rubbing and wear that lead to poor performance with traditional boot-type seals.



4-WAY ADJUSTABLE STRIKE RETAINER



Adjustable strike plates with hardware in place

Adjustable strike retainer available only on Flip Lever Upgrade and Multi-Point Astragals

TAKE DOUBLE DOOR PROTECTION TO THE **ULTIMATE LEVEL**



GLASS-LITE FRAMES









FEATURE / BENEFIT	EVOLVE® White	EVOLVE® Oak	ZEEL White
FRAME MATERIAL	High Performance (HP®)	FiberPRO®	FiberMate Plus®
Compression seal/no squeeze out	•	•	•
Designed to reduce scalloping	•	•	•
Best defense against air/ water infiltration	•	•	•
No screw plugs			•
Easy-install screw plugs	•	•	
UV Resistant	•	•	•
High heat tolerant			•
Paints without adhesion promoter		•	•
Stainable		•	•
No finishing required	•		
Flat Profile			•



Meet ZEEL. A minimal design with endless opportunities.

- 1. ZEEL is a sleek, versatile frame designed to be stained or painted that blends seamlessly into the entry door, allowing the doorglass to take center stage. This clean, low-profile look offers an alternative to flush glazed doors that provides the benefits of a frame system with the style homeowners desire.
- 2. Traditional frames can warp when subject to severe temperature changes or direct sunlight exposure, especially when painted dark colors. FiberMate Plus™ is our strongest material yet and exceeds performance expectations in extreme environments.
- 3. Resolve® sealant is immune to squeeze out and doesn't degrade over time, reducing service calls and warranty issues. This clean thermoset foam seal can be repositioned and stays consistent over time.
- **4. ZEEL** eliminates the need for screws and cumbersome screw hole covers with an innovative clip system. This allows each frame to sit flush, streamlining installation and greatly reducing installation time and effort. This efficient installation offers an alternative to costly flush glazed doors.

Note: Zeel comes standard with designated Textured Privacy glass and configured clear LOW-E glass. Call for special order Zeel options.

HARDWARE & ACCESSORIES


EXTERIOR LOCKSETS

Box set finish options: Colonial Bronze, Satin Nickel





Decorative Handle and Deadbolt



• 1" throw deadbolt with hardened anti-saw rod



Standard Levers





- All metal construction
- 5 pin solid brass cylinder with nickel plated keys
- · Cylinder removable for rekeying
- Tubular locks keyed together with single cylinder deadbolts



Standard Deadbolt

- Full 1" throw deadbolt with hardened steel rod insert
- 5 pin tumbler solid brass cylinder

PEEPHOLE DOOR VIEWER & DOOR KNOCKERS WITH VIEWERS



VIEW12CB Colonial Bronze

to 2-1/4" thick

• 180 degree viewing



VIEW12SN Satin Nickel



Colonial Bronze



KNVW12SN Satin Nickel

Door Knocker with Viewer

- 6" tall x 3" wide
- Mounting Hardware: Two 2" length brass screws included

MAIL SLOTS



Door Peephole Viewer

• Adjusted to fit doors from 1-3/8"

SLOT133SN Satin Nickel 3-9/16" x 13"



SLOT133CB Colonial Bronze 3-9/16" x 13"

KICK PLATES



KPLT634SN Satin Nickel 6" x 34"



KPLT634CB Colonial Bronze 6" x 34"

DOOR HINGES

TYPES



Standard Hinge



Square Hinge



Ball Bearing



Spring Loaded

FINISHES - FINISH AVAILABILITY VARIES BY HINGE TYPE



US-3/4' Light Brass



US-3 Bright Brass



US-26 Bright Chrome



US-26D* Dull Chrome



LUS-15~ Dull Nickel



US-15A* Antique Nickel



US-5* Antique Brass



US-10BD* Colonial Bronze -Dark



US-19 Flat Black



US-P* White Primed

*Available in Spring Loaded

~ Available in Spring Loaded and Ball Bearing as US-15 Satin Nickel

TRILENNIUM®

TRILENNIUM® - MULTI-POINT LOCKING SYSTEM

Trilennium[®] delivers three times the strength, the security and the performance with one multi-point locking system, resulting in maximum peace of mind and homeowner satisfaction.



PROTECTION

Trilennium delivers the strength of 3 full dead-bolts for uncompromised protection.

No weak hooks or delivering catches, only tested, proven strength.



PERFORMANCE

Trilennium corrects misalignment in 3 different directions, even fighting deflection when unlocked for lasting, error-free operation.



EASY OPERATION

Unlike other systems, Trilennium is easy to use, activating with a single turn of the key or thumbturn, and releasing with just a single turn of the interior handle.



STRENGTH

Unlike other competitors, Trilennium's one-piece I-Beam lock construction is so strong, it even strengthens the door panel.

TRILENNIUM® HARDWARE COLLECTION

For optimum performance with our locking system, Trilennium® hardware combines elegant design with precision engineering for beautiful, reliable performance. Hardware, active and inactive, is available for entry, patio and passage doors in a variety of styles and finishes.




HORIZON
Shown in Bright Brass
SPECIAL ORDER
Available in 3-6 Weeks



GRIP SET
Shown in Victorian Bronze
SPECIAL ORDER



Trilennium® compatible hardware is also available from EMTEK® and Rocky Mountain Hardware®.



PET DOORS

In keeping with the idea that MMI DOOR strives to be our customer's single source for all of their door needs, we now offer 3 different sizes of Pet Doors - Medium, Large, and X-Large. Each of the three Pet Doors are pictured below. Our Pet Doors are manufactured by PetSafe®, a leading provider of Pet Products.

GIVE YOUR PETS THE FREEDOM THEY DESERVE!

- Durable Construction
- Simple installation instructions included
- · Solid aluminum frame with closing panel
- Intended for heavy use and multiple pet homes
- Flexible, soft flap with UV sun protection
- Great for Storm, Wood, PVC and Steel Doors
- Interior and Exterior applications
- 1 Year Warranty

OTHER SUGGESTED FIELD INSTALLATIONS:



Wood, Storm, PVC & Steel Walls 3/8"-2" Thick



Interior Applications



Alternative Applications











Medium 1 - 40 lbs. 8-1/4" x 12-1/4" (Flap Opening)



Large 1 - 100 lbs. 10-1/4" x 16-1/4" (Flap Opening)



X-Large 12 - 220 lbs. 13-3/4" x 23-3/4" (Flap Opening)



PATIO DOORS

BUILT FOR STABILITY, STRENGTH, RELIABILITY AND ENERGY EFFICIENCY. MANY OF OUR UNITS QUALIFY FOR THE ENERGY STAR PROGRAM. CHOOSE FROM GRAINED FIBERGLASS, SMOOTH FIBERGLASS OR STEEL.



The difference between Patio and Double Doors has always been a bit confusing. MMI DOOR defines Patio Doors as a two or three door unit with one active panel and one or two stationary panels. The operating panel will typically be hinged on the center mull post. A Double Door opens in the middle and has one "active" door and one "inactive" door. The inactive panel is anchored by an astragal that can be released to allow both doors to open freely.



Patio Doors

One active panel and one or two stationary doors



Double Doors

Also called "French Doors" Double doors open in the middle and both panels can be activated by releasing the astragal



Inactive patio door

appearance

panels are sealed with

glazing tape (no caulk)

No re-caulking required resulting in a better

-

(Example is a Patio Door)

Continuous head with non-invasive routing provide exceptional strength



One piece mulls feature superior strength, a perfect fit and no

additional finishing



Continuous sills give added strength beneath the mull with the continuous seal along the door unit



Our mull systems include inactive seats engineered for perfect panel placement




Sill gasket provides a water tight seal



Available with composite, no-rot frames!

PATIO HANDINGS



INSIDE SINSIDE LEFT HAND CENTER SWING RIGHT HAND CENTER SWING INSIDE SINSIDE

TRANSOMS OPTIONS

LEFT HAND END SWING



RIGHT HAND END SWING

Model	Glass Only Size	Description
TRAN7413RLE	72-1/4" x 11-7/8"	Transom Clear Low-E glass
TRAN7513RLE	73-1/4" x 11-7/8"	Transom Clear Low-E glass



Model	Glass Only Size	Description
TRAN7413RIMLE	72-1/4" x 11-7/8"	Transom Low-E glass w/GBG
TRAN7513RIMLE	73-1/4" x 11-7/8"	Transom Low-E glass w/GBG

PATIO DOORS

6/8 - 2 DOOR



59* (2) 22"x64"



61* (2) 22"x64"



686GBG* (2) 22"x64"



686GBG Contour~ (2) 22"x64"



686PIM (2) 22"x64"



686SDL~ (2) 22"x64"



686RLB~ (2) 22"x64"



686RLB PET~ 22"x64", 22"x36"



689RLB GBG~ (2) 22"x64"



686BLC~ (2) 22"x64"



686CHI~ (2) 22"x64"



686RN~ (2) 22"x64"



686VPR~ (2) 22"x64"



686MG~ (2) 22"x64"





*Textured glass offered with Zeel frame. All Patio Doors are offered with the door hinge on the frame side at no extra cost at your request. Note: Add "P-" in front of model number when ordering Patio Doors.

8/0 door options available


6/8 - 3 DOOR



59* (3) 22"x64"



61* (3) 22"x64"



686GBG* (3) 22"x64"



686GBG Contour~ (3) 22"x64"



686PIM (3) 22"x64"



686SDL~ (3) 22"x64"




686RLB~ (3) 22"x64"




689RLB GBG~ (3) 22"x64"




686BLC~ (3) 22"x64"



686CHI~ (3) 22"x64"




686RN~ (3) 22"x64"



686VPR~ (3) 22"x64"



686MG~ (3) 22"x64"



*Textured glass offered with Zeel frame. All Patio Doors are offered with the door hinge on the frame side at no extra cost at your request. Note: Add "P-" in front of model number when ordering Patio Doors.

RETRACTABLE SCREENS



LET THE FRESH AIR IN. KEEP EVERYTHING ELSE OUT.

- Mesh screen allows for maximum fresh air circulation
- In-track Velcro holds the screen tight, keeping insects out
- · Woolpile fin seal provides added seal on door edge
- Sleek handle design with release lever
- · Enhanced slide guide for smooth operation and stability
- · Attractive white finish to match any home design



INSWING FULL-SIZE RETRACTABLE SCREEN SCRNFULLRET30

 $3/0 \times 6/8$ full-size assembly for single door Screen height is 82" and fits openings up to 38" wide



INSWING FULL-SIZE RETRACTABLE SCREEN SCRNFULLRET60

6/0 x 6/8 full-size assembly for double door **DOUBLE** Screen height is 82" and fits openings up to 741/4" wide



INSWING TRUFIT RETRACTABLE SCREEN TRU fit retractable SCRNRETRORET60

 $6/0 \times 6/8$ TruFit assembly for double door **DOUBLE** Screen height is 793/4" and fits openings up to 72" wide

Notice: Responsibility for the care and maintenance of the unit will be solely on the purchaser. Any resulting damage to the screen mesh component from improper use or care shall be at the discretion of the purchaser to replace at a cost with an available screen mesh cartridge.

Retractable screens fit some configurations for outswing doors. Please call for configurability.





TRUFIT REPLACEMENT MAJESTIC STEEL

TruFit Replacement Patio Doors are sized to correctly fit the opening of worn out, sliding patio doors. No custom sizing or extensive carpentry work is necessary. Save time and money while gaining the perfect look that your home deserves.



UNIT INCLUDES:

- 4-9/16" Primed Frame
- Primed Brickmould
- One Piece Primed Mull Post (Patio)
- One Piece Flip Lever Astragal (Double)
- One Piece Composite Sill
- One Piece Continuous Header
- · Wood Edge
- 3 Brass Hinges



Available with Composite No Rot Frames!

		Patio	Double
	DOORS	Doors 2 D	French Doors oor
6/8 MOD	ELS UNIT SIZES	71-1/2" X 79-1/2"	70-1/2" X 79-1/2"
	P-59 (1 Lite)	•	•
	P-59 Low-E (1 Lite)	•	•
	P-61 (15 Lite Standard Grid)	•	•
	P-686GBG (15 Lite Internal Muntins)	•	•
	P-686GBG Low-E (15 Lite Internal Muntins)	•	•
	P-686RLB (Internal Blindsw- Tilt, Raise and Lower)	•	•
	P-686RLB Low-E (Internal Blinds- Tilt, Raise and Lower)	•	•
	P-686RLB GBG Low-E (15 Lite Internal Muntins with Internal Blinds - Tilt, Raise and Lower)	•	•

SAVE **TIME** AND **EFFORT**

TruFit fits in the frame of your old sliding door with easy installation!





15 Lite RLBGBGWhite or Tan
Grids between Glass



1 Lite



Blinds Between Glass Raise, Lower & Tilt



15 Lite GBG White or Tan Grids between Glass

Please refer to page 16 for hardware options.



RESIDENTIAL STYLING. COMMERCIAL GRADE SAFETY. MMI DOOR OFFERS A COMPREHENSIVE LINE OF 20 AND 90 MINUTE FIRE RATED DOOR UNITS IN FIBERGLASS AND STEEL.

FIRE 20 MIN

FIRE DOORS ON 20 MINUTE WOOD FRAMES



Fiberglass Smooth 6 Panel



Fiberglass Smooth 2 Panel



Fiberglass Smooth 2 Panel Archtop



Fiberglass Smooth 2 Panel Archtop Planked



Fiberglass Smooth 10 SHK 1 Panel



Fiberglass Smooth 20 SHK 2 Panel



Fiberglass Smooth 30 SHK 3 Panel

MINUTE STEEL FRAMES

Majestic Steel Flush



FIRE DOORS ON 90

Majestic Steel 2 Panel



Majestic Steel 4 Panel



Majestic Steel 6 Panel

WARRANTY

- 10-Year coverage on exterior steel door slabs for defects in material and workmanship
- 1-Year coverage on door frames for defects in material and workmanship

COMMERCIAL PRODUCTS

MMI DOOR offers a full line of commercial doors, frames and hardware in stock for immediate delivery. Many of these items are adaptable to our residential products in this catalog. You may want to consider self closing hinges, automatic door closers or panic devices for the choices above. Please refer to our commercial brochure for further details.



Majestic Steel 2 Panel Archtop



Steel

Majestic Steel 10 CRF **20 CRF** 1 Panel 2 Panel



Majestic Steel **30 CRF** 3 Panel

20 MIN FIRE-RATED DOORS

PREHUNG PRIMED WOOD FRAME UNITS



Fiberglass Smooth FS21 20M



Fiberglass Smooth FS20 20M



Smooth FS22 20M



Fiberglass Fiberglass Smooth FS200 20M



Fiberglass Smooth FS10 SHK 20M



Fiberglass Smooth FS20 SHK 20M



Fiberglass Smooth FS30 SHK 20M

UNITS INCLUDE:

- 4-9/16" prime frame
- · Primed brickmould
- · High dam composite adjustable sill

PREHUNG OPTIONS:

PREP OPTIONS:

2-1/8" Deadbolt Prep 1/2" Peep Prep 1/2" Satin Nickel Peep Prep & Install

FRAME OPTIONS:

5-1/4" Frame 6-9/16" Frame 4-9/16" 20 Minute Frame 7-1/4" 20 Minute Frame No Brick Mould

- Compression weatherstrip
- 3 standard brass hinges
- · 20 minute fire rated labeled door

SILL OPTIONS:

Fixed Sill

Low Profile Sill (ADA Compliant)

HINGE OPTIONS:

(3) US-26D Brushed Chrome Hinges (2) US-3/4 Brass Spring Hinges

(2) US-15 Satin Nickel Spring Hinges

(2) US-15A Antique Nickel Spring Hinges (2) US-26D Brushed Chrome Spring Hinges 3rd Spring Hinge

Spring Hinges include a 3rd, standard hinge.



Shown in Majestic Steel-90 Minute

Unit Dimensions

Frame Size	Width	Height
2/8 x 6/8	33-1/2"	81-5/8"
3/0 x 6/8	37-1/2"	81-5/8"

Low profile (ADA Compliant) sill units deduct 3/4" from unit dimensions

Note: All 20M FS flat panel shaker doors available with no sticking and all 90M MJ flat panel craftsman doors available with craftsman sticking.



TIMELY AK-SERIES ADJUSTABLE STEEL FRAME PREHUNG UNITS















Majestic Steel 90M MJ-1-90M*

Majestic Steel 90M MJ-20-90M

Majestic Steel 90M MJ-21-90M*

Majestic Steel 90M MJ-22-90M

Majestic Steel 90M MJ-40-90M

Maiestic Steel 10 CRF 90M 1 Panel

Maiestic Steel 20 CRF 90M 2 Panel


Maiestic Steel 30 CRF 90M 3 Panel

*2/6 is available in the MJ-1 and MJ-21 in frame sizes 4-1/2" to 5-1/2" only.

Unit Dimensions

Frame Size	Width	Standard Height	ADA Height
2/6 x 6/8	30"	80-7/8"	80"
2/8 x 6/8	32"	80-7/8"	80"
2/10 x 6/8	34"	80-7/8"	80"
3/0 x 6/8	36"	80-7/8"	80"

Rough Opening



For AK Adjustable Kerfed frames, the rough opening must be 13/16" higher than the total inside frame height. Since this frame is often pre-hung with a sill and bottom sweep, the height may vary.



FRAME-UP ADJUSTABLE **KERFED AK-SERIES**

Our AK-Series Frame is designed specifically for the Residential Market (and light Commercial applications) where weatherstripping, thresholds, and pre-hanging are common requirements. With MMI's fire rated door pre-hung in a Timely AK-Series frame, this entire unit can be installed at one time. AK-Series frames are also the solution for house to garage openings where fire ratings and security are essential.

Accommodates doors 1-3/4" thick, weighing up to 250lbs and accepts TA-8 metal or wood casings for finishing

UNITS INCLUDE:

- 20 Gauge galvanized primed steel
- Adjustable Throat: 4-1/2" to 5-1/2", 5-1/2" to 6-1/2", 6-1/2" to 7-1/2", 8-1/2" to 9-1/2", 9-1/2" to 10-1/2"
- Lock strike preparation: 2-1/4" full lip strike, 2-1/2" T-Strike, 2-3/4" deadbolt, 4-7/8" ASA
- Prepped for 2 sets of steel casing TA-8 or a wood casing
- · Primed in white
- Hinge Prep: Accepts three (3) 4" 5/8" radius hinges

PREHUNG OPTIONS:

PREP OPTIONS:

2-1/8" Deadbolt Prep 1/2" Peep Prep 1/2" Satin Nickel Peep Prep & Install

SILL OPTIONS:

Low Profile Sill (ADA Compliant)

HINGE OPTIONS:

(2) US-3/4 Brass Spring Hinges (2) US-15 Satin Nickel Spring Hinges (2) US-15A Antique Nickel Spring Hinges (2) US-26D Brushed Chrome Spring Hinges

CASING OPTIONS:

Steel Snap On Casing Per Door Side

SEVERE WEATHER FIBERGLASS ENTRY DOORS

Our severe weather fiberglass smooth and oak grained fiberglass doors are constructed with full length composite stiles. The top and bottom rails prevent any water penetration in all six sides. The unit will not, warp, rot, dent, or split and are virtually maintenance free.

Decorative glass is available and is independently tested by ODL to meet Florida and Texas wind-borne debris risks and comes with an aluminum frame for enhanced strength and durability.

Our severe weather door system is approved for use in severe weather door systems that meet Florida code FL17347, and are certified by NAMI. Please call for design and quote.

HIGH VELOCITY HURRICANE ZONE (HVHZ) Broward and Dade County are not supported.





FLORIDA WIND-BORNE DEBRIS REGION FOR **RISK CATEGORY II BUILDINGS**



TEXAS FIRST TIER COASTAL COUNTIES





SW PANEL AND CLEAR GLASS DOORS

6/8



SWFG 21 6 Panel 2/8 x 6/8 3/0 x 6/8



SWFG 110 2 Panel 3/0 x 6/8



SWFG 158 9 Panel 3/0 x 6/8



SWFG 140 4 Panel 3/0 x 6/8



SWFG 400 6 Panel 3/0 x 6/8



46MDRN 4 Panel Grooved 3/0 x 6/8



SWFG 51MDRN 7 Panel 3/0 x 6/8



SWFG 59 Low-E Glass 2/8 x 6/8 3/0 x 6/8



SWFG 122 Low-E Glass 2 Panel 3/0 x 6/8



SPECIAL ORDER 8/0 Available in 6-8 Weeks



SWFG 21 6 Panel 3/0 x 8/0



SWFG 300 3 Panel 3/0 x 8/0



4 Panel Grooved 3/0 x 8/0



SWFG 51MDRN 7 Panel 3/0 x 8/0



SWFG 59 Low-E Glass 3/0 x 8/0

6/8



SWFS 20 2 Panel 3/0 x 6/8



SWFS 21 6 Panel 2/8 x 6/8 3/0 x 6/8



SWFS 22 2 Panel 2/8 x 6/8 3/0 x 6/8



SWFS 31 3 Panel 3/0 x 6/8

8/0



SWFS 40 4 Panel 2/8 x 6/8 3/0 x 6/8

SPECIAL ORDER

Available in 6-8 Weeks



SWFS 110 2 Panel 3/0 x 6/8



SWFS 140 4 Panel 3/0 x 6/8



SWFS 158 9 Panel 3/0 x 6/8



SWFS 200 2 Panel Planked 2/8 x 6/8 3/0 x 6/8



SWFS 400 6 Panel 3/0 x 6/8



SWFS 59 Low-E Glass 2/8 x 6/8 3/0 x 6/8



SWFS 122 2 Panel Low-E Glass 2/8 x 6/8

3/0 x 6/8



SWFS 300 3 Panel 3/0 x 8/0



SWFS 59 Low-E Glass 3/0 x 8/0

IMPACT-RESISTANT LAMINATED GLASS

ODL's patented frame design, which is mechanically fastened in the corners to prevent flex, adds strength to the door. With a classic flat 3/8" low profile frame, the narrow aluminum extrusion adds strength. The natural contours provide a traditional style and a white powder coat provides a polished finish that can be painted.

Decorative Doorglass, Blinds and Grilles are sealed between impactresistant laminated glass on the exterior, and tempered safety glass on the interior.





MISSILE IMPACT TESTED





2/8

3/0

22" x 15"



The Level D missile impact test fires an 8-foot long 2"x 4" at 50 feet-per-second at the door glass and door slab. The entire unit must remain intact through 9,000 pressure cycles, and also pass water-infiltration, structural loading, and forced air-infiltration tests.

SEVERE WEATHER FIBERGLASS DOORS

DECORATIVE GLASS SEVERE WEATHER PORTFOLIO TEXTURED PRIVACY GLASS BETWEEN GLASS OPTIONS Special order: "•" in the table relates to available product. To configure: Take the door model number and add the glass, mini blind, or grille extension. (MiniBlinds) Example: SWFS 607-HM = Severe Weather Smooth -GBG (Grilles (Chinchillo) Fiberglass with 22" x 48" Heirlooms glass Between Glass Door Model Grain Size Width 2/8 SWFS 607-xx Smooth 22" x 48' 3/0 2/8 SWFG 607-xx Oak 22" x 48" 3/0 2/8 SWFS 684-xx Smooth 22" x 36" 3/0 2/8 SWFG 684-xx 22" x 36" 3/0 2/8 SWFS 686-xx Smooth 22" x 64" 3/0 2/8 SWFG 686-xx Oak 22" x 64" 3/0 12" SWFS 694-xx Smooth 7" x 64" 14" 12" SWFG 694-xx Oak 7" x 64" 14" SWFS 612-xx 22" x 80" Smooth 3/0 SWFG 612-xx Oak 22" x 80" 3/0 12" SWFS 493-xx Smooth 8" x 80" 14" 12" SWFG 493-xx Oak 8" x 80" 14"

SWFF 866-xx

SW FIBERGLASS DOORS

6/8







7" x 64"



7" x 64"










8/0



SWFS 493 HM 8" x 80"



22" x 15"





SWFS 493 ME SWFS 493 PEM SWFS 493 BLC SWFS 493 CHI SWFS 493 RLB SWFS 493 GBG 8" x 80" 8" x 80" 8" x 80" 8" x 80" 8" x 80"



* Dentil Shelf Available

ARCHITECTURAL COLLECTION

MMI DOOR's Architectural™ Collection is a premium line of fiberglass doors and matching fiberglass components featuring an **authentic woodgrain replication** made possible by unique NVD (nickel vapor deposition) technology. Each door begins with hand-selecting the most beautiful pieces of wood to build a real wood door. A silicone casting then picks up the woodgrain, and with NVD technology, the **finest details are transferred** into a door mold, atom-by-atom. The result is a fiberglass door that **replicates natural woodgrain** characteristics and is **virtually indistinguishable** from real wood. **Limited Lifetime Warranty**.



SPECIAL ORDER. Prefinished doors delivered in an estimated 6-8 weeks.

GRAINS & STAINS



1" INSULATED GLASS

ARCHITECTURAL COLLECTION


DELIVERING A COMPLETE FIBERGLASS SYSTEM

TO YOUR DOOR

THE BEAUTY OF WOOD WITH THE DURABILITY OF FIBERGLASS.

STRENGTH

A pair of beefy 4.125" stiles run down the sides of our doors. Supported by 3.5" of laminated strand lumber. LSL is one of the strongest, straightest and most stable engineered wood fiber products available. This prevents our doors from warping and increases your hardware options.





- Mastergrain's unique NVD technology produces the most genuine look of real wood in fiberglass without the negative aspects of a wood or steel.
- Does NOT rot or warp like wood doors and requires less maintenance.
- Does NOT rust or dent like steel doors.
- Excellent grain and stain matching across fiberglass components.
- Engineered for the extreme hot and cold temperatures of North America.



Doors are constructed using **rot resistant** composite top & bottom rails. (Kerf notched bottom rail shown)

6/8 Low-E Glass @ **RUSTIC CHERRY** 230PL TRADITIONAL CHERRY SL422 SL690 SL692 MAHOGANY OAK KNOTTY ALDER FIR 30 866* SL690

8/0 Low-E Glass @



*Dentil Shelf Available All available only in 3/0 x 6/8 or 6/0 x 6/8 double doors. All grains are shown in a cherry stain. To see more grain and stain options, see page 4.



ARCHITECTURAL COLLECTION

6/8





SHD

SHD



*Dentil Shelf Available All available only in $3/0 \times 6/8$ or $6/0 \times 6/8$ double doors. All grains are shown in a cherry stain. To see more grain and stain options, see page 4.

8/0





*Dentil Shelf Available
All available only in 3/0 x 6/8 or 6/0 x 6/8 double doors.
All grains are shown in a cherry stain.
To see more grain and stain options, see page 4.



SIMULATED DIVIDED LITES COLLECTION

IT LOOKS LIKE TRADITIONAL TRUE DIVIDED LITE DOORS - INSTEAD THEY ARE A MORE ENERGY EFFICIENT DOOR WITH A CLASSIC PROFILE ON THE FRAME.



PRACTICAL AND ELEGANT TAKE ON TRADITIONAL DIVIDED DOOR LITES.

The look of a true divided lite, with the energy efficiency of a single lite. A mill finish between glass, and backing strips for a true wood muntin appearance.



The Traditional SDL bars are injection molded along with our Evolve® Frame to eliminate separate application of the SDL bars. This all-in-one design offers a better flush-to-glass fit.

IN-STOCK GLASS




Clear Low-E 3

Privacy Rating

1	10
Low	High

SIMULATED DIVIDED LITES COLLECTION





6/8 Low-E Glass @





867SDL*



686SDL




868SDL*

Notes:

- Craftsman doors come with a flat Craftsman lite frame. Side lites come with standard Evolve lite frame
- Select skin configurations available for Fir, Mahogany, Oak, and Fiberglass Smooth

CRAFTSMAN COLLECTION





Energy efficient SDL Bars (Simulated Divided Lites) add the rich three dimensional effect of traditional wood without the risk of warping, cracking or rotting.

IN-STOCK GLASS Clear glass **Privacy Rating** 1 ▲ Low Fir grain 4 block dentil shelf is lightweight and will

10

High




FF 806*

SPOTLIGHTSTM COLLECTION




AUTHENTIC DESIGN FOR THE ARCHITECTURE ENTHUSIAST™










FROSTED GLASS





BEAUFORT COLLECTION

Available Caming: Patina Severe Weather Doorglass Available







STANDARD FIBERGLASS & STEEL DOORS



























ARCHITECTURAL FIBERGLASS DOORS

6/8



607BFT 22"x48"



608BFT



628BFT



682BFT 22"x36"



684BFT 22"x36"



22"x64"



SL422



SI 8"x48" 8"x64" 8"x36"

8/0





694BFT 7"x64"



799BFT 22"x64" **759BFT** 8"x64"


		PRE	MIL	JM A	RCH	IITE	CTU	RAI	_™ F	IBE	RGL	.ASS	DO	ORS				S	TΑ	ND	ARD	FIE	BER	GL/	455	DC	OR	S						STE	EL	DO	DRS	6		
		Rust Cheri			iditic Cherr		Mc	ihog	any		Oak			(notty Alder		٨	1ahc	gan	ıy			Oak					Sm	ooth						jestic :eel			Re		icem teel	ent
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/1	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																								
422BFT																						•						•												
607BFT				•			•															•						•												
608BFT	•			•						•												•						٠												
628BFT	•			•																																				
682BFT													•													•		٠												
683BFT																										•		٠												
684BFT				•			•			•						•	•			•		•				•	•	٠				•	•	•				٠	•	•
686BFT				•			•			•			•			•	•			•	•	•				•	•	٠				•	•	•				٠	•	•
692BFT				$oxed{oxed}$																					•	•	•	٠			•	•	•	•			•	٠	•	•
SL422BFT		•	•	$oxed{oxed}$	•	•		•	•		•	•											•	٠	_	_			_	٠					•	•				
SL690BFT		•	•	Ш	•	•		•	•		•	•		•	•										_	_			_	٠										
SL692BFT					•	•		•	•		•	•						•	٠				•	٠	_	_			_	٠	_				•	_				
SL694BFT																		•	•				•	•					•	•					•	•				
8/0 MODELS																																								
759BFT																						•						•												
779BFT													•		\neg																									
789BFT	•																																							
799BFT	•																																							\Box
906BFT																												•												
SI 759RFT		•	•	i –																				•	T															

ELEGANT STAR COLLECTION

Severe Weather Doorglass Available



Available Caming: Wrought Iron



Elegant Star with wrought iron and textured translucent glass is a rustic, South Western treatment. Providing you with a Glass Details







STANDARD FIBERGLASS & STEEL DOORS





22"x36"











8"x36'











ARCHITECTURAL FIBERGLASS DOORS

6/8







684TX 22"x36'



686TX 22"x64'



692TX 8"x36"

690TX 8"x64"



22"x64"



22"x64"

SL 759TX

8"x64"

	F	PRE	MIU	MΑ	RCH	IITE	сти	RAL	™ F	IBEI	RGL	ASS	S DC	ORS	;				STA	ND	ARD	FIE	BER	GLA	SS I	DOC	DRS							ST	EEL	DO	OR	S		
		lusti herr			ıditic :herr		M	ahog	any		Oak	:		(nott) Alder		1	1aho	gan	у			Oak					Smo	oth					Maj St	estic eel			Re		ceme teel	ent
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																								
682TX													•													•		•												
683TX										İ						m										•		•												
684TX				•			•			•						•	•			•		•				•	•	•				•	•	•				•	•	1
686TX				•			•			•			•			•	•			•	•	•				•	•	•				•	•	•				•	•	1
692TX																									•	•	•	•			•	•	•	•			•	•	•	1
SL692TX					•	•		•	•		•	•						•	•				•	•					•	•					•	•				П
SL690TX		•	•		•	•		•	•		•	•		•	•														•	•										
8/0 MODELS																																								
759TX										Π												•						•												
789TX	•																																							П
799TX	•															Г																								П
SL759TX		•	•							İ						i								•						•										


Severe Weather Doorglass Available Available Caming: Nickel or Patina

Privacy Rating Low High





STANDARD FIBERGLASS & STEEL DOORS



ARCHITECTURAL FIBERGLASS DOORS



22"x48"

6/8





















799GRC 22"x64"

		PR	EMIL	JM A	RCH	ITEC	TUR/	√ L™	FIBE	RGL/	ASS [000	RS			S	TAI	ND/	٩RD	FIB	BERG	BLA	SS	DO	ORS	5						ST	EEL	DO	ORS			
		Rusti Cherr			aditic Cherr		Mc	ahogo	any		Oak		Knotty Alder	٢	laho	gany	,		(Dak					Smo	ooth	•					estic eel	:		Re	plac St	eel	ent
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																						
422GRC																				•		\neg				•												
607GRC				•			•													•		\neg				•												
608GRC	•			•						•										•						•												
628GRC	•			•																																		
659GRC														٠	•			•		•			•	•	•	•			•	•		•						
682GRC													•											•		•												
683GRC																								•		•												
684GRC				•			•			•				٠	•			•		•				•	•	•				•	•	•				•	•	•
686GRC				•			•			•			•	٠	•			•	•	•				•	•	•				•	•	•				•	•	•
692GRC																							•	•	•	•			•	•	•	•			•	•	•	•
749GRC															•					•						•												
949GRC																				•						•												
950GRC																				•						•												
SL422GRC		•	•		•	•		•	•		•	•									•	•					•	•					•	•				
SL692GRC					•	•		•	•		•	•				•	•				•	•					•	•					•	•				
SL694GRC																•	•				•	•					•	•					•	•				
8/0 MODELS																																						
759GRC																				•						•											_	
779GRC													•																									
789GRC	•																					\neg																
799GRC	•																					一																
906GRC																						\neg				•												
SL759GRC																					•	•						•										

HARRIS COLLECTION

Severe Weather Doorglass Available Available Caming: Patina





Blending texture and a microgranite pattern glass with the classic patina finish diamond design, Harris evokes traditional design quest for an inspired modern look. Harris offers a high





Available Caming

8/0



STANDARD FIBERGLASS & STEEL DOORS

High

6/8

Privacy Rating

Low

























* Dentil Shelf Available

* Dentil Shelf Available

SL 759HAR 7"x64"

ARCHITECTURAL FIBERGLASS DOORS

6/8



22"x48"











686HAR 22"x64"













22"x64"

		PF	REM	1UII	1 AI	RCH	ITE	сτι	JRA	∟™	FIBI	ERG	LAS	5S C	000	RS					STA	ND.	ARI	FII	BER	GL	ASS	DC	OR	S						S	TE	EL C	ЮС	DRS		
		Fir			Rust Cher			ıditi Cher	onal rry	Mc	ihog	any		Oak		Knotty Alder		Fir	М	1ahc	gan	ıy			Oak					Smo	ooth					Maje Ste					lacer Stee	ment el
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12'	14"	3/0	12"	14"	3/0	12"	14"	3/0	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6 2	/8 2/	10 3/0
6/8 MODELS																																										
422HAR																									•						•											
607HAR							•			•															•						•											
608HAR				•			•						•												•						•			oxdot								
628HAR				•			•										\perp																	Ш								
648HAR						_											\perp		•	٠			•		•			•	•	•	٠			•	•		•		_	•	•	•
682HAR				_		_				_			_	_		•			_	ш		_							•		•	_		Ш		\blacksquare			\rightarrow			
683HAR				_		_		_		_		_	_	_					_	ш		_							•		•			Ш				\square	\rightarrow			
684HAR				_		_	•	_				_	•	_					•	_		_	•		•				•	•	٠	_		Ш	•	_	•	-	_			• •
686HAR	_			—	-		•	-	-			_	•			•	\vdash		•	٠			•	_	•		_		•	•	•	_	-	ш	_	٠	_		_			• •
692HAR				-		-		-		├		_	<u> </u>	_			-	-	<u> </u>	_	_	\dashv		•			_	•	•	•	•	_	_	•	•	•	•		\rightarrow	•	• •	• •
866HAR	•			├	-	-	-	-	-	₩	-	-	<u> </u>	-			•	•	<u> </u>	_	_		_	_	_			_	•	_	•	_	_	<u> </u>		-	_		\rightarrow	_	_	_
SL422HAR				!	•	٠	-	٠	_	⊢	•	٠	<u> </u>	•	_		\vdash	-	<u> </u>	ш						•	•			_		٠	•	╙		\blacksquare		•	•		-	
SL692HAR	_			┢	-	-	┢	•	•	₩	•	•	<u> </u>	•	•		╄	-	<u> </u>	ш	•					•	•	_		_		•	•	<u> </u>		$\overline{}$	_	•	•	-	-	_
SL694HAR SL820HAR	_	•	•	⊢	-	-	⊢	-	+	⊢	-	-	⊢	-			╄	-	⊢	Н	•	•		-		•	•	_	_	<u> </u>		•	•	⊢	\rightarrow	-		•	•	_	-	_
SLOZUNAK		•	•	<u> </u>																																						
8/0 MODELS																																										
759HAR																									•						•											
779HAR																•																										
789HAR				•																														\Box								
799HAR				•																																						
906HAR																															•			$ldsymbol{ldsymbol{ldsymbol{ldsymbol{eta}}}$								
SL759HAR																											•						•									

HEIRLOOMS COLLECTI

Available Caming: Brass or Nickel



Severe Weather Doorglass Available



10 Low High





Available Caming





STANDARD FIBERGLASS & STEEL DOORS

6/8



607HM (2) 8"x48" 22"x48" 22"x48"



608HM



 659HM
 682HM
 683HM
 684HM
 686HM
 692HM

 21.8"x
 22"x36"
 22"x36"
 22"x36"
 22"x36"
 22"x464"
 (2)













950HM 14"x37" 14"x37"



SL **422HM 690HM 692HM** 8"x48" 8"x64" 8"x36"

694HM 7"x64"



9.81" ARCHITECTURAL FIBERGLASS DOORS

6/8



607HM 22"x48"



608HM



628HM 22"x48"



682HM 22"x36" 22"x36"



686HM



8"x36"

SL 8"x48"











Transom

521HM 62-7/8"x11-7/8"


		PR	EMIL	JM	ARC	HITE	СТС	JRAI	™ F	IBE	RGL	ASS	DOC	ORS				5	TA	ND/	ARD	FIE	BER	GLA	SS	DO	ORS	5						ST	EEL	DO	ORS	;		
		Rusti Theri			aditio Cheri		Mo	ahog	any		Oak			(nott Alde		٨	lahc	gan	у		(Oak					Smo	oth						jesti teel	с		Re	eplac St	eme eel	nt
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																								
422HM																						•						•												
607HM				•			•															•						•												
608HM	•			•						•												•						•												
628HM	•			•																																				
659HM																•	•			•		•			•	•	•	•			•	•	•	•						
682HM													•													•		•												
683HM																										•		•												
684HM				•			•			•						•	•			•		•				•	•	•				•	•	•				•	•	•
686HM				•			•			•			•			•	•			•	•	•				•	•	•				٠	•	•				•	•	•
692HM																									•	•	•	•			•	٠	•	•			•	•	•	•
749HM																	•					•						•		_										
919HM																				•		•			•	•	•	•			•	•	•	•				•		•
949HM																						•						٠												
950HM																						•						•												
SL422HM		•	•		•	•		•	•		•	•											•	•					•	•					•	•				
SL690HM		•	•		•	•		•	•		•	•		•	•														•	•										
SL692HM					•	٠		٠	•		•	•						•	•				•	•					•	•		_			•	_				
SL694HM																		•	•				٠	•					•	•					•	•				
8/0 MODELS																																								
759HM																						•						•												
779HM				Т									•			m			\neg									-												
789HM	•																																							
799HM	•																																							
906HM																												•												
SL759HM		•	•	İ												İ								•						•										

Privacy Rating Low High

MAJESTIC COLLECTION



Severe Weather Doorglass Available Available Caming: Nickel; Special Order Caming: Brass or Patina



bevels and glass, accented with gray shades, is the epitome of Classic design. Providing you with a medium level of privacy to your home.

Glass Details



1 - Nickel Caming2 - Glue Chip Bevels4-Gray Soft Wave

Available Caming







STANDARD FIBERGLASS & STEEL DOORS



ARCHITECTURAL FIBERGLASS DOORS



		PF	Cherry Mahogany Oak Alder 1 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14"															S	TAI	ND/	ARD	FIE	BER	GLA	SS	DO	ORS							ST	EEL	DO.	OR:	5		
		Rusti Cherr					Mc	ihogo	any		Oak					٨	1ahc	gan	у		(Oak					Smo	oth						esti eel	c		R		cem teel	ent
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																								
422ME																						•				_		•												
607ME				•			•															•						•												
608ME	•			•						•									T			•						•												
628ME	•			•															T																					
682ME													•						T							•		•												
683ME																			T							•		•									İ			
684ME				•			•			•						•	•		T	•		•				•	•	•				•	•	•				•	•	•
686ME				•			•			•			•			•	•		T	•	•	•				•	•	•				•	•	•				•	•	•
692ME																Г			T						•	•	•	•			•	•	•	•			•	•	•	•
SL422ME		•	•		•	•		•	•		•	•				Г			T				•	•					•	•					•	•				
SL690ME		•	•		•	•		•	•		•	•		•	•	Г													•	•										
SL692ME					•	•		•	•		•	•				Г		•	•				•	•					•	•					•	•				
SL694ME																		•	•				•	•					•	•					•	•				
8/0 MODELS																																								
759ME																						•						•												
779ME													•																											
789ME	•																																							
799ME	•															Г																								
906ME																												•												
SL759ME		•	•																					•						•										


MONTCLAIRE COLLECTION

Privacy Rating

Low High

Available Caming: Nickel Vein Wrought Iron Severe Weather Doorglass Available





Available Caming





STANDARD FIBERGLASS & STEEL DOORS



422MTC (2)8"x48"



607MTC 22"x48"





608MTC 22"x48"



22"x64"



22"x15.25"



422MTC 8"x48"



694MTC 7"x64"

8/0





22"x64"



* Dentil Shelf Available

759MTC 7"x64"

ARCHITECTURAL FIBERGLASS DOORS

6/8



607MTC 22"x48"



608MTC 22"x48"





628MTC 22"x48"



22"x64"



8/0



779MTC 22"x48"



789MTC



22"x64"

		PRE	MIL	JM A	RCH	IITEC	CTUF	RALTI	1 FIE	BERG	LAS	S DC	OORS				ST.	ANI	DAR	D F	IBE	RGL	AS:	S D	001	เร											
		Rusti Cherr			aditio Cherr		Mc	ihogo	any		Oak		Knotty Alder	F	ir	٢	1ahc	gan	ıy			Oak				Sr	noo	th				ajes Stee			Rep	olacei Stee	ment I
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/8	2/10	3/0
6/8 MODELS																																					
422MTC																						•					•										
607MTC				•			•															•					•										
608MTC	•			•						•												•					•										
628MTC	•			•																																	
686MTC				•			•			•			•			•	•			•	•	•			•	•	•			•	•	•			•	•	•
866MTC														•	•										•		•										
SL422MTC		•	•		•	•		•	•		•	•											•	•				•	•				•	•			
SL694MTC																		•	•				•	•				•	•				•	•			
8/0 MODELS																																					
759MTC																						•					•										
779MTC													•																			\Box					
789MTC	•													Π		Π																\neg					
799MTC	•																															\Box					
906MTC																											•					\neg					
SL759MTC				Î						İ				Ī										•					•			$\overline{}$					

NOUVEAU COLLECTION

Severe Weather Doorglass Available



Available Caming: Brass, Nickel, or Patina









8"x36"



8/0



STANDARD FIBERGLASS & STEEL DOORS

10

High

6/8

Privacy Rating

Low



ARCHITECTURAL FIBERGLASS DOORS

6/8



607MN 22"x48" 22"x48"



628MN 22"x48"



22"x36"











8/0





22"x64'



7"x64" 22"x64" 22"x48"

* Dentil Shelf Available

Transom



521MN 62-7/8" x 11-7/8"

		PRI	MIL	JM A	ARCI	HITE	СТИ	RAL	™ F	IBE	RGL	٩SS	DO	ORS				S	TAI	ND/	ARD	FIBI	ERG	LA	SS	DO	ORS	5						STE	EL	DO	ORS			
		Rusti Cheri			aditic Cherr		Mc	ihogo	any		Oak			(noti Alde		١	1aho	gan	у		С	ak					Smo	oth				ا	Maje Ste	estic eel			Re	plac Ste	eme eel	nt
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	2/8	3/0	12"	14"	2/8	2/10 3	3/0 1	12" 1	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																								
422MN																			T			•		T)				•						_						
607MN				•			•			m									\neg			•		_1			\equiv	•						-						\neg
608MN	•			•						•												•		_1			\equiv	•						-						\neg
628MN	•			•															\neg					T			\equiv							-						\neg
637MN																	•		\neg	•		•		T		•	•	•				•		•				•		•
648MN																•	•			•		•		T	•	•	•	•			•	•		•			•	•		•
659MN																	•			•		•		T	•	•	•	•			•	•		•						\neg
682MN													•											T		•		•						-						\neg
683MN																								T		•		•						-						\neg
684MN				•			•			•						•	•			•		•		T		•	•	•				•	•	•				•	•	•
686MN				•			•			•			•			•	•			•	•	•		T		•	•	•				•	•	•				•	•	•
692MN																			\neg					_	•	•	•	•			•	•	•	•			•	•	•	•
749MN																	•					•		T				•												
919MN																				•		•			•	•		•			•	•	•	•				•		•
949MN																						•		T				•												
950MN																						•		T				•												
SL422MN		•	•		•	•		•	•		•	•											•	•					•	•					•	•				
SL690MN		•	•		•	•		•	•		•	•		•	•									T					•	•										\neg
SL692MN					•	•		•	•		•	•						•	•				•	•					•	•					•	•				
SL694MN																		•	•				•	•					•	•					•	•				
8/0 MODELS																																								
759MN																												•												
779MN				-															\dashv					_				_						_						-
789MN	•												Ė											-														_		
799MN	-																		\dashv					_																-
906MN	ŕ															\vdash			\dashv					\dashv				•										\rightarrow		=
SL759MN			•													\vdash			\dashv									Ť		•								-		-
JE/JOINN		_														_								- 1						,										_

OAK PARK COLLECTION



Available Caming: Patina Severe Weather Doorglass Available







STANDARD FIBERGLASS & STEEL DOORS

6/8



422KP 607KP (2) 8"x48" 22"x48"





683KP 22"x36"



686KP 22"x64" 22"x36"













8/0 759KP

Transom



* Dentil Shelf Available

ARCHITECTURAL FIBERGLASS DOORS

6/8



608KP 22"x48" 22"x48"



628KP 22"x48"



22"x36"

682KP



22"x36"





422KP 690KP 8"x48" 8"x48" 8"x36"

692KP

8/0 **779KP** 22"x48"





521KP 62-7/8" x 11-7/8"

		PR	EMI	UM /	ARC	HILE	:C1C	JKAI		IBE	KGL/	455	DOC	JRS					5	AN	DAI	י עא	-IBE	:RG	LAS	ים פי	,OC	JR5								5	EE	- "	OOF	8		
		Rust Chen			aditio Cheri		Mc	ahog	any		Oak			(nott Alde		F	-ir	۲	l ahc	gan	у		(Dak				٤	Smo	oth					aje: Ste	stic el			Repl	acer	nent	Steel
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12" 1	14" 2	2/6	2/8 2	2/10	3/0	12"	14"	2/6 2	8 2/	10 3	3/0 1	12" 1	4"	2/6	2/8	2/10	3/0
6/8 MODELS																																										
422KP																								•						•		T						П				
607KP				•			•											П			П			•		\neg				•		\neg						П				
608KP	•			•						•														•						•								\Box				
628KP	•			•																																						
682KP													•															•		•								\Box				
683KP																										_		•		•								_				
684KP				•			•			•									•			•		•		_	_		•	•				•	_	_		_		•	•	•
686KP				•			•			•			•						•	\Box		•	•	•		_		•	•	•				•		•		_		•	•	•
692KP																				\Box						_	•	•	•	•			•	•	•	•		_	•	•	•	•
814KP								_													_			•		_				•		_						Ц.				
866KP																•	•			\Box	_					_		•		•								_				
SL422KP		•	•		_	•		•	•		•									\Box	_				•	•					•	•					•	•				
SL690KP	_	٠	•		_	•		•	•		•			•	•			_		\square	\rightarrow	_		_		_		_		_	_	•						4				_
SL692KP	_	_	_		٠	•	_	٠	•		٠	٠	<u> </u>			<u> </u>		_		٠	•	_	_	_	•	_	_	_	_	-	•	-			4	_	•	_			_	-
SL694KP	<u> </u>	_	-	_	_	_	┡	_		_		_	┡	_	_	<u> </u>		_		•	•	_		_	•	•	_	-	_	-	•	\rightarrow			4	_	•	•			_	-
SL819KP																									•							•										
8/0 MODELS																																										
759KP																								•						•												
779KP	Ì												•			İ		i –														T						\neg				
789KP	•																															T						\neg				
799KP	•												İ			İ		Ī														T						\neg				
906KP																														•		T										

PEMBROOK COLLECTION

Severe Weather Doorglass Available Available Caming: Patina





design with sharp lines and a beautiful arrangement of clear bevels, streamed, arctic, and micro cubed glass textures elicits a sense Pembrook offers a high privacy level.

Glass Details



3 - Micro-cubed

5 - Clear Beve


Available Caming



Patina

STANDARD FIBERGLASS & STEEL DOORS

6/8



(2) 8"x48" 22"x48"





22"x48"



682PEM 22"x36"





22"x36"



22"x64" 22"x36"



692PEM (2) 8"x36"



15.25



SL SL 694PEM 8"x48" 8"x64" 8"x36" 7"x64"



8/0



759PEM 7"x64" 22"x64" 22"x48"

Transom

521PEM 62-7/8" x 11-7/8"

ARCHITECTURAL FIBERGLASS DOORS

6/8



607PEM



608PFM 22"x48"



628PFM 682PEM 22"x36" 22"x48"





684PFM **686PFM** 22"x36" 22"x64"






SI 422PEM 690PEM 8"x48" 8"x64" 8"x36"



789PEM 22"x64" **799PEM** 22"x64" 22"x48"



SELWYN COLLECTION

Available Caming: Patina



Severe Weather Doorglass Available

Privacy Rating


Low High





STANDARD FIBERGLASS & STEEL DOORS

6/8



(2) 8"x48" 22"x48"



22"x48"



22"x10"



22"x36"



8"x36"





866SWY 22"x 25.25"



SI 692SWY 694SWY 8"x48" 8"x36" 7"x64"

* Dentil Shelf Available

8/0



759SWY 22"x48" 7"x64"

ARCHITECTURAL FIBERGLASS DOORS

6/8



607SWY 22"x48"



608SWY 22"x48"



628SWY 22"x48"



682SWY 22"x36"





684SWY 22"x36"



686SWY



22"x64"



SL SL 8"x48" 8"x36"

8/0



779SWY 22"x48"



789SWY 22"x64"



22"x64"

PREMIUM ARCHITECTURAL™ FIBERGLASS DOORS STANDARD FIBERGLASS DOORS STEEL DOORS Oak Oak Cherry 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 12" 14" 3/0 2/8 3/0 2/8 3/0 12" 14" 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 2/6 2/8 2/10 3/0 12" 14" 6/8 MODELS 422SWY 607SWY 608SWY 628SWY 648SWY 682SWY 683SWY 684SWY 8/0 MODELS 779SWY 789SWY 799SWY

BLANCA COLLEC

Severe Weather Doorglass Available



Decorative Glass Collection



Offering a high level of privacy and an understated backdrop, Blanca has a frosted, slightly stippled surface. Textured surface enclosed

Glass Details



Blanca Silk Screened Glass

Zeel™ Doorglass Frame



~ Comes with standard craftsman liteframe * Dentil Shelf Available

- * Evolve® frame available as special
- order only

 ** Premium Architectural doors use
 their own proprietary matching lite frame

STANDARD FIBERGLASS & STEEL DOORS









682BLC 22"x36"



683BLC 22"x36"



684BFT 22"x36"



686BLC 22"x64"



692BLC (2)8"x36" **866BLC***~ 22"x15.25"



8"x36"



8/0

759BLC 22"x64"



SL 759BLC 7"x64

ARCHITECTURAL FIBERGLASS DOORS

6/8



607BLC 22"x48"



608BLC 22"x48"



628BLC 22"x48"



682BLC 22"x36'



684BLC 22"x36"



22"x64"



8"x36"

** Premium Architectural doors use their own proprietary matching lite frame

8/0



779BLC




789BLC 22"x64"



799BLC 22"x64"

	PREMIL	JM A	ARCH	HITE	сти	RAL	™ F	BER	RGL/	ASS I	000	RS				5	STA	NDA	۱RE	FIE	BER	GLA	SS	DO	ORS	5							STI	EL	DO	ORS	5		
	Rustic Cherry		aditio Cherr		Mc	ihog	any		Oak			otty der	F	ir	1	1aha	ogar	ny			Oak	:				Smo	ooth						estic eel	:		Re		iceme teel	ent
DOOR WIDTHS	3/0	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	14"	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																							
607BLC		•			•																•						•												
608BLC	•																				•						•			_									
628BLC	•																													_									
682BLC											•														•		•			_									
683BLC																									•		•			_									
684BLC					•										•	•			•		•				•	•	•			_	•	•	•				•	•	•
686BLC					•						•				•	•			•	•	•				•	٠	•			_	•	•	•			\perp	•	•	•
692BLC																								٠	٠	•	•				•	٠	•			•	•	•	•
866BLC													•	•	_										٠		•					_				_			
SL692BLC			•	•		•	•		•	•			_		_		•	•				•	•					٠	•			_		•	_	_			
SL694BLC																	•	•				•	•					•	•					•	•				
8/0 MODELS																																							
759BLC																					•						•												
779BLC												•																		П						Г			
789BLC	•																													П						Г			
799BLC	•																																						
906BLC																											•												
SL759BLC																							•						•										



As touchable as its namesake, fur-like texture create a striking afar. It offers a high level of privacy

Glass Details




Chinchilla Glass

Zeel[™] Doorglass Frame



- * Evolve® frame available as special
- order only
 ** Premium Architectural doors use their own proprietary matching lite



STANDARD FIBERGLASS & STEEL DOORS

6/8



607CHI 608CHI 22"x48' 22"x48"









686CHI



692CHI (2)8"x36"



866CHI*~ 22"x15.25"





8/0



~ Comes with standard craftsman liteframe * Dentil Shelf Available





SL 7"x64'

ARCHITECTURAL FIBERGLASS DOORS



607CHI 22"x48"



608CHI 22"x48"



628CHI 22"x48"



684CHI



22"x36"



682CHI 22"x36"



686CHI 22"x64"



692CHI 8"x36"

8/0



779CHI 22"x48"



22"x64"



22"x64"

	PREM	IUM	ARC	HITE	ECTL	JRAL	™ F	IBER	RGLA	ASS E	000	RS					STA	ND	٩RI	FIE	BER	GL/	ASS	DO	ORS	;							ST	EEL	DO	OR:	5		
	Rustic Cherry		aditio Cheri		М	ahog	any		Oak			otty der	F	ir	1	Mah	ogai	ny			Oal	<				Sm	ooth	1					jesti teel	C		R		ceme teel	ent
DOOR WIDTHS	3/0	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	14"	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																							
607CHI		•			•																•						•												
608CHI	•	•						•													•						•												
628CHI	•																																						
682CHI											•														•		•												
683CHI																									•		•												
684CHI					•										•	_			•		•				•	٠	•				_	•	•				•	•	•
686CHI					•						•				•	•			•	•	•				•	٠	•				•	•	•				•	•	•
692CHI															_										•	٠	•			•	•	•	•			•	•	•	•
866CHI													•	•											•		•												
SL692CHI		_	•	•		٠	•	_	•	٠			_				_	٠				•	•	_				•	•	_				•	_	4			
SL694CHI																	•	•				•	•					•	•					•	•	_			
8/0 MODELS																																							
759CHI																					•						•												
779CHI												•																								П			
789CHI	•																																						
799CHI	•																													П									
906CHI		Ī						Ī																Ī			•			T									
SL759CHI																							•						•										

Severe Weather Doorglass Available



Textured Privacy Glass Collection

Decorative Glass Collection

Mini Blinds Collection

Grilles Between Glass Collection



All that's missing is the patter of raindrops. Rain features a vertical creates the illusion of rain trickling

Glass Details



Clear Bevels

Zeel™ Doorglass Frame



Available in white

- * Evolve® frame available as special
- order only
 ** Premium Architectural doors use their own proprietary matching lite

STANDARD FIBERGLASS & STEEL DOORS ^ Comes with standard EVOLVE lite frame ~ Comes with standard craftsman liteframe * Dentil Shelf Available



ARCHITECTURAL FIBERGLASS DOORS

** Premium Architectural doors use their own proprietary matching lite frame



6/8







22"x36'



22"x36"



22"x64"











789RN 799RN 22"x48" 22"x64" 22"x64'

		PRI	MIL	JM	ARC	HI	TEC	TU	RAL	™ F	IBE	RGL	ASS	DO	ORS	5				5	STA	ND/	ARD	FIE	ER	GLA	SS	DO	ORS	;						,	STE	EL	DO	ORS	,		
		Rust Cher			radit Che		al	Mal	hogo	any		Oal	¢		(not Alde		F	ir	١	1ahc	ogan	ıy			Oak					Smo	oth				ı	Maje Ste	estic eel			Re		eme	ent
DOOR WIDTHS	3/0	12"	14"	3/	0 12	." 1	4" :	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	2/8	3/0	2/8	3/0	12"	14"	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0	12"	14"	2/6	2/8	2/10	3/0
6/8 MODELS																																											
23RN				Г															•	•					•			•	•	•	•			•	•		•			•	•	•	•
607RN							П	•											П						•						•		\neg										
608RN	•			•							•														•						•												
628RN	٠																																										
682RN														•															•		•												
683RN																													•		•												
684RN								•											•	•			•		•			Ш	•	•	•				•	•	•				•	•	•
686RN							_	•						•					•	•			•	•	•			Ш	•	•	•				•	•	•				•	•	•
692RN				Ш			_												<u> </u>									•	•	•	•			•	•	•	•			•	•	•	•
749RN				Щ			_												<u> </u>	•					•			$oxed{oxed}$			•												
866RN				Щ			_										•	•	<u> </u>										•		•												
949RN				Щ			_												<u> </u>						•						•												
950RN*		_		Ц.			_				_								<u> </u>		\perp				•			<u> </u>			•		_		_								-
SL422RN		•	•	Ц.	•	_	•		•	•	_	•	•		_				<u> </u>		-							<u> </u>					_		_								-
SL692RN		-		L	•	_	•		•	•	_	٠	٠	_	_		_	_	<u> </u>		٠	•		_		•	•	_			_		•	_	_			•	_		_		\blacksquare
SL694RN					•				•			•									•	•				•	•					•	•					•	•				-
8/0 MODELS																																											
759RN*				Г																•					•						•												
779RN							T)				İ			•			İ		Ì																								\Box
789RN	•			Г										•																													
799RN	•			Г			T				Ī						Ĭ		Ī																								
906RN							T										Ī		İ												•												\Box
SL759RN				Г			7												İ								•						•										



Reminiscent of Northern Lights, Vapor creates an ethereal play of light and shadow, and a medium level of privacy to your entryway.

Glass Details



Zeel[™] Doorglass Frame



- * Evolve® frame available as special
- order only
 ** Premium Architectural doors use
 their own proprietary matching lite





STANDARD FIBERGLASS & STEEL DOORS





608VPR 22"x48"





















~ Comes with standard craftsman liteframe * Dentil Shelf Available



ARCHITECTURAL FIBERGLASS DOORS

** Premium Architectural doors use their own proprietary matching lite frame * Dentil Shelf Available

6/8

607VPR 22"x48"




















		PREMIUM ARCHITECTURAL™ FIBERGLASS DOORS										STANDARD FIBERGLASS DOORS										STEEL DOORS																					
		Fir			Rusti Cherr			aditio Cheri	onal ry	Мо	ihog	any		Oak			otty der	F	ir	М	aho	gany	/		C	Dak				s	mod	oth					laje: Ste	stic el		R		acem iteel	
DOOR WIDTHS	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	12"	14"	3/0	14"	2/8	3/0	2/8	3/0	12" 1	4" 2	2/8 2	2/10	3/0	12"	14"	2/6	2/8 2	10 3	/0 1	2" 1	4" 2	/6 2	/8 2	2/10	3/0 1	2" 14	2/6	3 2/8	3 2/10	0 3/0
6/8 MODELS																																											
607VPR							•			•										П			_			•		_1				•		7						\top			
608VPR				•			•			İ			•										T			•		TÌ				•								\top			
628VPR				•			•			İ						İ												TÌ															
682VPR																•												T		•		•		T									
683VPR																П												T		•		•		T									
684VPR							•			•			•			П				•	•			•		•		T		•	•	•		П		•	•	•			•	•	•
686VPR							•			•			•			•				•	•			•	•	•		T		•	•	•		T		•	•	•			•	•	•
692VPR																												\neg	•	•	•	•		П	•	•	•	•		•	•	•	•
866VPR	•																	•	•											•		•											
SL422VPR					•	•		•	•		•	•		•	•																			П						\top			
SL692VPR								•	•		•	•		•	•							•	•				•	• [•	•						, _			
SL694VPR																						•	•				•	• [•	•						, _			
SL820VPR		•	•																															П						, _			
8/0 MODELS																																											
759VPR																							_					_						7									
779VPR										i –							•											_						1									
789VPR				•																			1					\dashv						1									
799VPR				•						i –			Ħ																					1									
906VPR																							1					_						1									
SL759VPR										i –			Ħ			T												•								\neg							

SPECIAL ORDER Available in 3-6 Weeks





BRISTOL



CADENCE


CONVERSE



SPECIAL ORDER GLASS






























SPECIAL ORDER GLASS





MINI BLINDS COLLECTION

ENCLOSED BLINDS MEAN NO DUST OR DIRT, NO KINKS OR DENTS, AND NO BANGING OF THE MINI BLINDS WHEN YOU OPEN AND CLOSE YOUR DOOR.

Glass Details



Available in Low-E Glass

Privacy Rating



Glass-Lite Frame



Raise, Lower and Tilt - No Dusting!




Blinds lower neatly within full privacy channels to eliminate light gaps.



Uniform color in components provide a clean aesthetic look.

Mini Blinds Color Collection



Special Order: Espresso, Sand, Silver Moon, or Slate Gray

Now available!





Please call for more information







6/8



607RLB 22"x48"



(2) 686RLB LOW-E

Brilliant White Paint

608RLB 22"x48"



682RLB 22"x36"



683RLB 22"x36"



22"x36"

8/0



22"x64"



692RLB 8"x36"

Available in 2/6 size 684RLB (20x36) 686RLB (20x64)

6/8 Low-E Glass @



681RLB **GBG** 22"x36"



682RLB **GBG** 22"x36"



683RLB GBG 22"x36"



689RLB GBG 22"x64"



759RLB 22"x64"



759RLB GBG 22"x64"



SL

694RLB

7"x64" TILT ONLY

906RLB 22"x48"

GRILLES BETWEEN GLASS COLLECTION


GRILLES ARE THERMALLY-SEALED BETWEEN PANES OF CLEAR GLASS FOR A SMOOTH, EASY-TO-CLEAN SURFACE.



Glass Details



Clear Glass



Glass-Lite Frame



Privacy Rating



Options to match your taste, decor, and budget!



Standard Grilles offer a clean look at a price that won't break the bank.

These grilles strike the geometric balance that is the trademark of Prairie Style architecture.

Grilles Between Glass Color Collection: 5/8" Flat

Stocked: White & Champagne

Special Order: Tan, Black, Bronze, and Two-Tone Bronze (exterior) / White (interior)







Now available!
Please call for more information





Grilles Between Glass Low-E Transoms @



Model	Glass Only Size
3313RIMLE	31-3/4" x 11-7/8" x 3/4"
3713RIMLE	35-3/4" x 11-7/8" x 3/4"



Model	Glass Only Size
5113RIMLE	49-1/4" x 11-7/8" x 3/4"



Model	Glass Only Size
6813RIMLE	66-3/4" x 11-7/8" x 3/4"

GBG COLLECTION

6/8











682GBG 22"x36"

683GBG 22"x36"

684GBG 22"x36"

686GBG 22"x64"



692GBG (2) 8"x36"



692GBG 694GBG 8"x36" 7"x64"



1405GBG 11-7/8"x79" or 13-7/8"x79"

6/8 PIM













22"x36" 22"x64"

SL 692PIM 8"x36"

694PIM 7"x64"

8/0




759GBG 22"x64"



22"x48"

(2) 686PIM


THE TIMELESS CLASSIC COLLECTION OFFERS A LARGE VARIETY OF DESIGNS AND STYLES TO CHOOSE FROM, ALLOWING FOR A COMPLETELY CUSTOMIZED SPACE.







Cicai Ciass



Glass-Lite Frame



Privacy Rating





One Lite, No Grid



External Standard Grille

Transoms



Model	Size
3713R	37-1/2" x 13-1/2"
3715R	37-1/2" x 15-1/2"



Model	Size
6813R	68-1/2" x 13-1/2"
6815R	68-1/2" x 15-1/2"



Model	Size
6411E	64-1/2" x 11"
6413E	64-1/2" x 13-1/2"


6/8

59

Shown in Fiberglass Smooth Brilliant White Paint



^{*} Different glass size dimensions for 2/6 models



6/8 Low-E Glass @



6/8 Zeel Frames with Low-E Glass@

See page 15 for more information on the Zeel frame.




8/0




8/0 Low-E Glass @



- * Dentil Shelf Available
- ^ Different glass size dimensions for 2/6 models







									STA	NDA	\RD	FIBER	GLA	SSI	DOC	ORS												ST	EEL	DOC	ORS			
	F	ir		1 aha	ogar	١٧			Oak			Rustic				ooth				Bui	lder's	s Clo	ıssic				Maj		:		R		eme	nt
DOOR WIDTHS					_		2/8	2/10	_		14"	3/0	2/6	2/8				14"	2/6		2/10			14"	2/6	2/8		eel 3/0	12"	14"	2/6		eel 2/10	3/0
6/8 MODELS		0,0		G, C										_, _		0,0			-/-							_, c								
1							٠		٠				•	-		•			•	•		•			•	•	•	•					•	•
2	_		_	-	-	-	•		•			-	┢	•	•	•		-		•	•	•		_	•	•	•	•				-		•
4 LOW-E						Н	•	•	•				\vdash	•	•	•		-		•	•	•			Ť	•	•	•				Н		•
5V														٠		٠				•		•				•	•	•						•
10 SHK														٠		٠																		
20 20 SHK	_		 	-	-	-		-	_				┢	•	-	•		_							H	•		٠	-	-		-		
21			•	•			•		•					•	•	•		-		•		•				•	•	•				•	•	•
22												•		•		•										•		•						
23			_	_		_		_	_	_			•	٠	٠	٠				•		٠			٠	•	•	٠		_		٠	•	•
24 26	_		_						_				•	•	•	•		_		•		•		_	•	•	•	•						•
30 SHK	•	•	_					-	_			_	\vdash	•	Ť	•		_						_		Ť	•	Ť				Ť		Ť
31							•							•																				
40														٠		٠										•		•						
55 59			•		•	-	•		•				•	•	•	•				•	•	•			•	•	•	•			•	•	•	•
59 LOW-E			•		•		•	•	•				•	•	•	•				•	•	•			•	•	•	•			•	÷	•	•
61													•	•	•	•				•	•	•			•	•	•	•			•	•	•	•
61 LOW-E													•	٠	٠	٠			•	•		٠			٠	٠	٠	٠			٠	٠	•	•
62 6E							•		•				•	•	•	•				•	•	•			•	•	•	•			٠	٠	•	•
65 110							•		•					•	•	•				•	•	•			•	•	•	•						•
122			•				•		•				•	•	•	•				•		•			•	•	•	•			•	•	•	•
122 LOW-E			•	•			٠		•					٠	•	•				•		•				•	•	٠				٠	•	•
122V	_		<u> </u>	-	_	-		-	_	_			H	٠	•	٠		_		•		•		_	_	•	•	٠		-		٠	•	•
131 132	_		•	•	-	-	•	-	•			_	\vdash	•	•	•		_		•		•		_	-	•		•	-	-		•	_	•
140			_						•				\vdash	Ť	Ť	•		-		Ť		Ť			\vdash	Ť		Ť				Ť		Ť
147									•							•										•		•						
200			_									•		٠		٠																		
220 225	_		•	•		-	•		•	_		 	•	•	•	•		-		•		•			_	•	•	•		-		•	•	•
608			ŀ	Ť			·		÷				·	·	·	•		\vdash		·		·				Ť	٠	Ť				Ė		·
630									•							•																		
682														•		٠																		
682 LOW-E			_		_	-		-	_				_	٠	_	٠		_		_		_			_			-		-		-		\blacksquare
683 683 LOW-E	_		_			-			_			_	\vdash	•		•		_		_		-		_		-		H						
814 LOW-E									•					Ť		•																		
814 LOW-E w/shelf									•							•																		
866 LOW-E	•	•												•		•																		
866 LOW-E w/shelf	•	•												•		•																		
SL140L	_				•	٠			_	•	•		T				•	•					•	•	T				•	•				
SL140L LOW-E					•	٠				•	٠						•	•					•	•					٠	٠				
SL141			_	_	•	٠		_	_	•	•		┡	_		_	•	•					•	•	_			_	•	٠				
SL143 SL145	_		_		•			-	_	•	•	_	┢	-	-	-	•	•		-		-	•	•	-	-		-	•	•		-	_	
SL145					Ť	Ť				_	•						•	-						Ť					•	_				
SL1400					•	٠				•	•						•	•					•	•					•	_				
6/8 ZEEL FRAME MODELS																																		
607 LOW-E									٠							٠																		
608 LOW-E									•							•																		
682 LOW-E																•																		
683 LOW-E 684 LOW-E				•					•							•																		
686 LOW-E				•					·							•																		
8/0 MODELS																																		
59									٠							٠												٠						
59 LOW-E									٠							•												٠						
61																•												٠						
147 147 LOW-E									•							•																		
801		•														Ė																		
801 w/shelf		•																																
803		•																																
803 w/shelf 806		•																																
806 806 w/shelf		•																													H			
906																•																		
SL147											•							•																
SL147 LOW-E																		•																

EXTERIOR DOOR ORDER FORM

Dealer Name	Location	Ordered by:	PO Number	Order Date
1 Size: Door	5/0 Other 5/4 6/0	Height: 6/8 7/0 8/0	Other Sidelite Width:	1/0 1/2 Other
Configuration: (When looking at	the unit from the exterior	r of the building)		
Single 1 Sidelite 1 Sidelite 1 Sidelite	elite 2 Sidelites	Double	Patio 2 Door	Patio 3 Door
3 Door Handing (EXT = Exterior • IN	NT = Interior)			
EXT EXT	trike Side swing LH Inswing INT S	LH Inswing	LH Inswing	LH Center Swing
EXT EXT Inswing	inge Side swing RH Inswing RH Inswing INT EXT	RH Inswing	RH Inswing INT EXT	RH Center Swing
LH Outswing INT EXT RH Outswing INT		LH Outswing INT EXT RH Outswing		LH End Swing INT EXT RH End Swing INT EXT
Sidelite Unit: Is a storm door external Sidelite Unit: The inactive (station Door(s) and Sidelite(s):		Yes No	9 Hinge Op	tions:
FF Fiberglass Fir Grained FG Fiberglass Oak Grained FS Fiberglass Smooth FM Fiberglass Mahogany Prem ACC Fiberglass Cherry Prem ACF Fiberglass Fir Prem ACKA Fiberglass Knotty Alder	Slab only, no frame M 4-9/16" 5-1/4" 6-9/16" Other Prime Standard FrameSaver	ill Finish Adjustable Star] Bronze Adjustable] Mill Finish Fixed] Other		Bright Chrome Brushed Chrome SS Spring DEE Ball-Bearing
Prem ACM Fiberglass Mahogany Prem ACO Fiberglass Oak Prem ACRC Fiberglass Rustic Cherry BCF Builder's Classic Fiberglass MJ Majestic Steel (Steel Edge) MP Replacement Steel (Steel Edge) Door Model # Sidelite Model # Paint/Stain Door(s) Sidelite(s)	FrameSaver Fusion White Capped Primed Composite Woodgrain Composite Aluminum Clad White Sandstone Other	Preps Options Deadbolt Bore: 2-1/8" Other Cardboard Door Pr Transoms: Model #	Peep Prep: 1/2" (20" from top of door Other 1 Totector: 1 Side	Magnetic Optional
Outside Color	Special Instructions:	Other		

61

OPENINGS

Door Size	Base Unit	One 6"	Two 6"	One 12"	Two 12"	One 14"	Two 14"	6/8	7/0	8/0
2/0 Single	26"	33-1/2"	41"	39-1/2"	53"	41-1/2"	57"	82-1/4"	86-1/4"	98-1/4"
2/4 Single	30"	37-1/2"	45"	43-1/2"	57"	45-1/2"	61"	82-1/4"	86-1/4"	98-1/4"
2/6 Single	32"	39-1/2"	47"	45-1/2"	59"	47-1/2"	63"	82-1/4"	86-1/4"	98-1/4"
2/8 Single	34"	41-1/2"	49"	47-1/2"	61"	49-1/2"	65"	82-1/4"	86-1/4"	98-1/4"
2/10 Single	36"	43-1/2"	51"	49-1/2"	63"	51-1/2"	67"	82-1/4"	86-1/4"	98-1/4"
3/0 Single	38"	45-1/2"	53"	51-1/2"	65"	53-1/2"	69"	82-1/4"	86-1/4"	98-1/4"
3/6 Single	44"	51-1/2"	59"	57-1/2"	71"	59-1/2"	75"	82-1/4"	86-1/4"	98-1/4"
5/0 Pair	62-1/2"	-	77-1/2"	-	89-1/2"	-	93-1/2"	82-1/4"	86-1/4"	98-1/4"
5/4 Pair	66-1/2"	-	81-1/2"	-	93-1/2"	-	97-1/2"	82-1/4"	86-1/4"	98-1/4"
6/0 Pair	74-1/2"	-	89-1/2"	-	101-1/2"	-	105-1/2"		86-1/4"	98-1/4"
	Unit Dimensi	ons - Meas	ured from	outside fro	rme to out	side of fra	me not inc	luding bric	kmould	


Exterior Fiberglass & Steel Rough Opening Widths - Measure stud to stud for inswing or outswing units

	Unit Dimension	ns - Meas	sured from c	outside fr	ame to outs	ide of fro	ame, not inc	luding bric	kmould.	
2/0 Single	25-1/2"	33"	40-1/2"	39"	52-1/2"	41"	56-1/2"	81-5/8"	85-5/8"	97-5/8"
2/4 Single	29-1/2"	37"	44-1/2"	43"	56-1/2"	45"	60-1/2"	81-5/8"	85-5/8"	97-5/8"
2/6 Single	31-1/2"	39"	46-1/2"	45"	58-1/2"	47"	62-1/2"	81-5/8"	85-5/8"	97-5/8"
2/8 Single	33-1/2"	41"	48-1/2"	47"	60-1/2"	49"	64-1/2"	81-5/8"	85-5/8"	97-5/8"
2/10 Single	35-1/2"	43"	50-1/2"	49"	62-1/2"	51"	66-1/2"	81-5/8"	85-5/8"	97-5/8"
3/0 Single	37-1/2"	45"	52-1/2"	51"	64-1/2"	53"	68-1/2"	81-5/8"	85-5/8"	97-5/8"
3/6 Single	43-1/2"	51"	58-1/2"	57"	70-1/2"	59"	74-1/2"	81-5/8"	85-5/8"	97-5/8"
5/0 Pair	62"	-	77"	-	89"	-	93"	81-5/8"	85-5/8"	97-5/8"
5/4 Pair	66"	-	81"	-	93"	-	97"	81-5/8"	85-5/8"	97-5/8"
6/0 Pair	74"	-	89"	-	101"	-	105"	81-5/8"	85-5/8"	97-5/8"


Outswing unit height and low profile ADA unit: Deduct 3/4" from rough opening height.

For outside brickmold to outside brickmold INSWING unit add to frame sizes: Width 2-1/2" and height 1-1/4"

For outside brickmold to outside brickmold OUTSWING unit add to frame sizes: Width 3" and height 1-1/4"



Patio Handings



Eliptical	Transoms
	Outside

Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door
6411E	68-1/2" x 11"	1/2 • 3/0 • 1/2	69" x 93"
6413E	64-1/2" x 13-1/2"	1/0 • 3/0 • 1/0	65" x 95-1/2"

Rectangle Transoms

Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door
3713R	37-1/2" x 13-1/2"	3/0	38" x 95-1/2"
3715R	37-1/2" x 15-1/2"	3/0	38" x 97-1/2"
6813R	68-1/2" x 13-1/2"	1/2 • 3/0 • 1/2	69" x 95-1/2"
6815R	68-1/2" x 15-1/2"	1/2 • 3/0 • 1/2	69" x 97-1/2"

GBG Transoms

Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door
3711RIM	37-1/2" x 11"	3/0	38" x 93"
6411RIM	64-1/2" x 11"	1/0 • 3/0 • 1/0	65" x 93"
6415RIM	64-1/2" x 15-1/2"	1/0 • 3/0 • 1/0	65" x 97-1/2"
6811RIM	68-1/2" x 11"	1/2 • 3/0 • 1/2	69" x 93"
6815RIM	68-1/2" x 15-1/2"	1/2 • 3/0 • 1/2	69" x 97-1/2"

Decorative Transoms

Model	Outside Dimension	Fits Over	Rough Opening with 6/8 Door
521	64-1/2" x 13-1/2"	1/0 • 3/0 • 1/0	65" x 14"

DOOR WARRANTIES

Fiberglass Doors Limited Warranty Limited Lifetime Door Component • 2 Years - Prehung System

WARRANTY COVERAGE:

MMI DOOR warrants that its fiberglass entry door component product ("Product") is free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF PURCHASE BY THE CUSTOMER AND EXTENDS FOR THE FOLLOWING PERIOD:

- 1. Limited Lifetime Warranty for the door component of the base prehung system*
- 2. Two (2) years for the Builder's Classic door component of the base prehung system*.
- 3. Two (2) years on our Msystem2 base prehung door system*. MMI DOOR will adjust, repair or replace the product if it fails to perform to the published performance criteria based on independent testing. This warranty extends for 2 years as long as you own your home. This warranty is non-transferable.
- 4. Limited Lifetime Warranty when upgrading to Composite or FrameSaver Frames for our MSystem Lifetime Warranty. This extends warranty of prehung door unit and door component, without extending the 10 year door lite component warranty. This warranty is non-transferable.
- 5. Five (5) years from the date of installation for the stained or painted finish by MMI DOOR on the door component of the fiberglass prehung door unit. Coverage against deficiencies in material and workmanship of the finish, as well as coverage against flaking, cracking, checking, blistering and peeling.
 - * Base prehung system = door component prehung on a primed wood frame

EXCLUSIONS FROM COVERAGE:

This warranty does not cover:

- 1. Door units not installed according to published unit dimensions and installation instructions.
- a. Double doors with an astragal should not be installed in a direct weather exposure or without a proper overhang. An ideal overhang must extend at least four feet wider (two feet each side) than the door unit and at least five feet out from the house. Failure to adhere to these overhang and directional requirements will void any warranty coverage.
- 2. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
- Defects of damages arising out of improper handling or cleaning, defective or improper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
- 4. Warp not exceeding $1/4^{\shortparallel}$ in the plane of the door panel, bow or misalignment in the door frame in which the door panel is hung.
- 5. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
- Product used or installed in non-residential environments, including but not limited to, retail or commercial applications.
- 7. Products not finished/painted, or in accordance with installation instructions.
- 8. Products finished/painted a dark color with prolonged exposure to direct sunlight.
- 9. Products finished with non-recommended paints or topcoats.
- 10. Performance of finish paints.
- 11. Labor, shipping or other charges incurred or claimed by the Customer.
- 12. Use of chemical based cleaners on a prefinished unit.

WARRANTY CLAIM PROCEDURES:

If within the applicable warranty period the Customer discovers a defect in the Product which is covered by this warranty, the Customer must follow this procedure:

- The Customer must promptly present a written claim to MMI DOOR 6361 Sterling Dr. North, Sterling Heights, MI 48312.
- 2. The Customer must use reasonable diligence to include in the written claim all of the following:
 - a. Adequate description of defect(s).
 - b. Identification of Product design or pattern.
 - c. Exact Product size.
 - d. Date Product was manufactured.
- e. Date of the Customer's purchase and the date of delivery to the Customer.
- 3. The Customer, at MMI DOOR's option, must permit MMI DOOR or its representative to inspect the Product.

REMEDIES

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design.

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect.

This warranty is not transferable. This warranty provides specific legal rights, and other rights, which vary from state to state, may be available.

 * Storm doors void warranty due to possible excessive heat buildup.

10 Year Exterior Door Glass-Lite Warranty

WARRANTY COVERAGE:

MMI DOOR warrants that its Glass component product ("Product") is free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF PURCHASE BY THE CUSTOMER AND EXTENDS FOR THE FOLLOWING PERIOD: 1. Ten (10) years for the glass component for seal failure.

2. Lifetime for Frame component against warping and cracking

EXCLUSION FROM COVERAGE:

This warranty does not cover:

- 1. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
- Defects of damages arising out of improper handling or cleaning, defective orimproper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
- 3. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
- 4. Product used or installed in high-vibration environments.
- Products not finished-painted in accordance with door edge label or installation instructions.
- 6. Product finished with non-recommended paints, stains or topcoats.
- 7. Performance of finish paints.
- 8. Labor, shipping or other charges incurred or claimed by the Customer.

WARRANTY CLAIM PROCEDURES:

If within the applicable warranty period the Customer discovers a defect in the Product which is covered by this warranty, the Customer must follow this procedure:

- The Customer must promptly present a written claim to MMI DOOR 6361 Sterling Dr. North, Sterling Heights, MI 48312. MMI DOOR must receive this claim no later than ten (10) years after the date of the Customer's purchase.
- 2. The Customer must use reasonable diligence to include in the written claim all of the following:
- a. Adequate description of defect(s).
- b. Identification of Product design or pattern.
- c. Exact Product size.

- d. Date Product was manufactured.
- e. Date of the Customer's purchase and the date of delivery to the Customer.
- 3. The Customer, at MMI DOOR's option, must permit MMI DOOR or its representative to inspect the Product.

REMEDIES:

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design.

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect.

This warranty is not transferable. This warranty provides specific legal rights, and other rights, which vary from state to state, may be available.

*After year 5, Homeowner may be responsible for a prorated portion of glass warranty cost.

DOOR WARRANTIES

Majestic Steel Limited Warranty 10 Years - Majestic Door Component • 2 Years - Prehung System

WARRANTY COVERAGE:

MMI DOOR warrants that its Majestic Steel entry door component product ("Product") is free from defects in material and workmanship which will make the Product unfit for its normal and recommended use. THE DURATION OF THIS WARRANTY BEGINS ON THE DATE OF PURCHASE BY THE CUSTOMER AND EXTENDS FOR THE FOLLOWING PERIOD:

- 1. Ten (10) years for the Majestic door component of the base prehung system*.
- 2. Two (2) years on our MSystem2 base prehung door system*. MMI DOOR will adjust, repair or replace the product if it falls to perform to the published performance criteria based on independent testing. This warranty extends for 2 years as long as you own your home. This warranty is nontransferable.
- 3. Limited Lifetime Warranty when upgrading to Composite or FrameSaver Frames for our MSystem Lifetime Warranty. This extends warranty of prehung door unit, without extending door component or door lite component warranty. This warranty is nontransferable.
- 4. Five (5) years from the date of installation for the painted finish by MMI DOOR on the door component of the Majestic Premium prehung door unit. Coverage against deficiencies in material and workmanship of the finish, as well as coverage against flaking, cracking, checking, blistering and peeling.
- * Base prehung system = door component prehung on a primed wood frame

EXCLUSIONS FROM COVERAGE

This warranty does not cover

- Door units not installed according to published unit dimensions and installation instructions.
 - a. Double doors with an astragal should not be installed in a direct weather exposure or without a proper overhang. An ideal overhang must extend at least four feet wider (two feet each side) than the door unit and at least five feet out from the house. Failure to adhere to these overhang and directional requirements will void any warranty coverage.
- 2. Defects or damages arising out of shipment by common carriers, private transportation or other means of transportation.
- Defects of damages arising out of improper handling or cleaning, defective or improper installation, defective or improper glazing, accident, act of God, intentional human act, misuse or abuse, or any other circumstances beyond the control of MMI DOOR.
- 4. Warp not exceeding 1/4" in the plane of the door panel, bow or misalignment in the door frame in which the door panel is hung.
- 5. Products installed in high-moisture environments, such as swimming pool enclosures or greenhouses.
- Product used or installed in non-residential environments, including but not limited to, retail or commercial applications.
- $7. \ \ Products not finished/painted in accordance with installation instructions.$
- 8. Products finished/painted a dark color with prolonged exposure to direct sunlight.
- 9. Product finished with non-recommended paints or topcoats.
- 10. Performance of finish paints.
- 11. Labor, shipping or other charges incurred or claimed by the Customer.
- 12. Use of chemical based cleaners on a prefinished unit.

WARRANTY CLAIM PROCEDURES:

If within the applicable warranty period the Customer discovers a defect in the Product which is covered by this warranty, the Customer must follow this procedure:

- The Customer must promptly present a written claim to MMI DOOR 6361
 Sterling Dr. North, Sterling Heights, MI 48312. MMI DOOR must receive this claim no later than ten (10) years on Majestic doors and two (2) years on Builder's Choice doors after the date of the Customer's purchase.
- 2. The Customer must use reasonable diligence to include in the written claim all of the following:
- a. Adequate description of defect(s).
- b. Identification of Product design or pattern.
- c. Exact Product size.
- d. Date Product was manufactured.
- e. Date of the Customer's purchase and the date of delivery to the Customer.
- 3. The Customer, at MMI DOOR's option, must permit MMI DOOR or its representative to inspect the Product.

REMEDIES:

After receiving a valid claim, MMI DOOR will, at its option, (a) repair the Product, or (b) provide a replacement Product (or part, as appropriate) of like kind and design.

DISCLAIMER OF WARRANTY:

MMI DOOR MAKES NO IMPLIED WARRANTY, INCLUDING WARRANTIES
OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT
TO THE PRODUCT (OR ANY REPLACEMENT), AND MAKES NO
OTHER WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE,
WITH RESPECT TO THE PRODUCT (OR ANY REPLACEMENT), EXCEPT TO
THE EXTENT PROVIDED HEREIN.

LIMITATION OF REMEDIES:

THE REMEDIES SET FORTH ABOVE ARE THE CUSTOMER'S EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. IN NO CASE SHALL MMI DOOR BE LIABLE TO THE CUSTOMER OR ANY OTHER PERSON FOR ANY GENERAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT PERMIT ANY LIMITATION ON THE LENGTH OF AN IMPLIED WARRANTY, OR ANY EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, AND THEREFORE SOME LIMITATION OR EXCLUSIONS IN THIS WARRANTY MAY NOT APPLY.

Unless modified in a later writing signed by both MMI DOOR and the claimant, this warranty is the complete and exclusive warranty relating to the Product, superseding all earlier agreements and other communications relating to the Product. No employee of MMI DOOR or any other party is authorized to make any warranty in addition to this warranty. Invalidation of any one or more of the

provisions of this warranty shall not invalidate or affect any one of the other provisions hereof, which shall remain in full force and effect.

This warranty is not transferable. This warranty provides specific legal rights, and other rights, which vary from state to state, may be available.





THOUSANDS OF DOOR OPTIONS RIGHT AT YOUR FINGERTIPS!

- LOCATE A DEALER
- BUILD YOUR DOOR

GET THE **FREE**MOBILE APP TODAY!

• DOWNLOAD • SNAP • SHARE



For more information on MMI DOOR products and services, please visit:

www.mmidoor.com



Michigan (HQ)

6361 Sterling Drive North Sterling Heights, MI 48312 586.264.0950 800.686.9218 Fax: 586.264.5430

MMI DOOR LOCATIONS

Ohio

400 Circle Freeway Drive Cincinnati, OH 45246 513.874.6771 800.215.3770 Fax: 513.870.0242

Pennsylvania

172 Plummer Road Sidman, PA 15955 814.487.7800 800.452.0251 Fax: 814.487.7850



© 2022 MMI DOOR All Rights Reserved. STLFGENTBROCH 01/22