



BARN DOOR COLLECTION



(2) 15 Lite
Primed Barn Door
Finished in Field

BARN DOOR HARDWARE KITS - STOCKED

A traditional system is redefined with contemporary styles and finishes to complement the home, office space or any opening space imaginable. Includes instructions that make it easy for "Do It Yourself" customers.

- MMI stocked doors all weigh under the limit of 250lbs
- Stocked hardware kits rated at 250lbs
- Hardware kits are also available to be sold separately

AVAILABLE KIT OPTIONS:



Matte Black shown

Top of Door Mount Kit



Oil Rubbed Bronze shown
Available in Matte Black, Oil Rubbed Bronze and Stainless Steel

Bent Strap Kit



Stainless Steel shown
Available in Matte Black, Oil Rubbed Bronze and Stainless Steel - BD450


Door Handle



Stainless Steel shown
Available in Matte Black, Oil Rubbed Bronze and Stainless Steel - BD460

Recessed Door Pull

AVAILABLE FINISHES:



AVAILABLE BARN DOOR KITS

ITEM	DESCRIPTION	FINISH	TRACK LENGTH	DOOR WIDTH
BRNBLBENHDWSGL	Bent Strap Mount Kit	Matte Black	78-3/4"	Up to 36"
BRNBLBENHDWSGL76	Bent Strap Mount Kit	Matte Black	90"	36" - 42"
BRNTOPHDWSGL	Top Mount Kit	Matte Black	78-3/4"	Up to 36"
BRNBLTOPHDWSGL76	Top Mount Kit	Matte Black	90"	36" - 42"
BRNSSBENHDWSGL	Bent Strap Mount Kit	Stainless Steel	78-3/4"	Up to 36"
BRNSSBENHDWSGL76	Bent Strap Mount Kit	Stainless Steel	90"	36" - 42"
BRNORBENHDWSGL	Bent Strap Mount Kit	Oil Rubbed Bronze	78-3/4"	Up to 36"
BRNORBENHDWSGL76	Bent Strap Mount Kit	Oil Rubbed Bronze	90"	36" - 42"

KITS INCLUDE (FOR 78-3/4" KITS):

- 1 ea. Track
- 2 ea. Hangers
- 5 ea. Wall spacers*
- 2 ea. Anti-jump blocks
- 2 ea. Stoppers
- 1 ea. Floor-mount guide
- 1 ea. Wall-mount guide
- Various bolts, screws and anchors for assembly


*For the 90" kits there are 6 wall spacers included



K Bar Planked
Primed Barn Door
Finished in Field

7/0 STILE & RAIL DOORS WITH ROUTED BOTTOM RAIL

Primed



FROSTED
3 LITE
Shaker
Sticking

FROSTED
4 LITE
Shaker
Sticking




K BAR
PLANKED
Shaker
Sticking

Z BAR
PLANKED
Shaker
Sticking

AVAILABLE 7/0 BARN DOORS

DOOR MODEL	DOOR WIDTH & DOOR THICKNESS		STICKING PROFILE
	3'0"	3'6"	
	1-3/8"	1-3/8"	
3 LITE FROSTED			
7'0" Primed	•	•	Shaker
4 LITE FROSTED			
7'0" Primed	•	•	Shaker
K BAR PLANKED			
7'0" Primed	•		Shaker
Z BAR PLANKED			
7'0" Primed	•	•	Shaker

Frosted 3 and 4 Lite:



Stile and Rail Construction
Smooth Surface
Pre-Routed Door Bottom

K and Z Bar Planked:



Floor Mount Guide
Shown in Matte Black



Shaker
Sticking

6/8 & 8/0 STILE & RAIL DOORS
 REAL WOOD WITH SOLID BOTTOM RAIL

Primed



1 LITE FROSTED
Shaker Sticking

3 LITE FROSTED
Shaker Sticking

5 LITE FROSTED
Shaker Sticking

1 PANEL
Shaker Sticking



2 PANEL
Shaker Sticking

1 + 2 PANEL
Shaker Sticking

3 PANEL
Shaker Sticking

5 PANEL
Shaker Sticking

STILE & RAIL DOORS



Frosted 3 Lite
Primed Barn Door
Finished in Field

AVAILABLE 6/8 & 8/0 PRIMED SHAKER FLAT PANEL DOORS							
DOOR MODEL	DOOR WIDTH & DOOR THICKNESS						STICKING PROFILE
	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	
	1-3/8"	1-3/8"	1-3/8"	1-3/8"	1-3/8"	1-3/8"	
1 LITE FROSTED							
6'8" Primed	•	•	•	•	•	•	Shaker
3 LITE FROSTED							
6'8" Primed	•	•	•	•	•	•	Shaker
8'0" Primed	•	•	•	•	•	•	Shaker
5 LITE FROSTED							
6'8" Primed	•	•	•	•	•	•	Shaker
8'0" Primed	•	•	•	•	•	•	Shaker
1 PANEL							
6'8" Primed	•	•	•	•	•	•	Shaker
8'0" Primed	•	•	•	•	•	•	Shaker
2 PANEL							
6'8" Primed	•	•	•	•	•	•	Shaker
8'0" Primed	•	•	•	•	•	•	Shaker
1 + 2 PANEL							
6'8" Primed	•	•	•	•	•	•	Shaker
8'0" Primed	•	•	•	•	•	•	Shaker
3 PANEL EQUAL							
6'8" Primed	•	•	•	•	•	•	Shaker
8'0" Primed	•	•	•	•	•	•	Shaker
5 PANEL EQUAL							
6'8" Primed	•	•	•	•	•	•	Shaker
8'0" Primed	•	•	•	•	•	•	Shaker



Shaker Sticking



Superior priming – four coats with sanding between coats

STILE & RAIL DOORS



6/8 & 7/0 STILE & RAIL DOORS

Primed



1 LITE FROSTED
Ovolo Sticking

9 LITE CLEAR
Ovolo Sticking

10 LITE CLEAR
Ovolo Sticking

15 LITE CLEAR
Ovolo Sticking

Pine

Oak



10 LITE CLEAR
Ovolo Sticking

15 LITE CLEAR
Ovolo Sticking

15 LITE CLEAR V-GROOVE
Ovolo Sticking

15 LITE CLEAR
Ovolo Sticking



Ovolo Sticking

8/0 STILE & RAIL DOORS

Primed



12 LITE CLEAR
Ovolo Sticking

18 LITE CLEAR
Ovolo Sticking

AVAILABLE 6/8 & 8/0 STILE & RAIL DOORS						
DOOR MODEL	DOOR WIDTH & DOOR THICKNESS					STICKING PROFILE
	2'0"	2'4"	2'6"	2'8"	3'0"	
	1-3/8"	1-3/8"	1-3/8"	1-3/8"	1-3/8"	
1 LITE FROSTED						
6'8" Primed	•	•	•	•	•	Ovolo
9 LITE CLEAR						
6'8" Primed		•			•	Ovolo
10 LITE CLEAR						
6'8" Primed	•	•	•	•	•	Ovolo
6'8" Pine	•	•	•	•	•	Ovolo
12 LITE CLEAR						
8'0" Primed	•	•	•	•	•	Ovolo
15 LITE CLEAR						
6'8" Primed	•	•	•	•	•	Ovolo
7'0" Primed					•	Ovolo
6'8" Pine	•	•	•	•	•	Ovolo
6'8" Pine V-Groove	•	•	•	•	•	Ovolo
6'8" Oak	•	•	•	•	•	Ovolo
18 LITE CLEAR						
8'0" Primed				•	•	Ovolo

6/8, 7/0, & 8/0 SOLID CORE DOORS

Primed



BIRKDALE
Craftsman Sticking
CAIMAN
Craftsman Sticking
CARRARA
Cove & Bead Sticking
CONMORE
Stepped Sticking
CRAFTSMAN
Craftsman Sticking



MADISON
Craftsman Sticking
MONROE
Craftsman Sticking
PRINCETON
Cove & Bead Sticking
ROCKPORT
Cove & Bead Sticking

MOLDED DOORS



Rockport
Primed Barn Door
Finished in Field



Cove & Bead Sticking



Craftsman Sticking



Stepped Sticking

AVAILABLE 6/8, 7/0, & 8/0 MOLDED DOOR SIZES

DOOR MODEL	DOOR WIDTH & DOOR THICKNESS											STICKING PROFILE	
	2'0"		2'4"		2'6"		2'8"		2'10"		3'0"		
	1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/8"	1-3/4"		
BIRKDALE													
6'8"	•		•		•		•		•		•		Craftsman
CAIMAN													
6'8"	•	•	•	•	•	•	•	•	•	•	•	•	Craftsman
8'0"	•	•	•	•	•	•	•	•	•	•	•	•	Craftsman
CARRARA													
6'8"	•	•	•	•	•	•	•	•	•	•	•	•	Cove & Bead
7'0"	•		•		•		•		•		•		Cove & Bead
8'0"	•	•	•	•	•	•	•	•	•	•	•	•	Cove & Bead
CONMORE													
6'8"	•		•		•		•		•		•		Stepped
CRAFTSMAN													
6'8"	•		•		•		•		•		•		Craftsman
MADISON													
6'8"	•	•	•	•	•	•	•	•	•	•	•	•	Craftsman
8'0"	•	•	•	•	•	•	•	•	•	•	•	•	Craftsman
MONROE													
6'8"	•	•	•	•	•	•	•	•	•	•	•	•	Craftsman
8'0"	•	•	•	•	•	•	•	•	•	•	•	•	Craftsman
PRINCETON													
6'8"	•		•		•		•		•		•		Cove & Bead
ROCKPORT													
6'8"	•		•		•		•		•		•		Cove & Bead
8'0"	•	•	•	•	•	•	•	•	•	•	•	•	Cove & Bead

PREMIUM SLIDING BARN DOOR HARDWARE

SPECIAL ORDER

Available in 3-6 Weeks



Type 1 WITH SOFT CLOSE OPTION

FEATURES:

- Designed for Wood Doors 1-3/4" & 1-3/8" thick
- Top mounted hardware
- Door weight up to 176 pounds per door

MATERIALS:

- 304 Stainless Steel Track
- 304 Stainless Steel Hangers with Nylon Coated Rollers

PRODUCT STANDARDS:

- Product designed and tested to follow ANSI Grade 1 Standards

AVAILABLE FINISHES:

- Brushed Stainless Steel, Dark Bronze*

*Not available for Soft Close

TYPE 1 PREMIUM SLIDING BARN DOOR HARDWARE KITS

ITEM	DESCRIPTION	FINISH	SIZE	SET TYPE	TRACK LENGTH	DOOR WIDTH
PREMSLDWDT106SS	Top Mount Kit	Brushed Stainless Steel	06	T1	78-3/4"	36"
PREMSLDWDT108SS	Top Mount Kit	Brushed Stainless Steel	08	T1	98-7/16"	48"
PREMSLDWDT106DB	Top Mount Kit	Dark Bronze	06	T1	78-3/4"	36"
PREMSLDWDT108DB	Top Mount Kit	Dark Bronze	08	T1	98-7/16"	48"
PRMSLDWDT106SCSS	Top Mount Soft Close Kit	Brushed Stainless Steel	06	T1SC	78-3/4"	36"
PRMSLDWDT108SCSS	Top Mount Soft Close Kit	Brushed Stainless Steel	08	T1SC	98-7/16"	48"

KITS INCLUDE:

- 1 ea. Track with Wall Brackets
- 2 ea. Hangers
- 2 ea. Track Stops
- 1 ea. Door Bottom Guide
- 1 ea. Wall Mount Channel Door Guide
- 1 ea. Installation Instructions

TEN YEAR LIMITED WARRANTY
SOFT CLOSE MECHANISM
TWO YEAR LIMITED WARRANTY



Type 2

FEATURES:

- Designed for Wood Doors 1-3/4" & 1-3/8" thick
- Top mounted hardware
- Door weight up to 242 pounds per door

MATERIALS:

- 304 Stainless Steel Track
- 304 Stainless Steel Hangers with Nylon Coated Rollers

PRODUCT STANDARDS:

- Product designed and tested to follow ANSI Grade 1 Standards

AVAILABLE FINISHES:

- Brushed Stainless Steel

TYPE 2 PREMIUM SLIDING BARN DOOR HARDWARE KITS

ITEM	DESCRIPTION	FINISH	SIZE	SET TYPE	TRACK LENGTH	DOOR WIDTH
PREMSLDWDT206SS	Top Mount Kit	Brushed Stainless Steel	06	T2	78-3/4"	36"
PREMSLDWDT208SS	Top Mount Kit	Brushed Stainless Steel	08	T2	98-7/16"	48"

KITS INCLUDE:

- 1 ea. Stainless Steel Track with Stainless Steel Wall Brackets
- 2 ea. Stainless Steel Hangers
- 2 ea. Stainless Steel Track Stops
- 1 ea. Stainless Steel Door Bottom Guide
- 1 ea. Wall Mount Channel Door Guide
- 1 ea. Installation Instructions

TEN YEAR LIMITED WARRANTY

PREMIUM SLIDING BARN DOOR HARDWARE

SPECIAL ORDER
Available in 3-6 Weeks



Type 4

FEATURES:

- Designed for Wood Doors 1-3/4" & 1-3/8" thick
- Top mounted hardware
- Door weight up to 176 pounds per door

MATERIALS:

- 304 Stainless Steel Track
- 304 Stainless Steel Hangers with Nylon Coated Rollers

PRODUCT STANDARDS:

- Product designed and tested to follow ANSI Grade 1 Standards

AVAILABLE FINISHES:

- Brushed Stainless Steel


TYPE 4 PREMIUM SLIDING BARN DOOR HARDWARE KITS

ITEM	DESCRIPTION	FINISH	SIZE	SET TYPE	TRACK LENGTH	DOOR WIDTH
PREMSLDWDT406SS	Top Mount Kit	Brushed Stainless Steel	06	T4	78-3/4"	36"
PREMSLDWDT408SS	Top Mount Kit	Brushed Stainless Steel	08	T4	98-7/16"	48"

KITS INCLUDE:

- 1 ea. Stainless Steel Track with Stainless Steel Wall Brackets
- 2 ea. Stainless Steel Hangers
- 2 ea. Stainless Steel Track Stops
- 1 ea. Stainless Steel Door Bottom Guide
- 1 ea. Wall Mount Channel Door Guide
- 1 ea. Installation Instructions

TEN YEAR LIMITED WARRANTY



Type 5

FEATURES:

- Designed for Wood Doors 1-3/4" & 1-3/8" thick
- Top mounted hardware
- Door weight up to 198 pounds per door

MATERIALS:

- 304 Stainless Steel Track
- 304 Stainless Steel Hangers with Nylon Coated Rollers

PRODUCT STANDARDS:

- Product designed and tested to follow ANSI Grade 1 Standards

AVAILABLE FINISHES:

- Brushed Stainless Steel, Dark Bronze

TYPE 5 PREMIUM SLIDING BARN DOOR HARDWARE KITS

ITEM	DESCRIPTION	FINISH	SIZE	SET TYPE	TRACK LENGTH	DOOR WIDTH
PREMSLDWDT506SS	Bent Strap Kit	Brushed Stainless Steel	06	T5	78-3/4"	36"
PREMSLDWDT508SS	Bent Strap Kit	Brushed Stainless Steel	08	T5	98-7/16"	48"
PREMSLDWDT506DB	Top Mount Kit	Dark Bronze	06	T5	78-3/4"	36"
PREMSLDWDT508DB	Top Mount Kit	Dark Bronze	08	T5	98-7/16"	48"

KITS INCLUDE:

- 1 ea. Stainless Steel Track with Stainless Steel Wall Brackets
- 2 ea. Stainless Steel Hangers
- 2 ea. Stainless Steel Track Stops
- 1 ea. Stainless Steel Door Bottom Guide
- 1 ea. Wall Mount Channel Door Guide
- 1 ea. Installation Instructions

TEN YEAR LIMITED WARRANTY

For more information on MMI DOOR products and services, please visit:

www.mmidoor.com



MMI DOOR LOCATIONS

Michigan (HQ)

6361 Sterling Drive North
Sterling Heights, MI 48312
586.264.0950
800.686.9218
Fax: 586.264.5430

Ohio

400 Circle Freeway Drive
Cincinnati, OH 45246
513.874.6771
800.215.3770
Fax: 513.870.0242

Pennsylvania

172 Plummer Road
Sidman, PA 15955
814.487.7800
800.452.0251
Fax: 814.487.7850

Carrara
Primed Barn Door
Finished in Field

© 2022 MMI DOOR All Rights Reserved.
BRNBROCH • 01/22



MMI DOOR is proud to be part of the JELD-WEN global family of product brands and companies.