



Therma-Tru. Where home begins.

Choosing a Therma-Tru. door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand building professionals prefer most.* With a complete door system engineered with craftsman precision and backed by more than 60 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.



Uncompromising quality, inside and out.

Find your favorite doors.

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Table of Contents

Introduction NEW Products	
Therma-Tru _* Thrive	
Curb Appeal	
Door Selections	
Door System Components	20–21
Tru-Defense	22–23
Safety & Security	
Decorative & Specialty Glass	
Impact-Rated Products	30–31
NEW Veris Collection Prev	iew
Patio, Storm & Vent	
Hinged Patio Door Systems	
Retractable Screen Doors	
Impressions _™ Integrated Storm & Entry System	•
System	48–48
Classic Craft。	50-113
Decorative & Specialty Glass	58–65
Accessories	66–67
Hinged Patio Doors	110–113
Fiber-Classic。 & Smooth-S	tar.
Decorative & Specialty Glass	
Accessories	128
Hinged Patio Doors	212-217
Steel	210 2/1
Profiles _™	
Traditions	
Decorative & Specialty Glass	
Fire Doors	242–245
Pulse。	246–259
Finish Options	
PrismaGuard. Stain & Paint	
Same-Day _® Stain Kit	266
Door System Components	
Special Queto Browner	000
Special Quote Program	282
3'6" Width Options Chart	
•	283
7'0" & 6'6" Height Options	
Charts	284_285
Product Details	286–287
Index	288_209
Trade Resources	299

NEW Calix Glass Design

for Fiber-Classic, Smooth-Star, Profiles, Traditions & Pulse



A clean and delicate classic.

Elevate your entry with this new, on-trend take on a classic style. Featuring clear glass and delicate caming, Calix is ideal for traditional and casual homes.

Available for Fiber-Classic and Smooth-Star, starting on page 152; Profiles and Traditions, starting on page 224, and Pulse, starting on page 250.









Brushed Nickel













^{*}Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

^{**}Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

NEW Latitude Glass Design

for Fiber-Classic, Smooth-Star, Profiles, Traditions & Pulse



Bending tradition.

Create new traditions with the curved elegance of Latitude. This design's seedy glass and curved caming is a great addition to traditional and casual homes.

Available for Fiber-Classic and Smooth-Star, starting on page 152; Profiles and Traditions, starting on page 224, and Pulse, starting on page 252.

















Brushed Nickel

Privacy Rating



^{*}Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

^{**}Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

NEW Echelon Glass Design

for Fiber-Classic, Smooth-Star, Profiles, Traditions & Pulse



At the edge of boldness.

Reimagine a daring entryway with the bold edges of Echelon. This modern design features clear glass and eased angles infused with elements of diamonds and triangles.

Available for Fiber-Classic and Smooth-Star, starting on page 153; Profiles and Traditions, starting on page 224, and Pulse, starting on page 250.















Black Nickel

Privacy Rating




^{*}Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

^{**}Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

NEW Advanta_™ Lite Frame*

for Fiber-Classic, Smooth-Star, Profiles, Traditions & Pulse





The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Four-piece design includes two interchangeable frame covers and a two-piece base frame.

A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 143; Profiles and Traditions, starting on page 223, and Pulse, starting on page 250.

Available Lite Frame Sizes

Fiber-Classic. / Smooth-Star. / Profiles... / Traditions / Pulse.





Available Glass Options

Glass options vary by size.

Decorative Glass
Privacy & Textured
Internal Blinds

Divided Lites Clear / Low-E







Fiber-Classic, Profiles, Traditions, Smooth-Star, Pulse Steel
Pulse Fiberglass

NEW Craftsman Shaker-Style Entry Door Options

for Fiber-Classic_® Mahogany Collection_™ & Smooth-Star_®



Options for every home.

Explore a complete assortment of on-trend Craftsman Shaker-style entry doors with flush-glazed glass, from the brand builders use most.* Available in wood-grained, stainable and smooth, paintable styles in a wide variety of sizes to fit any project. Complete the look by choosing from a full array of Craftsman-lite and full-lite sidelite options.

Available in Fiber-Classic and Smooth-Star, starting on page 139.

EnLiten_™ Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.







Residential

Commercial & Multi-Resident

^{*}Brand Use Study, 2022 Builder magazine.

^{**}Available for full-lite sidelites only.

Note: Fiber-Classic and Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Available Doors & Sidelites



Height	6'8"		7'0"		8'0"	
Widths	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"



Height	6'8"		7'0"		8'0"	
Widths	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"

Flat-Profile SDL Bars

Smooth and grained, flat-profile SDL bars complement the door's Shaker style.



(28.6 mm / 1.125 in.)


Available Glass Shapes & SDL Patterns



Glass Shapes with GBG Patterns



Available Glass Options



Additional Sidelite Glass Options



Reeded (XK)**

NEW 8'0" Smooth-Star, Flush-Glazed Doors

with Internal Blinds & Elevated Bottom Rail



More natural light. No compromises.

A durable, on-trend solution for multi-family dwellings, the 8'0" Smooth-Star flush-glazed full-lite door with internal blinds delivers privacy and convenience. Now with an elevated bottom rail to meet ADA applications*, this door is ideal for the patio and back of the home.

Available in Smooth-Star, starting on page 132.

Available Q3 2023.









Residential

Commercial & Multi-Resident



Elevated Bottom Rail U1: 10-1/4" Book / Hybrid: 10-15/32"

8'0" Flush-Glazed Full-Lite Door

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

^{*}For ADA compliance, door must be 3'0" wide.

NEW Sizes & Configurations

for Impressions™ Storm & Entry Door System



Purposeful design.

Explore first-to-market advanced technology in an integrated storm and entry door solution* from Therma-Tru, in partnership with LARSON. The Impressions integrated storm and entry door system is designed to outperform expectations.

Now available for 8'0" entries and door systems with sidelites, starting on page 48.







Single





Single with 1 Sidelite**

Single with 2 Sidelites**

^{*}Patent pending.

^{**}The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions.

Top: Impressions Storm & Entry Door System – IM100, Finish – Black; Fiber-Classic Mahogany Collection Door – FCM220; Calix Glass, Sidelites – FCM2389SL,

Finish – Raven

NEW PrismaGuard_® Premium Finish













Refreshed beauty.

Our expanded offering of PrismaGuard, stains and paints is designed to meet the homeowner demand for the light and refreshing colors that define current trends.

These eight new colors give our customers the option to explore entirely new aesthetics and moods at their entryways - all backed by the premium quality of PrismaGuard.

See the entire PrismaGuard portfolio starting on page 261.











Traditions, Pulse











Professional Application

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.





Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the () symbol.

Color matches available.

Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the (🌠) symbol. See your Therma-Tru seller for details.



NEW Alpine Color-Matched Lite Frames & Simulated Divided Lite Bars

Therma-Tru's unfinished white lite frames and simulated divided lite (SDL) bars are now color-matched to PrismaGuard. Alpine and can be installed directly out of the box, saving you time and money. Available for Smooth-Star₅, Profiles™ and Traditions.

Lite Frame Options

Available in Advanta and Standard lite frames.









Scrolled

SDL Bar Options



Residential







TOGETHER, LET'S MAKE A WORLD OF DIFFERENCE.

We're doing our part to build a better world, every chance we get. Therma-Tru Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.



MAKING LIFE BETTER AT HOME.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

More than 80% of our doors are **ENERGY STAR® qualified.***

5+ years on the leading edge of the industry, reducing harmful chemicals from our PrismaGuard paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance.** (AAMA 1304)



Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2022 Brand Leader**** by *Green Builder* magazine for offering durable, well-insulated products.

More than 50% of our fiberglass and steel door end rails are made from **over 90% recycled or scrap material**.

In 2022, we diverted over **15 million pounds** of waste otherwise destined for landfills.

BEING A GOOD NEIGHBOR.

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.

Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.








^{*}Based on version 6.0 ENERGY STAR product specification for windows, doors and skylights.

^{**}Brand Index, 2022 Green Builder magazine.

Make a Smart Investment



Make a great first impression.

A front door is nearly impossible to ignore when walking into a home, and for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, 44% of homeowners said they were more likely to purchase a home with an enhanced entry, and one in three homeowners said they were willing to pay a premium for one.*



One in three homeowners said they were willing to pay a premium for an enhanced entry.*

*Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.

^{**}Manufacturer's Test Facility Quality Assurance Validation Program, Architectural Testing, Inc.

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 18–19.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 26–29.



Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard premium finish and Same-Day stain on pages 260–266.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 20–25.

Designed for peace of mind.

Lifetime Limited Warranties

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.





Quality Testing

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab – approved to perform specific test methods with a third-party witness** – as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.

Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft_® Series Pages 50-113

Our premier engineered-to-last entryways showcase remarkably authentic wood grains and textures. Explore three curated collections inspired by the latest trends to bring your home design vision to life.









Fiber-Classic. Collections Pages 114-217

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.











Smooth-Star_{® Pages 114-217}

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Steel Pages 218-241

Bring style and affordability together to create very attractive results with our steel doors.









Pulse_{® Pages 246-259}

A contemporary series of door styles and glass designs that can be combined to make a bold statement.












Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.






Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the door and frame. In addition, a rot-free Therma-Tru composite door frame* delivers extra protection from the damaging effects of moisture.




Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. Sill pan (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




Corner seal pads (inswing only) complete the seal between the sill cap, bottom sweep and weatherstrip to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




4 Hinges position the door to properly compress the weatherstrip to help form a tight, even seal against air and moisture infiltration when the door closes.



(recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the weatherstrip's seal even under wind pressure.



Cip-lite frame (shown right) features a compression seal against weather on the outside of the door and an adhesive seal against weather on the outside of the glass. Flush-glazed glass (shown left) is built directly into the door without a Lip-lite frame, featuring a high-performance adhesive weather seal inside and out.



Composite Door Frame* featuring Tru-Guard_m Composite Technology

Therma-Tru₀ composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



Tru-Defense Warranty Rider



A Therma-Tru_® door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass, a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-True genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

Double Your Peace of Mind

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the () icon.



^{*}The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

^{**}Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



Door Frame •

Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



Corner Seal Pads 4

(Inswing Only)

Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



Composite Adjustable Sill *

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



Weatherstrip *

Features a resilient design to help deliver a precise seal between the door and frame.



Bottom Sweep (Inswing Only)
A dual-bulb, dual-fin design
helps maintain tight contact with
adjustable sill caps and creates

added barriers against moisture.



Astragal ♣ (Double Doors)
Covers the margin between
double doors to help complete
the seal against air and moisture

infiltration, with aluminum construction for stability, holding

power and durability.



Hinges 💠

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Rain Guard (Outswing Only)
Creates a barrier at the top
of the door to protect against
moisture infiltration.

Recommended Components



Multi-Point Locking System ♣ (MPLS)

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement			
System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer	
Latch & Deadbolt (No Sill Pan)**	\$250	\$500	
Latch & Deadbolt with Sill Pan**	\$500	\$1,000	
MPLS (No Sill Pan)	\$1,000	\$2,000	
MPLS with Sill Pan	\$1,250	\$2,500	

Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


Did you know?



On average, a home is burglarized in the U.S. every 45 seconds.¹



More than half of home burglaries occur during the daytime.²



How do burglars enter the home?

34% Front Door³ 22% Back Door³

Therma-Tru Composite Door Frame

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.





^{*}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{**}Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.com for details.

Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."

²Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.

Source: www.asecurelife.com



Therma-Tru Fiberglass Door Slab

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

Therma-Tru Glass

Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.




Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.



Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.





Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten_™ flush-glazed designs and Impact-rated options.

Available in Fiber-Classic_{*}, Smooth-Star_{*}, Profiles_{**} and Traditions doors and sidelites.

Privacy & Textured Glass

Therma-Tru₀ doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse doors and sidelites.







Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (**) icon.



Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.

- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, and Traditions.

EnLiten™ Flush-Glazed Designs

For Classic Craft, Fiber-Classic, & Smooth-Star, Doors & Sidelites





Strength is built in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.





^{*}Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven Left Page Bottom Left: Smooth-Star, Chinchilla Glass with SDLs, Door – S2104XJ, Finish – Granite

Left Page Bottom Right: Smooth-Star, Internal Blinds, Doors – S2600

Right Page: Smooth-Star, Low-E Glass, Door – S4814, Sidelites – S6201SL, Finish – Onyx

^{**}Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.



Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*




Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)


EnLiten_™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 129 for details.

Tough when you need it. Beautiful always.



2 Use the icons to find available Therma-Tru. product options in this catalog.



6—

WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

^{*}Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders.

No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*




Impact Doors

Feature a built-in 24-gauge steel plate lining.

Impact Glass

Features special laminated glass construction.



Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.






Other Considerations

Fire Doors
See pages 242–245.

△ Noise Reduction DoorsSee page 208.

E Elevated 10" Bottom Rail Look for the (E) symbol.











Veris COLLECTION


Explore an expansive portfolio of glass-forward aluminum door systems from the entry door brand building professionals choose most.* Redefine indoor and outdoor living with the Veris Collection.

Coming soon in 2023.

Open to possibilities.

Introducing the Veris Collection, embodying a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS COLLECTION














Expand their horizon.



Blend indoor and outdoor living spaces with wide views, contemporary framing and innovative options designed for convenience and ease.



Contemporary connections.



Create statement-making entrances with sleek and subtle designs perfect for homes with contemporary styling.



Veris COLLECTION

Coming soon in 2023.



Open to possibilities.

Find the right fit for your next project. Visit VerisCollection.com for details.



©2023 Therma-Tru Corp. All rights reserved.

Connect with nature, inside and out.



Outdoor living made easy.

Families can connect with the outdoors through fresh air and sunlight, all from the comfort of home. Explore a variety of entry solutions designed for seamless indoor-outdoor living, including patio and storm doors, retractable screens and vented sidelites.

Hinged Patio Door Systems





Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-True entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 287 for important product details that may help with your

Top: Fiber-Classic Oak Collection, Clear Glass, Doors - 8000, Finish - Driftwood Bottom: Smooth-Star, Clear Glass, Doors - S2000

A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.

- Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- **5** Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- **7** Frame Components
- 8 Multi-Point Locking System (Included)
- Removable Screens



Vented Sidelites

Enjoy the view - and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the () symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.




Classic Craft, starting on page 110.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 212.

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru, entry door systems.



^{*}Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

^{**}Based on average DIY skills and standard door application, widths 32"-36".

^{***}Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.





Available Sizes

(Available for most inswing units.)



Single Door SystemWidths: 32"–36"
Heights: 6'6", 6'8", 8'0"



French Door System
Widths: 68"-73"
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.**

Available Color Options

Coordinates with exterior trim.***





When purchased and installed separately

all parts are covered by a full-system lifetime

limited warranty, excluding the screen mesh.



Brown Black

Available Configurations









See your Therma-Tru seller for details on product availability and ordering.

Warranty Coverage

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.



LIFETIME LIMITED WARRANTY



Fiber-Classic, Smooth-Star, Pulse Fiberglass

Profiles, Traditions,

LIFETIME LIMITED WARRANTY

files, Traditions, Pulse Steel

Impressions Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



1 Choose a Therma-Tru_{*} entry door to create an entry that complements your home's architectural style.



2 The Impressions system comes standard with composite brickmould and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a composite frame featuring Tru-Guard™ composite technology.



3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's flat-profile composite brickmould.

^{*}Patent pending

^{**}The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

^{***}Not suitable for use with Therma-Tru grip-style handlesets.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.






The storm door is easy to install at the jobsite.

The concealed hinges featuring retractable pins 4 and the revolutionary hidden closer with Click&Hold_™ technology 5 enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job. Scan the QR code to learn more about storm door panel installation.









6 Aluminum Storm Door Options


Available Sizes & Configurations

Choose Low-E or clear glass.

Interchangeable screen panel included.




IM100 3'0" x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'8" x 8'0"



Color Options

Features a maintenance-free finish.



White Gray
Color matched to
PrismaGuard Alpine. Color matched to
PrismaGuard Granite.




Brown
Color matched to
PrismaGuard Elk and
complements most
stain options.



BlackColor matched to
PrismaGuard Onyx.







An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

Artíssa Collection

Casual | Relaxed | Simple





Founders Collection

Traditional | Time-Honored | Decorative





Visionary Collection

Modern | Confident | Minimal





Industry-leading warranties for peace of mind.




Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuardopremium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at thermatru.com/warranty.






Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can





Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.




Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Therma-Tru_o Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details. **Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door - CCW8901L; Low-E Glass Direct Set Sidelite - DRS82131SL, Finish - Acorn Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door - CCM82801, Finish - Barley

Right Page Bottom: Classic Craft Canvas Door - CCV220; Low-E Glass, Sidelites - CCV100SL, Finish - Indigo



Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrainstechnology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and **Security**

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**




True-to-Wood Origins


Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain, technology.

AccuGrain.



Fir Grain Formerly Classic-Craft American Style Designed to echo the grain of the largest species of American Hemlocks - the Western Hemlock tree - found in lush coastal rainforests of the Pacific Northwest.





Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.



Decorative & Specialty Glass Designs

Homeward_™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.


Glass Shapes





Glass Privacy Rating







Brushed Nickel


Arborwatch_®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines

1 narrow reeded glass, 2 M seedy glass, 3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and

6 clear bevels.

Glass Shapes



Glass Privacy Rating



Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 66 to see an example on a home.



Black Nickel



Brushed Nickel

Augustine_®

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Glass Shapes



Corresponding sidelites feature Granite glass without wrought iron.

Glass Privacy Rating





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 83 to see an example on a home.

Borrassa_®

A statement of strength and beauty,
Borrassa combines linear and curved
wrought iron with hammered glass
for the ultimate in privacy. Wrought iron
decorative accents add an authentic Old
World feel to this stately design.

Glass Shapes



Corresponding sidelites feature Hammered glass without wrought iron.

Glass Privacy Rating





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 52 to see an example on a home.

Decorative & Specialty Glass Designs

Provincial_{TM}


A unique diamond-based motif features double waterglass, clear bevels and caming surrounded by a gray baroque glass border. Provincial captivates with stunning clarity.

Glass Shapes



Glass Privacy Rating







Black Nickel

Brushed Nickel

Longford

The traditional design of Longford integrates a hint of a Celtic knot with


- 1 seeded glass, 2 clear bevels,
- 3 granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

Glass Shapes



Glass Privacy Rating





W ...

Brushed Nickel

Black Nickel

Lucerna_®


Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 10 curved, 20 diamond and 3 rectangular bevels surrounded by smooth, swirling 4 barn wood and heavily textured 6 diamond border glass.

Glass Shapes



Glass Privacy Rating









Brushed Nickel

Zaha

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 10 oceana and 20 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Glass Shapes



Glass Privacy Rating





Black Nickel



Brushed Nickel

Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

Glass Privacy Rating





A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating





Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.





Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.

10

Glass Privacy Rating





Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating





8 10

10

Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating





Also Available:

Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (►) icon.







Flush-Glazed Sticking Profiles

EnLiten_{∞} flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (\triangle) and (\triangle) icons.



Detailed Sticking Look for the (▲) icon.



Square Sticking
Look for the (▲) icon.

EnLiten_™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 129 for details.

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf*



Classic Craft, Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf Shown on 3'0" x 8'0" door.

*Pairs with 3'6" wide doors.

Bottom: Classic Craft Fir Grain, Arborwatch Glass, Door – CCA9100, Sidelites – CCA1423SL, Finish – Autumn Harvest; Dentil Shelf Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs, Sidelites – S1170SL, Transom – 19220T; Clavos Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Finish – Lynx; Strap Hinges




Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.





Full Lites







Artíssa Collection Mahogany*

CCR9925 3'0"x 6'8"



Mahogany

CCR9925SL 12"x 6'8" 14"x 6'8"



Artíssa Collection Canvas

CCV9925 3'0"x 6'8"



Canvas CCV911SL

12"x 6'8" 14"x 6'8"

Key

Flush-Glazed Glass with Square Sticking (FG)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

X Wrought Iron (1W)

Arborwatch.



Artíssa Collection Mahogany*

CCR1423 3'0"x 6'8"



Mahogany

CCR1423SL 12"x 6'8" 14"x 6'8"



Artíssa Collection

CCV1423 3'0"x 6'8"



Canvas

CCV1423SL 12" x 6'8" 14" x 6'8"

Augustine.*



Founders Collection Mahogany*

CCR30027 3'0"x 6'8"



Mahogany

CCR3400XNSL 12"x 6'8" 14"x 6'8"



Founders Collection Canvas

CCV10027 3'0"x 6'8"



Canvas

CCV100XNSL 12"x 6'8" 14"x 6'8"

V

For transoms, see page 108. Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.



Founders Collection Mahogany*

CCR1528 3'0"x 6'8"



Mahogany

CCR3400XHSL 12"x 6'8" 14"x 6'8"



Founders Collection Canvas

CCV1528 3'0"x 6'8"

Longford™ ◆ ::



Canvas

CCV100XHSL 12"x 6'8" 14"x 6'8"



Founders Collection Mahogany*

CCR30028 3'0"x 6'8"



Mahogany

CCR3408SL 12"x 6'8" 14"x 6'8"



Founders Collection

CCV10028 3'0"x 6'8"



Canvas

CCV108SL 12"x 6'8" 14"x 6'8"



Founders Collection Mahogany*

CCR30023 3'0"x 6'8"



Mahogany

CCR3407SL 12"x 6'8" 14"x 6'8"



Founders Collection Canvas

CCV10023 3'0"x 6'8"



Canvas

CCV103SL 12" x 6'8" 14" x 6'8"





Founders Collection Mahogany*

CCR10022 3'0"x 6'8"



Mahogany

CCR3412SL 12"x 6'8" 14"x 6'8"



Founders Collection Canvas

CCV10022 3'0"x 6'8"



Canvas

CCV3412SL 12"x 6'8" 14"x 6'8"

Full Lites

continued



Mahogany Grain Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)

 Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF3)
- Sillidiated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- **■** Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XK = Reeded XJ = Chinchilla
XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite

For transoms, see page 108.

Note: Product images show exterior side of door.

Zaha。



Visionary Collection Mahogany*

CCR1851 3'0"x 6'8"



Mahogany CCR1851SL

12"x 6'8" 14"x 6'8"



Visionary Collection

CCV1851 3'0"x 6'8"



Canvas

CCV1851SL 12"x 6'8" 14"x 6'8"

Privacy & Textured



Visionary Collection Fir**



Visionary Collection Fir**

CCA2310_ 3'0"x 6'8" 

Visionary Collection

CCA82320_ SE 3'0"x 8'0"



Visionary Collection



Visionary Collection



Visionary Collection

- *Formerly Classic-Craft Rustic.
- **Formerly Classic-Craft American Style.
- **Not available with Reeded (XK) glass.

 Note: See page 287 for important product details that may help with your purchase decision.



Fir**

CCA2350__****

5 3'0"x 6'8"



Artíssa Collection Fir**



Artissa Collection

Artíssa Collection Fir**



Artíssa Collection Fir**

CCA4900__***

3'0"x 6'8"



Artíssa Collection

CCA4910R__***

3'0"x 6'8"



Artíssa Collection



Artíssa Collection

CCA4920L__***

▲ 5
3'0"x 6'8"

CCA4920R__***

\$ 5 3'0"x 6'8"



Artíssa Collection



Artíssa Collection

CCA4930_***

5
3'0"x 6'8"



Artíssa Collection



Visionary Collection

Full Lites

continued



Key

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF3)

Simulated Divided Lites (SDLF4)

Simulated Divided Lites (SDLF5)

■ Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.


 $\begin{array}{ll} XK = Reeded & XJ = Chinchilla \\ XE = Satin \ Etch & XR = Rainglass \\ XC = Chord & XN = Granite \\ \end{array}$

For transoms, see page 108.

Note: Product images show exterior side of door.

Privacy & Textured












Fir*

CCA2320_SL | CCA82320_SL | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"










Fir*



CCA2300 ♦ ★ ② | CCA82300 ♦ ★ ② | E 3'0"x 6'8" | 3'0"x 8'0"



Fir*

CCA2310

CCA82310

CCA82310

CCA82310

CCA82310

CCA82310

CCA82310

CCA82310



CCA2320 ♦ ※ ◎ 3'0"x 6'8" CCA82320 ♦ ※ 🛐 E 3'0"x 8'0"



Visionary Collection

CCA2330 **♦ * 3 3 0 x 6 8 "** CCA82330 **♦ * ③ E** 3'0"x 8'0"



Visionary Collection

CCA2340 **♦ * 3** 3'0"x 6'8"

CCA82340 **♦ * ③ E** 3'0"x 8'0"



Visionary Collection

CCA2380 **♦ * 5** 3'0"x 6'8"

CCA82380 **♦ * 5 E** 3'0"x 8'0"



Artíssa Collection Fir*

CCA2350 **♦ * 5** 3'0"x 6'8"

CCA82350 **♦ * 5 E** 3'0"x 8'0"



Artíssa Collection

CCA2360 * 5 3'0"x 6'8"

CCA82360 **♦ * □ E** 3'0"x 8'0"



Artíssa Collection

CCA2370 • * • 3'0"x 6'8"

CCA82370 ** ** E 3'0"x 8'0"



Artíssa Collection

CCA4900 * 3 3'0"x 6'8"

CCA84900 **♦ * ® E** 3'0"x 8'0"



Artíssa Collection Fir*

CCA4910L | CCA4910R **♦ * ◎** 3'0"x 6'8" 3'0"x 6'8"



Artíssa Collection



Artíssa Collection Fir*

CCA4920L | CCA4920R **♦ * 5 3**'0"x 6'8" **3**'0"x 6'8"

Full Lites

continued



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Simulated Divided Lites (SDLF6)
- E Elevated 10" Bottom Rail Options



Note: Product images show exterior side of door.

Low-E Artíssa Collection CCA84920L CCA84920R 3'0"x 8'0" 3'0"x 8'0"



Artíssa Collection

CCA4940 **♦ * 5** 3'0"x 6'8"

CCA84940 **♦ * 5** E 3'0"x 8'0"

Visionary Collection

CCA2400 3'0"x 6'8"

CCA82400 3'0"x 8'0"



CCA2300SL ***** * 12"x 6'8" 14"x 6'8"

3'0"x 8'0"

CCA82300SL 12"x 8'0" 14"x 8'0"



CCA2310SL ♦ ₩ 🛂 12"x 6'8" CCA82310SL **♦ * 4** 12"x 8'0" 14"x 6'8" 14"x 8'0"



Fir* CCA82320SL CCA2320SL **♦ * 3** 12"x 6'8" 14"x 6'8" **♦ * 3** 12"x 8'0" 14"x 8'0"



CCA82330SL CCA2330SL **♦ * 3** 12"x 6'8" 14"x 6'8" **♦ * 3** 12"x 8'0" 14"x 8'0'

Fir*

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA2340, Sidelites - CCA2400SL, Finish - Rustic Clay

^{*}Formerly Classic-Craft American Style.

^{**}Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.





CCA2340SL ♦ ★ ② 12"x 6'8" 14"x 6'8" CCA82340SL ♦ ★ ② 12"x 8'0" 14"x 8'0"



Fir*



Founders Collection Mahogany**

CCR30020 ** 3'0"x 6'8"



Mahogany



Mahogany

CCR3400SL • ** 12"x 6'8" 14"x 6'8"



Founders Collection Canvas

CCV10020

3'0"x 6'8"



Canvas

CCV950SL ♦ ※ ■ 12"x 6'8" 14"x 6'8"



Canvas

CCV100SL ** 12"x 6'8" 14"x 6'8"



3/4 Lites



Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)



Artíssa Collection Mahogany

CCM2801 **a** 3'0"x 6'8"

CCM82801



Mahogany CCR9925SL | CCR89925SL

CCR9925SL 12"x 6'8" 14"x 6'8"

12"x 8'0" 14"x 8'0"



Artíssa Collection Canvas

CCV9922 3'0" x 6'8" | CCV89922 3'0" x 8'0"

THE THE

Canvas

CCV911SL 12"x 6'8" 14"x 6'8" CCV8111SL

12"x 8'0"
14"x 8'0"



Artíssa Collection Mahogany

CCM81418 3'0"x 8'0"



Mahogany

CCR1423SL 12"x 6'8" 14"x 6'8"

CCR81423SL 12"x 8'0" 14"x 8'0"



Artíssa Collection Canvas

CCV1418 3'0"x 6'8" | CCV81418 3'0"x 8'0"



Canvas

CCV1423SL 12" x 6'8" 14" x 6'8" CCV81423SL 12"x 8'0" 14"x 8'0"



Founders Collection Mahogany

CCM805027 3'0"x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.



Mahogany

CCM1495 3'0"x 6'8"



Mahogany

CCR3400XNSL CCR8000XNSL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



Founders Collection Canvas

CCV05027 3'0"x 6'8" CCV805027 3'0"x 8'0"



Canvas

CCV100XNSL CCV8100XNSL 12"x 6'8" 14"x 6'8" 12"x 8'0" 14"x 8'0"

Borrassa.*



Founders Collection

CCM81519 3'0"x 8'0"



Founders Collection

CCM1465 3'0"x 6'8"



Mahogany

CCR3400XHSL | CCR8000XHSL 12"x 6'8" 14"x 6'8"

12"x 8'0" 14"x 8'0"



Founders Collection

CCV1519 3'0"x 6'8" CCV81519 3'0"x 8'0"



Canvas

CCV100XHSL | CCV8100XHSL 12"x 8'0" 14"x 8'0" 12"x 6'8" 14"x 6'8"





Founders Collection Mahogany

CCM892 3'0"x 8'0"



Founders Collection Mahogany

CCM303 3'0"x 6'8"



Mahogany

CCR3407SL 12"x 6'8" 14"x 6'8"

CCR8007SL 12"x 8'0" 14"x 8'0"



Founders Collection

CCV05023 3'0"x 6'8"

CCV805023 3'0"x 8'0"




Canvas

CCV103SL 12"x 6'8" 14"x 6'8"

CCV8103SL 12"x 8'0" 14"x 8'0"

3/4 Lites

continued



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XK = Reeded XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass

XN = Granite

Lucerna®



Founders Collection Mahogany

CCM2802 3'0"x 6'8"

CCM82802 **∆** 3'0"x 8'0"



Founders Collection Mahogany

CCM302 3'0"x 6'8"



Mahogany

CCR3412SL 12"x 6'8" 14"x 6'8"

CCR8102SL 12"x 8'0" 14"x 8'0"





Founders Collection

CCV05022 3'0"x 6'8"

CCV805022 3'0"x 8'0"



CCV3412SL 12"x 6'8" 14"x 6'8"

CCV8102SL 12"x 8'0"

14"x 8'0"



CCR3408SL 12"x 6'8" 14"x 6'8"

CCR8008SL 12"x 8'0" 14" x 8'0"



Founders Collection

CCV05028 3'0"x 6'8"

CCV805028 3'0"x 8'0"



Canvas

CCV108SL 12" x 6'8" 14" x 6'8"

CCV8108SL 12"x 8'0" 14"x 8'0"





Visionary Collection Mahogany

CCM2803 3'0"x 6'8"

CCM82803 **♦** 3'0"x 8'0"



Note: Product images show exterior side of door.



CCM1842 3'0"x 6'8"



Mahogany

CCR1851SL 12"x 6'8" 14"x 6'8"





Visionary Collection

CCV1843 CCV81843 3'0"x 6'8" 3'0"x 8'0"



Canvas

CCV1851SL 12"x 6'8" 14"x 6'8"

CCV81851SL 12"x 8'0" 14"x 8'0"

Textured d) Privacy



Artíssa Collection

CCM2804__* **▲ ⑤** 3'0"x 6'8"

CCM82804__* **▲ ⑤** 3'0"x 8'0"



Artíssa Collection

CCM2806__* **▲ 6** 3'0"x 6'8"

CCM82806__* **▲ ⑤** 3'0"x 8'0"



Artíssa Collection

CCM2812__* CCM82815__* **▲ 6** 3'0"x 6'8" **▲ 6** 3'0"x 8'0"



Artíssa Collection

CCM2800__* CCM82800__* **∆** 3'0"x 8'0" **∆** 3'0"x 6'8"



Founders Collection Mahogany

CCM300<u>XC</u> CCM300<u>XN</u> 3'0"x 6'8"



Mahogany

CCR2025__SL 12"x 6'8" 14"x 6'8"

CCR82035__SL 12"x 8'0" 14"x 8'0"



Mahogany

CCR3400__SL 12"x 6'8" 14"x 6'8"

CCR8000__SL 12"x 8'0" 14"x 8'0"




Artíssa Collection Canvas

CCV05020XC CCV05020XN 3'0"x 6'8"

3/4 Lites

continued



Canvas

Key

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch XC = Chord

XR = Rainglass

XJ = Chinchilla

XN = Granite

Privacy & Textured







▲ ■ 12"x 8'0"







[-WO.

CCM2804 CCM82804 3'0"x 6'8" 3'0"x 8'0"



12"x 6'8"

Artíssa Collection Mahogany

CCM2806

CCM82806 **♦ * 6 3**'0"x 6'8" **3**'0"x 8'0"



Mahogany

CCM2812

CCM82815 **♦ * 6 3** '0" x 6'8" **3** '0" x 8'0"



CCM2800 **♦ *** 3'0"x 6'8"

CCM82800 3'0"x 8'0"



Founders Collection Mahogany

CCM300 3'0"x 6'8"



Mahogany CCR2025SL

CCR82035SL **♦ * 6** 12" x 6'8" **♦ # 6 12**"x 8'0" 14"x 6'8" 14"x 8'0"



Mahogany

CCR8000SL CCR3400SL **♦ *** 12"x 8'0" **♦ *** 12"x 6'8" 14"x 6'8" 14"x 8'0"

*Not available with Satin Etch (XE) glass.

Note: See page 287 for important product details that may help with your purchase decision. Right Page: Classic Craft Mahogany Grain, Satin Etch Glass with SDLs, Door - CCM2812XE, Finish - Acorn

For transoms, see page 108.

Note: Product images show exterior side of door.



Artíssa Collection Canvas

CCV05020

CCV805020

3'0"x 6'8" 3'0"x 8'0"




Canvas



Canvas

CCV8100SL • ** 12"x 8'0" 14"x 8'0" CCV100SL ** 12"x 6'8" 14"x 6'8"



2/3 Lites



Canvas

Brushed Nickel Caming (1C)

X Wrought Iron (1W)

Clavos

Homeward™◆



Artíssa Collection Mahogany*

CCR9921 3'0"x 6'8' CCR89921 3'0"x 8'0" 3'6"x 8'0"



Artíssa Collection Mahogany*

CCR9919 CCR89919 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



Artíssa Collection Mahogany'

CCR9918 3'0"x 6'8"

CCR89918 3'0"x 8'0"

Key

Black Nickel Caming (1D)

Optional Accessories

Strap Hinge



Artíssa Collection

CCR822218 3'0"x 8'0" 3'6"x 8'0"



Artíssa Collection

CCV9919 3'0"x 6'8" CCV89919 3'0"x 8'0"



Artíssa Collection

CCV9918 3'0"x 6'8" CCV89918 3'0"x 8'0"





Artíssa Collection Mahogany'

CCR1417 3'0"x 6'8"

CCR81417 3'0"x 8'0" 3'6"x 8'0"



Artíssa Collection Mahogany'

CCR1415 3'0"x 6'8"

CCR81415 3'0"x 8'0" 3'6"x 8'0"



Artíssa Collection Mahogany*

CCR1414 3'0"x 6'8" CCR81414 3'0"x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.



Artíssa Collection Mahogany*

CCR822214 3'0"x 8'0" 3'6"x 8'0"



Artíssa Collection Canvas

CCV1415 3'0"x 6'8" CCV81415 3'0"x 8'0"



Artíssa Collection Canvas

CCV1414 3'0"x 6'8" CCV81414 3'0"x 8'0"



Founders Collection Mahogany*

CCR04027 3'0"x 6'8"

CCR804027 3'0"x 8'0" 3'6"x 8'0"



Founders Collection

CCR20527 3'0"x 6'8"

CCR820527 3'0"x 8'0" 3'6"x 8'0"



Founders Collection

CCR20027 3'0"x 6'8"

CCR820027 3'0"x 8'0"



Founders Collection

CCR822227 3'0" x 8'0" 3'6" x 8'0"



Founders Collection

CCR04037 3'0"x 6'8"

CCR804037 3'0" x 8'0" 3'6" x 8'0"

Augustine Continues on next page.



2/3 Lites

continued



Canvas

Black Nickel Caming (1D)

X Wrought Iron (W)







Founders Collection

CCR20537 3'0"x 6'8"

CCR820537 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany'

CCR20037 3'0"x 6'8"

CCR820037 3'0"x 8'0"



Founders Collection Mahogany³

CCR20537A 3'0"x 6'8"

CCR820537A 3'0" x 8'0" 3'6" x 8'0"



Brushed Nickel Caming (1C)



Clavos

Strap Hinge



Founders Collection

CCR20037A 3'0" x 6'8"

CCR820037A 3'0"x 8'0"



Founders Collection

Borrassa.*

CCV20527 CCV820527 3'0"x 6'8" 3'0"x 8'0"



Founders Collection

CCV22027 3'0"x 6'8"

CCV822027 3'0"x 8'0"



Founders Collection

CCV20537 3'0"x 6'8"

CCV820537 3'0"x 8'0"



Founders Collection Mahogany*

CCR1518 3'0"x 6'8'

CCR81518 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1516 3'0"x 6'8'

CCR81516 3'0"x 8'0" 3'6"x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.



Founders Collection Mahogany*

CCR1515 3'0"x 6'8" CCR81515 3'0"x 8'0"



Founders Collection Mahogany*

CCR822215 3'0" x 8'0" 3'6" x 8'0"



Founders Collection Mahogany*

CCR1514 3'0"x 6'8"

CCR81514 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany*

CCR1512 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany*

CCR1511 3'0"x 6'8" CCR81511 3'0"x 8'0"



Founders Collection Mahogany*

CCR1512A 3'0"x 6'8" CCR81512A 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany*

CCR1511A 3'0"x 6'8" CCR81511A 3'0"x 8'0"



Founders Collection Canvas

CCV1516 3'0"x 6'8" CCV81516 3'0" x 8'0"



Founders Collection

CCV1515 3'0"x 6'8"

CCV81515 3'0"x 8'0"



Founders Collection

CCV1512 3'0"x 6'8" CCV81512 3'0"x 8'0"



Founders Collection Mahogany*

CCR804028 3'0" x 8'0"



Founders Collection Mahogany*

CCR820528 3'0"x 8'0"

2/3 Lites

continued



Canvas

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Optional Accessories



Clavos



Strap Hinge

Provincial™◆



Founders Collection Mahogany*

CCR820028 3'0"x 8'0"



Founders Collection Mahogany*

CCR822228 3'0"x 8'0"



Founders Collection Canvas

CCV820528 3'0"x 8'0"



Founders Collection Canvas

CCV822028 3'0"x 8'0"

Longford™◆



Founders Collection Mahogany*

CCR04023 3'0"x 6'8" CCR804023 3'0"x 8'0"



Founders Collection Mahogany*

CCR20523 3'0"x 6'8" CCR820523 3'0"x 8'0"



Founders Collection Mahogany*

CCR20023 3'0"x 6'8" CCR820023 3'0" x 8'0"



Founders Collection Mahogany*

CCR822223 3'0"x 8'0"



Founders Collection Canvas



Founders Collection Canvas

CCV22023 3'0"x 6'8" CCV822023 3'0"x 8'0"

For transoms, see page 108. Note: Product images show

exterior side of door.

*Formerly Classic-Craft Rustic.



Founders Collection Mahogany*

CCR04022 3'0"x 6'8" CCR804022 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany*

CCR20522 3'0"x 6'8" CCR820522 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany*

CCR20022 3'0"x 6'8" CCR820022 3'0"x 8'0"



Founders Collection Mahogany*

CCR822222 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany*

CCR804032 3'0"x 8'0"



Founders Collection Mahogany*

CCR820532 3'0"x 8'0"



Founders Collection Mahogany*

CCR820032 3'0"x 8'0"



Founders Collection Mahogany*

CCR820532A 3'0"x 8'0"



Founders Collection Mahogany*

CCR820032A 3'0"x 8'0"

Zaha。



Founders Collection

CCV20522 3'0"x 6'8" CCV820522 3'0"x 8'0"



Founders Collection Canvas

CCV22022 3'0"x 6'8" CCV822022 3'0"x 8'0"



Founders Collection

CCV820532 3'0"x 8'0"




Visionary Collection Mahogany*

CCR1841 3'0"x 6'8"

CCR81841 3'0" x 8'0"

2/3 Lites

continued



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch XC = Chord

XR = Rainglass XN = Granite

Optional Accessories





Strap Hinge

For transoms, see page 108.

Note: Product images show exterior side of door.





Visionary Collection Mahogany*

CCR1839 3'0"x 6'8"

CCR81839 3'0"x 8'0'



Visionary Collection Mahogany*

CCR1838 3'0"x 6'8" CCR81838 3'0"x 8'0'



Visionary Collection Mahogany

CCR822238 3'0"x 8'0"



Visionary Collection

CCR81847 3'0"x 8'0"



Visionary Collection

CCR81846 3'0"x 8'0"



Visionary Collection

CCR81845 3'0"x 8'0'



Visionary Collection Mahogany*

CCR81846A 3'0"x 8'0"



Visionary Collection

CCR81845A 3'0"x 8'0"



Visionary Collection

CCV1839 CCV81839 3'0"x 6'8' 3'0"x 8'0'



Visionary Collection

CCV1838 3'0" x 6'8' CCV81838 3'0"x 8'0'



Visionary Collection

CCV81846 3'0"x 8'0'

**Not available with Satin Etch (XE) or Rainglass (XR) glass.

Note: See page 287 for important product details that may help with your purchase decision.

^{*}Formerly Classic-Craft Rustic.



Founders Collection Mahogany*

CCR04020__** | CCR804020__** 3'0"x 6'8"

3'0"x 8'0"



Artíssa Collection Mahogany*

CCR20520__** | CCR820520__** 3'0"x 6'8" | 3'0"x 8'0"



Founders Collection Mahogany*

CCR20020__** | CCR820020__** 3'0"x 6'8" | 3'0"x 8'0"



Artíssa Collection Mahogany'

CCR822220__** 3'0"x 8'0"



Founders Collection

CCR804030__ ** 3'0"x 8'0"



Founders Collection

CCR820530__** 3'0"x 8'0"



Founders Collection Mahogany*

CCR820030__** 3'0"x 8'0"



Founders Collection Mahogany*

CCR820530A__ ** 3'0"x 8'0"



Artíssa Collection

CCV20520__** | CCV820520__** 3'0"x 6'8"

3'0"x 8'0"



Founders Collection

CCV22020__** | CCV822020__** 3'0"x 8'0"



Founders Collection Canvas

CCV820530__** 3'0"x 8'0"



Founders Collection Mahogany

CCM302L_ **∆** 3'0"x 6'8"

CCM302R_ **∆** 3'0"x 6'8"



Founders Collection Mahogany

CCM8302L_ 3'0"x 8'0"

CCM8302R_ **∆** 3'0"x 8'0"

2/3 Lites

continued



Key

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

Optional Accessories



Strap Hinge

Textured d) Privacy





Founders Collection Mahogany

CCM304L 3'0"x 6'8"

CCM304R 3'0"x 6'8"





Founders Collection Mahogany

CCM8304L_ **▲ ⑤** 3'0"x 8'0"

CCM8304R_ **▲ 6** 3'0"x 8'0"







Founders Collection

CCM303L_

CCM303R_ **▲ ⑤** 3'0"x 6'8"





Founders Collection

CCM8303L_

CCM8303R_ **6** 3'0"x 8'0"





Founders Collection Mahogany

CCM301CAL 3'0"x 6'8"

CCM301CAR_ 3'0"x 6'8"





Founders Collection Mahogany

CCM8301CAL **∆** 3'0"x 8'0"

CCM8301CAR_ **∆** 3'0"x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.





Founders Collection Mahogany



Founders Collection Mahogany

CCM8305CAR_

▲ 6 3'0"x 8'0"



Founders Collection Mahogany







Founders Collection

CCM8306CAL_ 6 3'0"x 8'0" CCM8306CAR_ 6 3'0"x 8'0"



Founders Collection Mahogany*

CCR04020 *
3'0"x 6'8" CCR804020 ** 3'0"x 8'0" 3'6"x 8'0"



Artíssa Collection Mahogany*

CCR20520 ** 3'0"x 6'8" CCR820520 ** 3'0" x 8'0" 3'6" x 8'0"



Founders Collection Mahogany*

CCR20020 ** 3'0"x 6'8" CCR820020 * 3'0" x 8'0"



Founders Collection Mahogany*

CCR822220 ** 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany*

CCR804030 ** 3'0"x 8'0"






Founders Collection Mahogany*

CCR820030 ** 3'0"x 8'0"

2/3 Lites

continued



Canvas

Key

Flush-Glazed Glass with Square Sticking (FG)

* Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

Optional Accessories



Strap Hinge

Low-



Founders Collection Mahogany*

CCR820530A 3'0"x 8'0"



Founders Collection Mahogany

CCR820030A 3'0"x 8'0"



Artíssa Collection Canvas

CCV20520

CCV820520

3'0"x 8'0" 3'0"x 6'8"



Founders Collection

CCV22020 3'0"x 6'8"

CCV822020 3'0"x 8'0"



CCV820530 3'0"x 8'0"



Founders Collection

CCM302L **♦ *** 3'0"x 6'8" CCM302R **♦ *** 3'0"x 6'8"





Founders Collection

CCM8302L **♦ *** 3'0"x 8'0"

CCM8302R





CCM304L **♦ * 6** 3'0" x 6'8" CCM304R **♦ * 6** 3'0"x 6'8"



♦ 3'0"x 8'0"



Note: See page 287 for important product details that may help with your purchase decision.

For transoms, see page 108. Note: Product images show

exterior side of door.





Founders Collection Mahogany

CCM8304L ♦ ※ 6 3'0"x 8'0"

CCM8304R ♦ ***** 6 3'0"x 8'0"



Founders Collection Mahogany

CCM303L • * • • 3 3'0"x 6'8"

CCM303R • * 6 3'0"x 6'8"





Founders Collection Mahogany

CCM8303L * 6 3'0"x 8'0"

CCM8303R ▲ * 6 3'0"x 8'0"





Founders Collection Mahogany

CCM301CAL **♦ *** 3'0"x 6'8"

CCM301CAR **♦ *** 3'0"x 6'8"



Founders Collection Mahogany

♦ * 3'0"x 8'0"

CCM8301CAL | CCM8301CAR **♦ *** 3'0"x 8'0"



Founders Collection Mahogany

CCM305CAL **≜ * 6** 3'0"x 6'8"





Founders Collection Mahogany

CCM8305CAL **♦ * 6** 3'0"x 8'0"

CCM8305CAR



Founders Collection Mahogany

CCM306CAR **♦ * 6** 3'0"x 6'8"






Founders Collection Mahogany

CCM8306CAL

CCM8306CAR

1/2 Lites







Artíssa Collection Mahogany CCM9926

3'0"x 6'8"

Artíssa Collection

CCV9926 3'0"x 6'8"



Mahogany
CCM1424

3'0"x 6'8"



Artíssa Collection

CCV1424 3'0"x 6'8"

Key

Low-E Glass (LE)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch





Founders Collection Canvas

CCV06028 3'0"x 6'8"





Founders Collection Mahogany

CCM603 3'0"x 6'8"



Founders Collection Canvas

CCV06023 3'0"x 6'8"

Lucerna.



Mahogany

CCM612 3'0"x 6'8"



Founders Collection Canvas

CCV06022 3'0"x 6'8"



Founders Collection Mahogany

CCM600XE 3'0"x 6'8"



Founders Collection

CCV06020XE 3'0"x 6'8"

For transoms, see page 108. Note: Product images show exterior side of door. Low-E



Founders Collection Mahogany

CCM600

* 3'0"x 6'8"



Founders Collection Canvas

CCV06020

* 3'0"x 6'8"



Craftsman Lites



Canvas



- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- **Black Nickel Caming (1D)**
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



4-Block Dentil Shelf

4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

For transoms, see page 108.

Note: Product images show exterior side of door.



CCA8231

CCA231 **3**'0"x 8'0" 3'0"x 6'8"



CCA87132 **6 ≥** 3'6"x 8'0"



Artíssa Collection

CCA211 3'0"x 6'8"

CCA8211 3'0"x 8'0"



Artíssa Collection

CCA87112 3'6"x 8'0"





CCA3401SL CCA3501SL

12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



CCA211SL 12"x 6'8" 14"x 6'8"



CCV931 **3**'0"x 6'8"



Artíssa Collection

CCV911 3'0"x 6'8"



Canvas CCV911SL

12"x 6'8"

14"x 6'8"



Canvas CCV9011SL 12"x 6'8" 14"x 6'8"



Artíssa Collection

CCA9300 CCA89300 3'0"x 8'0" 3'0"x 6'8"



Artíssa Collection

CCA87131 3'6"x 8'0"

*Formerly Classic-Craft American Style.

Note: See page 287 for important product details that may help with your purchase decision.



Fir*

CCA9100 3'0"x 6'8" CCA89100 3'0" x 8'0"



Artíssa Collection

CCA87111 3'6"x 8'0"



Fir*

CCA1423SL

12"x 6'8"
14"x 6'8"

14"x 8'0"

14"x 8'0"



Fir*
CCA9100SL
12" x 6'8"
14" x 6'8"



Artíssa Collection Canvas



Artíssa Collection Canvas

CCV4100 • 3'0"x 6'8"



Canvas CCV1423SL

CCV1423SL 12"x 6'8" 14"x 6'8"



Canvas CCV4100SL

12"x 6'8"

14"x 6'8"

Privacy & Textured



Artíssa Collection Fir*



Artissa Collection Fir*



Artíssa Collection Fir*



Artíssa Collection



Artíssa Collection



Artíssa Collection



Artissa Collection Fir*

CCA260__ 3'0"x 6'8"

Craftsman Lites

continued



Canvas

Key

Flush-Glazed Glass with Detailed Sticking (FG)

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch XR = Rainglass XN = Granite XC = Chord

XJ = Chinchilla

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



4-Block Dentil Shelf

4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

For transoms, see page 108.

Note: Product images show exterior side of door.

Textured ರು Privacy



Artíssa Collection

CCA87600XR **3**'6"x 8'0"



Artíssa Collection

CCA210 ** 3'0"x 6'8"





CCA87100XR 3'6"x 8'0"



CCA3450__SL**

CCA3560__SL** 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



CCA3400__SL** CCA3500__SL**

12"x 8'0"

14"x 8'0"

12"x 6'8" 14"x 6'8"



CCA220__SL** **▲** ■ 12"x 6'8"

14"x 6'8"



CCA210__SL** 12"x 6'8" 14"x 6'8"

Fir*



CCV920__** 3'0"x 6'8"

Artíssa Collection



Artíssa Collection

CCV930__** 3'0"x 6'8"



Artíssa Collection

CCV940__** 3'0"x 6'8"



Artíssa Collection

CCV960__** 3'0"x 6'8"

*Formerly Classic-Craft American Style.

**Not available with Satin Etch (XE) glass.

Note: See page 287 for important product details that may help with your purchase decision.



CCV910__**

3'0"x 6'8"





CCV100_SL

CCV100_SL

12"x 6'8"

14"x 6'8"

CCV8100_SL**

12"x 8'0"

14"x 8'0"





Canvas

CCV910_SL**

12"x 6'8"

14"x 6'8"









CCA87300 ♦ ₩ ■ 3'6"x 8'0"





Fir*

CCA87400

* * 3'6" x 8'0"



Artissa Collection
Fir*

CCA260 | CCA8260 | 3'0"x 6'8" | 3'0"x 8'0"



Craftsman Lites

continued



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.

16-Block Dentil Shelf

4-Block Dentil Shelf

4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

For transoms, see page 108.

Note: Product images show exterior side of door.



CCA210 CCA8210

3'0"x 6'8"

3'0"x 8'0"



CCA87100 3'6"x 8'0"



Fir* CCA3450SL 12"x 6'8" 14"x 8'0"

CCA3560SL 12"x 8'0"



CCA3400SL 12"x 6'8" 14"x 6'8"

CCA3500SL **♦ *** 12"x 8'0" 14"x 8'0"

CCA220SL **≜ * ■** 12"x 6'8" 14"x 6'8"



CCA210SL 12"x 6'8" 14"x 6'8"

Fir*



CCV920 **≜ ≈ ≈** 3'0"x 6'8"



CCV930 **≜ ≈** 3'0"x 6'8"



CCV940 **♦ * ■** 3'0"x 6'8"



CCV960 **≜ ≈** 3'0"x 6'8"



CCV910 3'0"x 6'8"

*Formerly Classic-Craft American Style.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA3400SL, Finish - Raven





CCV950SL ♦ ※ ■ 12" x 6'8" 14" x 6'8" CCV8950SL ▲ ※ ■ 12"x 8'0" 14"x 8'0" CCV100SL ** 12"x 6'8" 14"x 6'8"

Canvas

CCV8100SL ** 12"x 8'0" 14"x 8'0"



Canvas

CCV9020SL • * • 12"x 6'8" 14"x 6'8"



Canvas

CCV9010SL ** 12" x 6'8" 14" x 6'8"



Solid Panels



Key

Flush-Glazed Glass with Square Sticking (FG)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Door Divider Bars (DDBF3)

Door Divider Bars (DDBF4)

Door Divider Bars (DDBF5)

WBDR Options

E Elevated 10" Bottom Rail Options



Artíssa Collection

CCA1125 3'0"x 6'8" CCA81125 ₿9E 3'0"x 8'0"



Artíssa Collection

CCA1149 3'0"x 6'8" CCA81149 5 9 E 3'0"x 8'0"



Artíssa Collection

CCA1127 3'0"x 6'8"

CCA81127 3'0"x 8'0"



Artíssa Collection

CCA4905 3'0"x 6'8"

CCA84905 139E 3'0"x 8'0"



Artíssa Collection

CCA4915L 3'0"x 6'8"

CCA4915R 3'0"x 6'8"



Artíssa Collection

CCA84915L **© 9 E** 3'0"x 8'0"

CCA84915R ■ 9 E 3'0"x 8'0"





Artíssa Collection

CCA4925L | CCA4925R

3'0"x 6'8" | 3'0"x 6'8"

For transoms, see page 108. Note: Product images show exterior side of door.









CCA4935 CCA84935 3'0"x 6'8" 3'0" x 8'0"

CCA4945 3'0"x 6'8" CCA84945 5 9 E 3'0"x 8'0"

CCA1166 CCA81166 5 9 E 3'0"x 8'0" 3'0"x 6'8"



CCA1158 3'0"x 6'8"

CCA81158 **3 9 E** 3'0"x 8'0"



CCA1147 CCA81147 3'0"x 6'8" 3'0"x 8'0"



CCA2420SL 12"x 6'8"

14" x 6'8"

CCA82420SL 12"x 8'0" 14"x 8'0"



Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.

CCA2410SL CCA82410SL 12" x 8'0" 12"x 6'8" 14" x 8'0" 14" x 6'8"



Artíssa Collection Fir* CCA1100

3'0"x 6'8"

CCA81100 **9 E** 3'0"x 8'0"



CCA1133 CCA81133 4 9 E 3'0"x 8'0" 3'0"x 6'8"



Artíssa Collection Fir*

CCA1145 3'0"x 6'8" CCA81145 ■ E 9 3'0"x 8'0"



Artíssa Collection Fir*

CCA1150 3'0"x 6'8"

CCA81150 **3 9 E** 3'0"x 8'0"

Solid Panels



Key

Low-E Glass (LE)

WBDR Options

E Elevated 10" Bottom Rail Options



Visionary Collection

CCW1000 9E

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2'8" x 8'0"

3'0" x 8'0" 3'6" x 8'0"

2'10" x 8'0"



Visionary Collection

CCW900L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary Collection

CCW900R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary Collection

CCW901L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8901L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary Collection

CCW901R **9** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8901R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary Collection

CCW902L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8902L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Note: See page 287 for important product details that may help with your purchase decision. Bottom: Classic Craft Walnut Grain Door - CCW902R; Low-E Glass Direct Set Sidelites - DRS2131SL,

For transoms, see page 108. Note: Product images show exterior side of door.



Visionary Collection Walnut

CCW902R CCW8902R 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0" 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



Visionary Collection Walnut

CCW905 9E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8905 9E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary Collection Walnut

CCW903 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8903 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary Collection Walnut

CCW906L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8906L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"





Visionary Collection Walnut

CCW904L **9** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8904L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary Collection Walnut

CCW906R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8906R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary Collection

CCW907R 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

CCW8907R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") 3'0" x 8'0" 3'6" x 8'0"



Visionary Collection Walnut

CCW904R 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8904R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Visionary Collection Walnut

CCW907L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8907L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"




Direct Set

DRS2131SL DRS82131SL 12"x 6'8" (7'0") | 12"x 8'0"

14"x 6'8" (7'0") | 14"x 8'0"

Solid Panels



Canvas

Key

Flush-Glazed Glass with Square Sticking (FG)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF6)

WBDR Options

WBDR / HVHZ Options

Optional Accessories



Strap Hinge



Artíssa Collection Mahogany*

CCR100 3'0"x 6'8" 3'6"x 6'8"

CCR8100 3'0"x 8'0" 3'6"x 8'0"



Artíssa Collection Mahogany*

CCM890 5 3'0"x 8'0"



Artíssa Collection Mahogany*

CCR8222 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany

CCR100R CCR8100R 3'0"x 6'8" 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"



Mahogany³

CCR040R 3'0"x 6'8"

CCR8040R 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany

CCR8225R 3'0"x 8'0" 3'6"x 8'0"



Founders Collection

CCR8005A 3'0"x 8'0"



Mahogany*

CCR205A

Founders Collection

CCR8205A 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany*

CCR200A 3'0"x 6'8" | CCR8200A 3'0"x 8'0"

For transoms, see page 108. Note: Product images show exterior side of door.

*Formerly Classic-Craft Mahogany and Rustic. Note: See page 287 for important product details that may help with your purchase decision.



Founders Collection Mahogany*

CCR8225 9 3'0"x 8'0" 3'6"x 8'0"



Founders Collection Mahogany*

CCR8005 5 3'0"x 8'0"



Founders Collection Mahogany*

CCR040 6 9 3'0" x 6'8" 3'0" x 8'0" 3'6" x 8'0"



Founders Collection Mahogany*

CCR205 5 3'0" x 6'8" | CCR8205 5 3'0" x 8'0" 3'6" x 8'0" 3'6" x 8'0"



Founders Collection Mahogany*



Founders Collection Mahogany*

CCM60 5 3'0"x 6'8"



Mahogany

CCR2025XHSL | 12"x 6'8" | 14"x 6'8" |



Artíssa Collection Canvas

CCV200 5 3'0" x 6'8"



Founders Collection Canvas



Founders Collection Canvas

CCV220 5 3'0"x 6'8" CCV8220 5 3'0"x 8'0"



Founders Collection Canvas

CCV831 **6** 3'0"x 8'0"



Founders Collection Canvas

CCV060 5 3'0"x 6'8"



Founders Collection Canvas

CCV050 5 3'0"x 6'8"



CCV950XHSL | CCV8950XHSL

12"x 6'8" 12"x 8'0" 14"x 8'0"

Transoms

Transoms can be stained or painted to match Classic Craft door systems.

Homeward_™ ◆ ::



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



HW30T 3'0" Door Only

Arborwatch_® ◆ ::



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T 3'0" Door Only

Longford_™◆**::**



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LF30T 3'0" Door Only

Provincial_™ ◆ ::



CC040T 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC420T 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC400T 3'0" Door Only

Lucerna. • ::



LCET 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LCRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LC30T 3'0" Door Only

Zaha_•



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Low-E



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied







19210T ** 12" & 14" Sidelite Only

Key







Classic Craft, Hinged Patio Doors



A premium entrance to outdoor living.


The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Grain & Texture Options







Glass Options



Low-E Glass



Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 129 for details on the EnLiten_™ Flush-Glazed Rider for Construction & Installation, and the EnLiten_™ Flush-Glazed Rider for Homeowners.


I = Available	Classic Craft.
Door Selections	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
Flush-Glazed Glass Selections	
Low-E Glass with and without Divided Lites	•
Privacy & Textured Glass with and without Divided Lites ♦	-
Lip-Lite Glass Selections	
Low-E Glass with and without Divided Lites	•
Privacy & Textured Glass with and without Divided Lites	•
Available Sizes	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
Additional Options	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
Impact-Rated Options	
Tru-Defense Eligible	

Available Configurations











EnLiten Flush-Glazed Low-E Glass




Available Collections

- Classic Craft, Fir Grain
- Classic Craft. Mahogany Grain

Available Door Styles



Available Configurations



EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




Available Collections

• Classic Craft. Mahogany Grain

Available Door Styles



Available Configurations



Low-E Glass




Available Collections

- Classic Craft, Mahogany Grain
- Classic Craft, Canvas

Available Door Styles



Available Configurations






Fiber-Classic. & Smooth-Star. Fiberglass Doors



Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.

Fiber-Classic. & Smooth-Star.















Fiber-Classic Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic Oak Collection

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.









See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard. premium finish and Same-Day. Stain color options on pages 260-266.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 120.
- Lite frame options include Advanta lite frame with no screw plugs and a standard Lip-lite frame, starting on page 142. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten... flush-glazed designs with 25-27" wide glass, starting on page 129.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.* Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood**, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.



More than 80% of our doors are ENERGY STAR® qualified.***



^{*}Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.com for details.

^{**}Comparison of fiberglass to wood doors (both without glass).

^{***}Based on version 6.0 ENERGY STAR product specification for windows, doors and skylights.

Additional Options

- WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- Fire-Rated Options: Available on solid-panel doors. See pages 242–245.

Flush-Glazed Options: Look for these icons (▲ ▲) to find doors styles with flush-glazed glass. See pages 129–141.

Warranties



Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 287 for more information.

- ▲ Fiber-Classic₀ and Smooth-Star₀ products with flush-glazed glass are also backed by the EnLitenԽ Flush-Glazed Rider for Construction & Installation, and the EnLitenԽ Flush-Glazed Rider for Homeowners. See page 129 for more information.
- Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 22–23 for details.



■ = Available • = Not Applicable S = Stain P = Paint	Fiber-Classic。 Mahogany Collection。	Fiber-Classic。 Oak Collection。	Smooth-Star.
Door Widths			
2'0"			
2'4"			
2'6"			
2'8"			
2'10"			
3'0"			
3'6"	•	0	
Door Heights			
6'6"	•		
6'8"			
7'0"			
8'0"			
Glass Options			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds			
Flush-Glazed			
Screen Vented	•	•	
Simulated Divided Lites			
Grilles Between Glass			
Low-E			
Clear			
Additional Options			
Finish	S/P	S/P	Р
Vented Sidelites			

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 212–217.

5'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Right: Smooth-Star, Clear Glass, Door - S8140



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the () icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens available in bronze and white – are designed for worry-free use.

Available Sizes:

	Width	
Height	12"	14"
6'6"		
6'8"		
8'0"		



Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Decorative & Specialty Glass Designs

Blackstone_®

Traditional English design meets
clear curved bevels, arainglass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.







Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with 1 glue chip glass, 2 glue chip bevels, 3 clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Black Nickel





Brushed Nickel


Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

- 1 slump glass, 2 clear bevels,
- 3 clear artique glass and caming.







Brushed Nickel

Black Nickel

Salinas_®

Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Glass Privacy Rating



Wrought Iron

Maple Park

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.



Glass Privacy Rating





Brushed Nickel

Black Nickel

Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and

2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.



Black Nickel





Brushed Nickel

Texas Star

Beautifully crafted with 1 clear bevels, 2 curved bevels, 3 clear waterglass, 4 granite glass, 5 glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.









Brushed Nickel

Wellesley_{TM}

Simple yet charming, Wellesley's Victorian-inspired design uses 1 clear baroque glass, 2 clear curved bevels, 3 waterglass, 4 granite glass and caming to add beauty to any entry.



Black Nickel





Brushed Nickel



Brass


Riserva_®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Glass Privacy Rating

Wrought Iron




Concorde_M

There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.









Brushed Nickel



Brass

Kensington_™

Kensington speaks European elegance while offering modest privacy with its 1 clear bevels, 2 glue chip glass,

- 3 granite glass and caming.
- _

Glass Privacy Rating





Brushed Nickel

Pembridge_{TM}

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.



Glass Privacy Rating

Note: The use of gray baroque glass varies based on glass size.

Black Nicke

Black Nickel





Brushed Nickel



Brass*

Axis.

Simple and smart, Axis combines

1 narrow reeded glass in horizontal
and vertical arrangements to create
contrast and modest privacy. A vertical
band of 2 clear glass bevels completes
this linear design, ideal for Modern
home styles.



Glass Privacy Raling



NEW Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with clear glass, providing fine-lined geometric appeal.

Available with Advanta_™ lite frame* or Impact-rated lite frame only.



Black Nickel





Brushed Nickel



Brass

NEW Latitude

Latitude showcases **1** seedy glass and simple curved details in a half-moon geometric design.

Available with Advanta_™ lite frame* or Impact-rated lite frame only.



Black Nickel





Brushed Nickel



Brass

^{*}See your Therma-Tru seller for details on product availability.

NEW Echelon

Echelon provides 1 clear glass accented with eased angles and and clean edges infused with elements of diamonds and triangles.

Available with Advanta_™ lite frame* or Impact-rated lite frame only.







Brushed Nickel




Brass

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- 1 Single-Hand Operator
- 2 Privacy Bar



Black Nickel

Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



Reeded

Glass Privacy Rating



Chinchilla

Glass Privacy Rating



Satin Etch

10 Glass Privacy Rating



Rainglass

Glass Privacy Rating



Chord

10

Glass Privacy Rating



Glass Privacy Rating







^{*}Almond and Bronze GBGs available in flat bars only.

^{**}Available in Special Quote Program.

Note: See page 287 for important product details that may help with your purchase decision.





SDL Bar Options




(28.6 mm / 1.125 in.) Look for the () icon.



Smooth SDL bars are color matched to **PrismaGuard** Alpine.

(28.6 mm / 1.125 in.) Look for the () icon.





Key

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

GBG Color Options




White



Fixed Grilles (FXG)

Clavos & Strap Hinges


Add a finishing touch of rustic flavor with decorative hardware.











Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*



Smooth-Star. 4-Block Dentil Shelf*



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.


Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf



EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. In addition, EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames to welcome more natural light into the home.





Flush-Glazed Glass

Lip-Lite Frame

Warranty riders for peace of mind.

EnLiten_™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten_™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking Look for the (•) symbol



Flush-Glazed Glass with Square Sticking Look for the (•) symbol



Lip-Lite Frame

EnLiten™ Flush-Glazed Full Lites



Transoms

For transoms, see page 211.



Privacy & Textured Glass with Divided Lites ▶



FC1205_ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



FC1207_ 2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



2010_ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2050_ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



2050_SL 12"x 6'8" 14"x 6'8'



FC85700_ 2'6" x 6'8" 2'8" x 6'8" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

FC5700_

3'0"x 6'8"

FC8685L

2'6"x 8'0"

2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"



Oak FC5710_ 2'6" x 6'8" 2'8"x 6'8" 3'0" x 6'8"

FC85710_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Oak

FC5720_ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



FC691_ FC85720_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8691_ 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'8"x 8'0" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0"



FC685L_ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



FC685R_ **2** 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

FC8685R 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded XE = Satin Etch XC = ChordXJ = Chinchilla XR = Rainglass XN = Granite



FC5700_SL 12" x 6'8" 14" x 6'8"



FC5710_SL 12"x 6'8" 14"x 6'8"



FC5720_SL 12" x 6'8" 14" x 6'8"







S2010_ ► E 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å





\$85705_ \$5705_ \$\bigsize{\text{F}} \bigsize{\text{E}} \bigsize{\text{S}} \bigsize{\text{E}} \bigsize{\text



S85715

2'6"x 8'0"

2'8" x 8'0"

3'0"x 8'0"

2'10"x 8'0"

A RIE

S5715_ ♠ ■ E 2'6" x 6'8" \$ 2'8" x 6'8" \$ 2'10" x 6'8" \$ 3'0" x 6'8" \$



\$5725_ \$\bigsize{\color{1}{2}} \bigsize{\color{1}{2}} \bigsize{\color{1}} \bigsize{\color{1}{2}} \bigsize{\color{1}{2}} \bigsize{\color{1}{2}} \bigsize{\color{1}} \bigsize{\



\$2010_\$L \$84886_\$L \$10"x 6'8" \(\Lambda \) 12"x 6'8" \(\Lambda \) (7'0") 14"x 8'0" 14"x 8'0"





\$2000_\$L-4C* 10"x 6'8" \$\(\)
12"x 6'8" \$\(\)
14"x 6'8" \$\(\)









Privacy & Textured Glass with Divided Lites Continues on next page.

Key



Simulated Divided Lites (SDL)
Simulated Divided Lites (SDLF1)

uniou ottoking (r u)

Simulated Divided Lites (SDLF2)

Vented Sidelite Options

E Elevated 10" Bottom Rail Options

★ 6'6" Height Available

Privacy & Textured Glass with Divided Lites Continued



Smooth

S685L_ **▲** 🔁 E

2'10"x 6'8" A 3'0"x 6'8" 🕸



Smooth

S8685R_

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

▲ 🛂 E

S685R_ **▲** 🔁 E 2'10"x 6'8" \$ 3'0"x 6'8" 🕸



2

S5700_SL **A 2 0**





S5710_SL **A 2** •





S5720_SL

A 2 •

S85720_SL 12"x 8'0" 14"x 8'0"

Privacy & Textured Glass •

S8685L_

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

△ 2 E



8000_

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

2000

2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



2000_SL 12"x 6'8" 14"x 6'8'



S2000_ ΔE

2'10"x 6'8" A 3'0"x 6'8" A



Smooth

S8000

ΔE. 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Smooth

S2000_SL S8000_SL 12"x 8'0" 14" x 8'0"

Internal Blinds •



S2600

♦ # E 3'0"x 6'8" A

S82600 **♦** # E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites ▲



Mahogany FCM1205SL 12"x 6'8"

14"x 6'8"



Mahogany FCM1206SL 12"x 6'8"

14"x 6'8"



FCM1204SL 12"x 6'8" 14"x 6'8"



FCM2009SL **△ * № ↑** 12"x 6'8"

14"x 6'8"



FC1205 **△ * № ↑** ↑ ↑ 2'6"x 6'8" 2'8"x 6'8"

3'0"x 6'8"



FC1206 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



FC1207 2'6"x 6'8" 2'8" x 6'8"

3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded XE = Satin Etch

XC = ChordXJ = Chinchilla XR = Rainglass XN = Granite



2'8"x 6'8" 3'0"x 6'8"



FC1204 2'6"x 6'8"

2'8"x 6'8"

3'0"x 6'8"



2050 2'6"x 6'8" 2'8"x 6'8"

3'0"x 6'8"



8000-12 **△** * ♦ ♦ ♦ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



8000-18 **△** * ♦ ♦ ♦ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1205SL **△** * • • • 12"x 6'8" 14"x 6'8"



FC1206SL **△** * ♦ ♦ ♦ 12"x 6'8" 14"x 6'8"



Oak FC1204SL **▲ * ♦ ♦ ♦** 12"x 6'8"

14" x 6'8"



2050SL **△** * **■** 12"x 6'8" 14"x 6'8"



2009 **△** * ♦ ♦ ♦ 2'0"x 6'8" 2'6" x 6'8" 2'8" x 6'8"

3'0"x 6'8"

8000-9 **≜ * † † †** 2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Oak



2009SL **♦ * † † †** 12"x 6'8" 14"x 6'8"



FC5700 FC85700 2'6" x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

3'0"x 6'8"



FC5710 2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"

FC85710 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC5720 2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



FC691 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



FC8691 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC685L 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC685R 2'6"x 6'8"

FC8685R 2'6"x 8'0" 2'8"x 6'8" 2'8"x 8'0" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites Continues on next page.

Key

Flush-Glazed Glass with **Detailed Sticking (FG)**

FC85720

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL) Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- **Vented Sidelite Options** Elevated 10" Bottom

Rail Options

★ 6'6" Height Available



FC5700SL ** 2 12"x 6'8" 14"x 6'8"



FC5710SL * 2 12"x 6'8" 14"x 6'8"



FC5720SL * 2 12"x 6'8" 14"x 6'8"



\$1205 \$\left\{ \infty \infty

3'0"x 6'8" \$







S2010 ▲ * ■ ↑ ↑ ↑ E 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å



S1204 ▲ * ↑ ↑ ↑ ► E 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å





\$8000-12 • * • • • • • E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8000-18 • * • • • • • E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"





\$5715 \$ * * E E 2'6" x 6'8" \$\(\) 2'6" x 8'0" 2'8" x 6'8" \$\(\) 2'10" x 8'0" 2'10" x 6'8" \$\(\) 3'0" x 8'0"







\$1206\$L • * • • • • • • 10" x 6'8" \$\(\) (7'0") 14" x 6'8" \$\(\) (7'0")







\$84886\$L * * 12" x 8'0" 14" x 8'0"



12"x 6'8" \$\frac{1}{4}\$ (7'0")
14"x 6'8" \$\frac{1}{4}\$ (7'0")



Smooth

S2009 2'0"x 6'8" A 2'6"x 6'8" Å 2'8"x 6'8" 🕹 2'10"x 6'8" \$

3'0"x 6'8" 🕸

S8000-9 4 * * * * * E 2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Smooth S2009SL **** * * * * * •**

14"x 6'8" \$\(\frac{1}{4}\) (7'0")



S5700 **▲ * 2 E** 2'6"x 6'8" Å 2'8"x 6'8" 🕹 2'10"x 6'8" Å 3'0"x 6'8" 🕸

S85700 **▲ * 2** E 2'6" x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S85710 S5710 **▲ * 2** E **▲ * 2** E 2'6"x 6'8" Å 2'6"x 8'0" 2'8"x 6'8" 🕹 2'8"x 8'0" 2'10"x 6'8" \$ 2'10" x 8'0" 3'0"x 6'8" 🕸 3'0"x 8'0"



S5720

▲ * 2 E 2'6"x 6'8" Å 2'8"x 6'8" 🕹 2'10"x 6'8" \$ 3'0"x 6'8" 🕸

S85720 **▲ * 2 E** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S691 **≜** * 🔁 E

2'6"x 6'8" 🕸 2'8"x 6'8" ً 2'10"x 6'8" A 3'0"x 6'8" 🕸

S8691 **≜** * 🔁 E 2'6"x 8'0"

2'8" x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Smooth S685L

▲ * 2 E 2'6"x 6'8" 1 2'8"x 6'8" ً 2'10"x 6'8" 1 3'0"x 6'8" 🕸



S8685L 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Smooth S685R

S8685R

▲ * 2 E

2'6"x 8'0"

2'8" x 8'0"

3'0"x 8'0"

2'10"x 8'0"

▲ * 2 E 2'6"x 6'8" A 2'8"x 6'8" 🕸 2'10"x 6'8" 1 3'0"x 6'8" 🕸



Smooth S5700SL S85700SL **▲ * 2 •**





S5710SL | S85710SL **▲***₽• **▲***₽ 10"x 6'8" | 12"x 8'0" 12"x 6'8" | 14"x 8'0" 14"x 6'8"



S5720SL | S85720SL **▲** * 2 • **▲** * 2 10" x 6'8" | 12" x 8'0" | 12" x 6'8" | 14" x 8'0"

14"x 6'8"

Clear Glass 6



2'0"x 6'8" 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

2000

8000 2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0"

3'0"x 8'0"



2000SL

12"x 6'8" 14"x 6'8"



S2000

2'0"x 6'8" \$ 2'6"x 6'8" Å 2'8"x 6'8" 🛕 2'10"x 6'8" 🛕

3'0"x 6'8" 🗘

S8000 2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S2000SL

10"x 6'8" A 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")

S8000SL 12"x 8'0" 14"x 8'0"

Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- **Flat Bronze Grilles** Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- **Vented Sidelite Options**
- E Elevated 10" Bottom **Rail Options**
- **Å** 6'6" Height Available

EnLiten_™ Flush-Glazed 3/4 Lites



Transoms

For transoms, see page 211.



Privacy & Textured Glass with Divided Lites •



\$2103_ | \$82

2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\$82103_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Smooth

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S2104_



S82105_

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S82106_

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S2250_

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smoo

\$82107_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S2103_SL

12"x 6'8" 14"x 6'8"

Privacy & Textured Glass **♦**



14"x 6'8'



14"x 6'8"



S82200

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

S2200_

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth S2200_SL

12"x 6'8" 14"x 6'8"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Smooth

S2103 **△** * **≥** (

♦ * ≥ 13 † * * * 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8" 3'0"x 8'0"

S82103



Smooth

S2104 *** 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

▲ * † † † † 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

S82104



Smooth

S2105 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

△ * **№** † 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

S82105



Smooth

S2250 **△** * **≥** †

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



♦ ★ ♦ ♦ ♦ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S82106 **△ * ≈ ↑** ↑ ↑ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass •



Smooth

S82107 **♦ * ■ ↑ ↑ ↑** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth S2103SL **△*****≥**† 12"x 6'8"

14"x 6'8"



S2104SL 12"x 6'8"

14"x 6'8"



S92SL

***** * * * * * 12"x 6'8" 14"x 6'8"



S1401

** * * * * 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S1401SL

***** * * * * * 12"x 6'8" 14"x 6'8"



Smooth S2200

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82200 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S90SL 12"x 6'8" 14"x 6'8"



Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- **Flat Bronze Grilles** Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

EnLiten™ Flush-Glazed 1/2 Lites



Transoms

For transoms, see page 211.



Clear Glass with Divided Lites •



3'0"x 6'8"



\$2150 • * • • • • • • • 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



\$1409 • * • • • • • 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

Clear Glass **♦**



\$2100 **
2'6"x 6'8"
2'8"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 287 for important product details that may help with your purchase decision.

^{*}Not available with Reeded (XK) glass.

EnLiten_™ Flush-Glazed Craftsman Lites _



Transoms

For transoms, see page 211.

Optional Dentil Shelves**

4-Block Dentil Shelf

Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf

Available for all Craftsman-style Smooth-Star doors.

Saratoga_™ • •



FCM86240 FCM6240 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0"

3'0"x 6'8" (7'0") | 3'0"x 8'0"

FCM6201SL FCM86201SL 12"x 6'8" (7'0") 12"x 8'0" 14"x 6'8" (7'0") 14"x 8'0"



FCM6240SL FCM86240SL 12"x 6'8" (7'0") 12"x 8'0" 14"x 6'8" (7'0") 14"x 8'0"



S6240 S86240 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S6201SL S86201SL 10"x 6'8" 12"x 8'0" 12"x 6'8" (7'0") 14"x 8'0" 14" x 6'8" (7'0")



S6240SL S86240SL 12"x 6'8" (7'0") | 12"x 8'0" 14"x 6'8" (7'0") | 14"x 8'0"

Privacy & Textured Glass with Divided Lites ▶



FCM4812_* A RIVE 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"

FCM84812 * A PH 2'8"x 8'0" 2'10"x 8'0"



FCM4813_* A RHE 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") | 3'0"x 8'0"

FCM84813_* A RH 2'8"x 8'0"

2'10"x 8'0"

FCM4814_* A BHE 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0")

FCM84814_* A RH 2'8"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



FCM4816_* FCM84816 * A BY E 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0")

FCM2050_SL FCM84886 SL 12"x 6'8" (7'0") 12"x 8'0" 14"x 6'8" (7'0") | 14"x 8'0"

Privacy & Textured Glass with Divided Lites Continues on next page.

Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- **Black Nickel Caming (1D)**
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL) Simulated Divided Lites (SDLF1)
- **Flat or Contour White Grilles** Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
 - Flat Bronze Grilles
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- **Vented Sidelite Options**
- Elevated 10" Bottom **Rail Options**

Privacy & Textured Glass with Divided Lites Continued



FCM4812_SL* | FCM84812_SL* 12"x 6'8" (7'0") 12"x 8'0" 14"x 6'8" (7'0") 14"x 8'0"



S4812_* S84812_* **♦ [1] E** 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"




S4813_* S84813 **♦ ■ E** 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"




S4814_* S84814 3 **♦ ■ E** 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S4816_* S84816_* 2'8"x 8'0" **♦ Rig E** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"









FCM2000_SL FCM8000_SL



FCM4810_SL* | FCM84810_SL* 12"x 6'8" (7'0") | 12"x 8'0" 14"x 6'8" (7'0") | 14"x 8'0"



4810_*	S84810_*
'8"x 6'8" (7'0")	2'8"x 8'0"
'10"x 6'8" (7'0")	2'10"x 8'0"
'0"x 6'8" (7'0")	3'0"x 8'0"



S2000_SL S8000_SL 10"x 6'8" Å 12"x 8'0" 12"x 6'8" \$\(\frac{1}{4}\) (7'0") | 14"x 8'0"



S4810_SL* S84810_SL* 12"x 6'8" (7'0") | 12"x 8'0" 14"x 6'8" (7'0") | 14"x 8'0"



FCM4812 FCM84812 **♦ * N** E 2'8"x 6'8" (7'0") 2'8" x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0"

3'0"x 6'8" (7'0") 3'0"x 8'0"



_	-
FCM4813	FCM84813
♦ * © E	♦ * □
2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0")	2'8"x 8'0" 2'10"x 8'0'
3'0"x 6'8" (7'0")	3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded XE = Satin Etch XC = ChordXJ = Chinchilla XR = Rainglass XN = Granite



Mahogany

FCM4814 FCM84814 **♦ * N** E 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10" x 8'0"

3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM4816

FCM84816 **♦ * N** E 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM2050SL FCM84886SL 14"x 6'8" (7'0") 14"x 8'0"



FCM4812SL FCM84812SL **♦ * 1 12"** x 6'8" (7'0") **12"** x 8'0" 14"x 6'8" (7'0") 14"x 8'0"



Smooth

S4812 **♦ # N** E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") | 3'0"x 8'0"

S84812 2'8"x 8'0" 2'10"x 8'0"



Smooth

S4813 S84813 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") | 2'10"x 8'0 3'0"x 6'8" (7'0") | 3'0"x 8'0" 2'10"x 8'0"



S84814

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S4814

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S4816 **♦ * N** E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S84816 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0'

S2010SL **▲ * ≈ 🛍 †** * * • 10"x 6'8" A 12"x 6'8" \$\(\frac{1}{4}\) (7'0")
14"x 6'8" \$\(\frac{1}{4}\) (7'0")



Smooth

S84886SL **≜ ₩ □** 12"x 8'0" 14" x 8'0"



Smooth

S4812SL S84812SL **♦ * □**12"x 6'8" (7'0") **♦ * □**12"x 8'0" 14"x 6'8" (7'0") 14"x 8'0"

Clear Glass 6



FCM4810 FCM84810

*E
2'8"x 6'8"(7'0")
2'10"x 6'8"(7'0")
3'0"x 6'8"(7'0")
3'0"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



FCM2000SL 12"x 6'8"(7'0") | 12"x 8'0"

FCM8000SL 14" x 6'8"(7'0") | 14" x 8'0"



FCM4810SL FCM84810SL

S4810



Smooth S84810

♦ ** E2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



Smooth

10"x 6'8" Å 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")

S2000SL

S8000SL

12"x 8'0" 14" x 8'0"

Smooth S4810SL

S84810SL 12"x 6'8"(7'0") | 12"x 8'0" 14"x 6'8"(7'0") | 14"x 8'0"

Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- **Flat Bronze Grilles** Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC) **Vented Sidelite Options**
- Elevated 10" Bottom **Rail Options**
- **Å** 6'6" Height Available

Lite Frames

Therma-Tru doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.







NEW Advanta_™ Lite Frame*

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the (☑ 1) symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	Advanta _™ Lite Frame	Standard Lite Frame
Flat Option		
Scrolled Option		
Plugless Design	•	
Buff Option	-	•
White Option (Alpine Color-Matched)		•
Durable Weather- Resistant Material		•



Transoms

For transoms. see page 211.



Blackstone. • ::



FCM108 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM871 **4 9** 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FCM310 ■ 2 9 E FCM816 **1** 9 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



FCM871SL **12**"x 8'0" 14"x 8'0"



FCM808SL FCM81918SL ■●⊿∦6 10"x 6'8" 12"x 8'0" 12"x 6'8" (7'0") | 14"x 8'0"

14" x 6'8" (7'0")



FC108 **9 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")

2'8"x 8'0"

2'10"x 8'0"



FC310 ■ 🛮 9 E





FC108SL 4 6 10"x 6'8" 12"x 6'8"

14"x 6'8"

81918PSL 2 6 12"x 8'0" 14"x 8'0"



FC808SL 81918SL --116 **--116**



S6002 9 E 2'6"x 6'8" S85892 2'6"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



2'10"x 6'8" 🛕 (7'0") 2'10" x 8'0" 3'0"x 6'8" 1 (7'0") 3'6"x 6'8"



S6002SL S85892SL **1 1 1 5** 12" x 6'8" **1**2"x 8'0" 14" x 6'8" 14"x 8'0"



S4570SL S85927SL **■●⊿16 ■●⊿¼∮**

12"x 8'0" 10"x 6'8" 12"x 6'8" \$\(\frac{12}{12}\) (7'0") 14"x 8'0" 14"x 8'0"

Key


No Stile Lines



Brushed Nickel Caming (1C)



Flat Lite Frame



WBDR / HVHZ Options



S816

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

3'6"x 8'0"

★ 6'6" Height Available

Crystalline_™ ◆ ::



FCM8114 FCM16 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM668 ■ 4 9 E FCM814 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



Mahogany FCM8114SL

12"x 8'0" 14"x 8'0"



FCM81800SL 12"x 8'0" FCM18101SL 10"x 6'8" 12"x 6'8" (7'0") | 14"x 8'0" 14"x 6'8" (7'0")



FC16

6 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

81800P 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

Oak

FC668

2'8" x 6'8" \$\(\) (7'0")
2'10" x 6'8" \$\(\) (7'0")
3'0" x 6'8" \$\(\) (7'0")
3'0" x 8'0"



FC46SL 81800PSL 16 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0"

14" x 6'8"



18101SL 12"x 6'8" \$\(\frac{1}{2}\)(7'0")
14"x 6'8" \$\(\frac{1}{2}\)(7'0")
12"x 8'0" **--1**



81800SL 14"x 8'0"



S916 S814 **1**9 € 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



S815

146

2'8"x 8'0"

3'0"x 8'0"

3'6"x 8'0'

2'10"x 8'0"

S668 ■ 16 E 2'8"x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" 1 (7'0") 3'6"x 6'8"



S916SL S814SL 12"x 8'0" 116 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S6130SL S84586SL 10"x 6'8" **--116** 12"x 8'0" 12"x 6'8" \$\(\delta\) (7'0") | 14"x 8'0" 14"x 6'8" 1 (7'0")

Sedona ♦ ::



Mahogany

FCM100 FCM872 2'8"x 6'8" 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM822 FCM241 **■ 🛮 E** 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0"



FCM872SL 12"x 8'0" 14"x 8'0"



FCM816SL FCM81968SL 10"x 6'8" 12"x 8'0' 12"x 6'8" (7'0") | 14"x 8'0' 14"x 6'8" (7'0")



Oak FC100 ∡ E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



81968P 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC241 ■ 🛮 E 3'0"x 6'8" \$ (7'0")

FC822 2'10"x 8'0"



FC100SL 81968PSL 10" x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0" 14" x 6'8"



FC816SL 81968SL 12"x 6'8" (7'0") 12"x 8'0' 14"x 6'8" (7'0") 14"x 8'0"



S139 ∡ E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S241 ■ **I** E 2'6" x 6'8" **Å** 2'8"x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S139SL 12"x 6'8" 14"x 6'8"



S604SL 10"x 6'8" 12"x 6'8" Å (7'0") 14"x 6'8" \$\(\bar{\Delta}\) (7'0")

Salinas_® x



FCM873

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0'

FCM113 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM817

4 4 9

2'6"x 8'0"

FCM369 ■ **1** 9 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") | 2'8" x 8'0" 2'10" x 6'8" (7'0") | 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0'



FCM81919SL

■ ● → ¥ 6

12"x 8'0"

FCM814SL ■ ● → ¼ 6 10"x 6'8" 12"x 6'8" (7'0") | 14"x 8'0" 14"x 6'8" (7'0")



FCM873SL **∡ 6** 12"x 8'0" 14"x 8'0"



81919P

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

16

FC113 **1**6 € 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC369 ■ **1** 9 E 3'0"x 6'8" \$ (7'0") | 3'0"x 8'0"

FC817 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"



FC113SL 81919PSL **⊿** 🛮 6 **4 6** 12"x 8'0" 10"x 6'8" 12"x 6'8" 14"x 8'0" 14"x 6'8"



FC814SL 81919SL



S6008 S85893 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0' 3'0"x 6'8" (7'0") 3'0"x 8'0"



S369 ■ **16** E 2'6" x 6'8" Δ 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



Smooth S6008SL S85893SL **1 1 1 6** 12"x 8'0' **⊿** 🛮 6 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S6134SL S85931SL ■ ● → ¼ 6 **■●**⊿**¾**6 10"x 6'8" 12"x 8'0" 12"x 6'8" Å (7'0") 14"x 8'0" 14"x 6'8" \$\(\bar{\Delta}\) (7'0")

Key







Flat Lite Frame





S817

4 4 9

2'6"x 8'0'

3'0"x 8'0'

3'6"x 8'0"

2'8"x 8'0" 2'10" x 8'0"





Mahogany
FCM900

5
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM1006 **6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM812SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FC900 2 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC1006 ■ Ø E 2'8" x 6'8" Å (7'0") 2'10" x 6'8" Å (7'0") 3'0" x 6'8" Å (7'0")



FC900SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC812SL 12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



S6100
4 **5 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

\$1006

\$\infty \delta \infty E

2'8" x 6'8" \(\frac{1}{2} \) (7'0")

2'10" x 6'8" \(\frac{1}{2} \) (7'0")

3'0" x 6'8" \(\frac{1}{2} \) (7'0")

3'6" x 6'8"



S6100SL 12"x 6'8" 14"x 6'8"



S6131SL 10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 6'8" \$\(\frac{1}{2}\) (7'0")



Saratoga_™ ♦ #

FCM905 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6093 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM815SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FCM81986SL

- - 1 6

12"x 8'0"

14"x 8'0"

FCM893SL 12"x 8'0" 14"x 8'0"



FC905
2 6 E
2 '6" x 6'8"
2 '8" x 6'8" (7'0")
2 '10" x 6'8" (7'0")
3 '0" x 6'8" (7'0")





FC905SL 81986PSL 6 10"x 6'8" 12"x 8'0" 14"x 8'0" 14"x 6'8"



FC815SL 12"x 6'8" Å (7'0") 14"x 6'8" Å (7'0") 14"x 8'0" 81986SL 12"x 8'0" 12"x 8'0" 14"x 8'0"



\$154 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





S154SL | S8602SL | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"

S602SL S85932SL 16 ■ ● → ¼ 6

Texas Star ♦ ::



FCM142 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM1029 ■ **/** E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM817SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FC142 ΔE 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC1029 ■ **/** E

Wellesley_™ ◆ **::** ❖



FC142SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC817SL 12"x 6'8" \$ (7'0") 14"x 6'8" (7'0")



S6070 **E** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S1029 ■ 🛮 E 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")



S6070SL 12"x 6'8" 14"x 6'8"



S6135SL 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" \$\(\hat{7}\)(7'0")



FCM874 FCM104 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



Mahogany FCM6094 FCM821 2'6"x 8'0" ■ **2 9 E** 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM818SL FCM81921SL ■ ● **2** 6 10"x6'8" 12"x 8'0" 12"x 6'8" \$ (7'0") 14"x 8'0" 14"x 6'8" \$\(\bar{\Delta}\) (7'0")



Mahogany FCM874SL 12" x 8'0" 14"x 8'0"



FC104 81921P 2'8" x 8'0" **4 6 E** 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" (7'0")



FC6094 ■ **L E** 2'6" x 6'8" **L** (7'0") 2'8" x 6'8" **L** (7'0") 2'10" x 6'8" **L** (7'0") 3'0"x 6'8" \$ (7'0") 3'0"x 8'0"

FC821 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

Wellesley Continues on next page.

Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C) Brass Caming (1A)

Flat Lite Frame **NEW Scrolled & Flat Advanta Lite Frame Vented Sidelite Options**





Wellesley ◆ **:: ❖** Continued



FC104SL 81921PSL 6 10"x6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8"



FC818SL 81921SL 27'0") 12"x 6'8" \$\(\Delta\) (7'0") 12"x 8'0" 14"x 6'8" \$\(\Delta\) (7'0") 14"x 8'0"



\$155 **6** E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





3'6"x 8'0"



Smooth

\$155\$L
\$85896\$L
\$2" x 6'8"

12" x 8'0"

14" x 6'8"

14" x 8'0"

Riserva_® x





FCM574

6
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
3'0"x 6'8"
3'0"x 8'0"
3'0"x 8'0"



FCM571
2'6 E
2'6"x 6'8" (7'0")
2'10"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'0"x 8'0"



FCM572SL 10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 6'8" \$\(\frac{1}{2}\) (7'0")



FCM8573SL 12"x 8'0" 14"x 8'0"





FC571

FC8571



FC573SL J 6 10"x 6'8" 12"x 6'8" 14"x 8'0" 14"x 8'0"



FC572SL 12"x 6'8" \$\(\frac{1}{2}\) (7'0") | FC8572SL 12"x 8'0" | 12"x 8'0" | 14"x 8'0" | 14"x 8'0"



\$8574 \$574 \$6 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 8'0"



Smooth

4 9

2'6"x 8'0"

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

3'6"x 8'0"

S571 ■ **4 6** E 3'6"x 6'8"



S573\$L S8573SL 116 **4 4 6** 12" x 6'8" 12"x 8'0' 14" x 6'8" 14"x 8'0'



Smooth

■ ● → ¼ 6 10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")

S572SL



Concorde_™ ◆ **::** ❖



FCM910 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





Mahogany

FCM6095 ■ 16E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

FCM820 **4**9 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM809SL

■• 16 10"x 6'8¹ 12"x 6'8" \$\((7'0") \) 14"x 8'0" 14"x 8'0"





Mahogany FCM890SL 12" x 8'0" 14" x 8'0'



FC910

81928P 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0")



FC6095 2'6" x 6'8" \$\(\frac{7}{0}\)" 2'8" x 6'8" \$\(\frac{7}{0}\)" 2'10" x 6'8" \$\(\frac{7}{0}\)" (7'0") 3'0"x 6'8" \$ (7'0")





FC910SL 81928PSL 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0'

14"x 6'8"



FC809SL

81928SL



S6090

S85895 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6095 ■ 16 E

19 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" \$ (7'0") 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"

S820



S416SL

S85895SL **⊿** 🛮 6 **4 6** 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S4070SL

• • • • 6 10"x 6'8' 12"x 6'8" \$\(\frac{1}{2}\) (7'0") | 14"x 8'0" | 14"x 8'0"



Key

No Stile Lines

Black Nickel Caming (1D)






Flat Lite Frame **NEW Scrolled & Flat** Advanta Lite Frame



WBDR Options WBDR / HVHZ Options



★ 6'6" Height Available



FCM148 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"





FCM813SL 10"x 6'8" 12"x 6'8" \$\(\begin{array}{c} (7'0") \\ \end{array}\) 14"x 6'8" \$\(\bar{\Delta}\) (7'0")



FC148

6 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FC626



FC148SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC813SL 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")



S160 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth S626 ■ **16** E 2'8" x 6'8" **1** (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S160SL 12"x 6'8" 14"x 6'8"



S6132SL 10"x 6'8"





Mahogany FCM86550 FCM6550 **4**6 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM6500 FCM86500 ■ **49 E** 2'4"x 6'8" **4** 2'6"x 8'0" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



FCM86550SL 12"x 8'0" 14"x 8'0"



FCM86500SL

■●⊿**¼ 9**

12"x 8'0"

FCM6500SL **■●**⊿**19** 10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") | 14"x 8'0" 14"x 6'8" \$\(\frac{1}{2}\) (7'0")



FC86550 FC6550 **4** 9 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0"



FC6500 ■ 1 9 E FC86500 **4** 2'4"x 6'8" 2'6"x 8'0" 2'6"x 6'8" (7'0") 2'8"x 8'0" 2'8"x 6'8" \$ (7'0") 2'10" x 8'0" 3'0"x 8'0" 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0")



FC6550SL **4 6** 10"x 6'8" 12"x 6'8" 14"x 6'8

FC86550SL

4 6

12"x 8'0"

14"x 8'0"



FC6500SL FC86500SL ■●⊿16 **■●⊿3 9**



\$6550 **▲** 9 **E**

S86550 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



\$6500 ■ **1** 9 E

2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" 🛕 (7'0") 3'6"x 6'8"

S86500

2'8"x 8'0"

3'0"x 8'0"

3'6"x 8'0"

2'10"x 8'0"



S6550SL S86550SL 116 116 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



S6500SL **• • 4 1 6** 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



Axis.



FCM1652 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM81652 **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM81651

FCM1651 ■ **4 9 E** 2'4"x 6'8" 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0")

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



FCM1651SL

10"x6'8" 12"x 6'8" \$ (7'0") 14"x 8'0" 14"x 6'8" \$ (7'0")



FCM81652SL 4 9 12"x 8'0" 14"x 8'0"



FC1652 **4 6 E** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")

FC81652 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1651 ■ **26 E**2'4" x 6'8" **Å**2'6" x 6'8" **Å** (7'0")
2'8" x 6'8" **Å** (7'0") 2'10"x 6'8" 1 (7'0") 3'0"x 8'0" 3'0"x 6'8" \$ (7'0")

FC81651 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"



14"x 6'8"



FC1651SL

12"x 8'0"



S1652

FC81651SL

19 € 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0") | 3'0"x 8'0"



FCM81651SL

■ ● ⊿ ¼ 6

12"x 8'0"

S81652 **4**6

2'6"x 8'0" 2'8" x 8'0" 2'10"x 8'0"



S1651 ■ **16** E 2'4"x 6'8" A 2'6" x 6'8" Å 2'8" x 6'8" Å (7'0") 2'10" x 6'8" Å (7'0") 3'0"x 6'8" \$ (7'0")



3'6"x 6'8"

S81651 **4**

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0' 3'6"x 8'0"



S1652SL S81652SL **⊿** 🛮 6 **4 4 6** 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S1651SL

■ ● ⊿ ¼ 6 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 8'0" 14"x 6'8" Å (7'0")



Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)



NEW Scrolled & Flat Advanta Lite Frame

Vented Sidelite Options



WBDR Options WBDR / HVHZ Options

Elevated 10" Bottom **Rail Options**





FCM2223 **16** 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

FCM82223 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany FCM2389 FCM82389 ■**1**6E **1**9 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"

NEW NEW

FCM2389SL FCM82389SL **9 9 4 9 9 9** 10"x6'8" 12"x 8'0" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 8'0" 14"x 8'0"

NEW Mahogany

FCM82223SL **12**"x 8'0" 14"x 8'0"



FC2223 FC82223 **1**6€ **4**6 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FC2389 ■ 16E 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10"x 6'8" \(\hat{\(\)} \) (7'0") 3'0"x 6'8" \$ (7'0") |

FC82389

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

4 4 6

NEW

FC2223SL FC82223SL 10"x6'8" 16 12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8"



FC2389SL FC82389SL **■ ● 1** 6 **9 9 4** 12"x 6'8" \$ (7'0") 12"x 8'0" 14"x 6'8" \$\(\hat{\chi}\) (7'0") 14"x 8'0"



S2223 S82223 **46E 4**6 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S2389 S82389 ■ **16** E 2'8" x 6'8" Å (7'0") 2'10" x 6'8" Å (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" \$ (7'0") 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"



S82223SL S2223SL 16 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S2389SL S82389SI **9 9 9 4** 6 10"x 6'8" 12"x 8'0' 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 8'0"

NEW Latitude ◆ :: ❖



FCM2213 FCM82213 **4**6 **4**6 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM2382 FCM82382 ■ 16E **a 4** 6 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM2382SL FCM82382SL 10"x6'8" **• • 1** 6 12"x 8'0" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") | 14"x 8'0" 14"x 6'8" \$\(\frac{1}{2}\) (7'0")



FCM82213SL **1**6 12"x 8'0' 14"x 8'0"



FC2213 **1**6€

46 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0"



Oak

FC2382 ■ **1**6 E 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \(\bar{\lambda} \) (7'0")





FC2213SL

FC82213SL

12"x 8'0"

14" x 8'0"

49

10"x6'8" 12"x 6'8" 14" x 6'8'



FC2382SL **•• 1 6** 12"x 6'8" ₺ (7'0")

FC82382SL **■● 1 6** 12"x 8'0"



S2213

2'8"x 8'0" **3 6 E** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10" x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"

S82213



FC82213

S2382

3'0"x 6'8" \$ (7'0") 3'6"x 6'8"

S82382

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

3'6"x 8'0"



Smooth

S2213SL 4 6 12"x 6'8" \$82213\$L **4 9** 12"x 8'0" 14"x 6'8" | 14"x 8'0"



Smooth S2382SL

S82382SL

• • 4 6 12"x 8'0" 10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") | 14"x 8'0" 14"x 6'8" \$\(\bar{\Delta}\) (7'0")





FCM2233

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM82233 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM2385 ■ 16E

2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"

FCM82385

4



FCM2385SL 10"x6'8"

12"x 6'8" \$\(\Delta\) (7'0")
14"x 6'8" \$\(\Delta\) (7'0")



Mahogany FCM82233SL

16 12"x 8'0" 14"x 8'0"



FC2233 **46E**

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



3'0"x 8'0"



FC2385 ■ 16E

2'8"x 6'8" \$ (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0")

FC82385 **a 4** 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Echelon Continues on next page.

Key

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

NEW Scrolled & Flat Advanta Lite Frame

Vented Sidelite Options

E Elevated 10" Bottom Rail Options

FCM82385SL

■ ● ¥ 6

12"x 8'0"

14"x 8'0'



6 WBDR Options

WBDR / HVHZ Options

Å 6'6" Height Available

NEW Echelon ◆ :: ❖ Continued





14"x 6'8"



FC2385SL | FC82385SL | FC82385



\$2233 **6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"



\$2385 2 6 28"x 6'8" \$\(\) (7'0") 2'10"x 6'8" \$\(\) (7'0") 3'0"x 8'0" 3'6"x 8'0" 3'6"x 8'0"



Privacy & Textured Glass with Divided Lites





FCM138_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1285_ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM18_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1284_ E2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM12102_SL

10"x 6'8"
12"x 6'8" \$ (7'0")
14"x 6'8" \$ (7'0")



FCM6124_SL*

10"x 6'8"
12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")



Mahogany

FCM6125_SL*

10"x 6'8"
12"x 6'8" Å (7'0")
14"x 6'8" Å (7'0")



FCM6126_SL*

10"x 6'8"
12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")



FC138_ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")







1284_ ■ ☑ ☑ E 2'8" x 6'8" Å (7'0") 2'10" x 6'8" Å (7'0") 3'0" x 6'8" Å (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite



FC18_SL 10"x 6'8" 12"x 6'8"

14"x 6'8"



12102_SL • • • !



FC06188_SL* 10"x 6'8" 12"x 6'8' 14"x 6'8"



FC06184_SL*



FC06189_SL* 10"x 6'8" 12"x 6'8" 14" x 6'8"



FC06185_SL* 12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



FC06190_SL* 10"x 6'8" 12"x 6'8" 14" x 6'8"



FC06186_SL*



S128_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S141 2'8" x 6'8" \$\(\delta\) (7'0")
2'10" x 6'8" \$\(\delta\) (7'0")
3'0" x 6'8" \$\(\delta\) (7'0") 3'6"x 6'8"



S108_ N 🛚 🖺 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6063_ ■ 📦 🖊 E 3'6"x 6'8"



S308_SL 12"x 6'8" 14"x 6'8"



S1170_SL 10"x 6'8" 12"x 6'8" \$\(\frac{1}{4}\) (7'0")
14"x 6'8" \$\(\frac{1}{4}\) (7'0")



S605_SL* 12" x 6'8" 14" x 6'8"

Smooth

S6124_SL* 10" x 6'8"



S606_SL* 12"x 6'8" 14"x 6'8"



S6125_SL* 10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")



S607_SL* 12"x 6'8" 14"x 6'8"



S6126_SL* 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" 1 (7'0")

Privacy & Textured Glass



FCM10_ 2'8" x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FCM870_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM1283_ FCM81200_ ■ 16E **4** 6 2'8"x 6'8" (7'0") 2'6"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"

Privacy & Textured Glass Continues on next page.

Key





Advanta Lite Frame



Rail Options

Elevated 10" Bottom



Privacy & Textured Glass Continued



FCM870_SL **4**49 12"x 8'0"

14"x 8'0"



FCM12101_SL 0 1 5 10"x 6'8" FCM81200_SL 12"x 8'0" 12"x 6'8" \$\(\frac{12}{4}\) (7'0") 14"x 8'0" 14" x 6'8" \(\bar{\Delta}\) (7'0")



81200P_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



1283 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10" x 8'0" 3'0" x 8'0"



FC47_SL | 81200P_SL **12**"x 8'0" 10"x 6'8" 12"x 6'8" | 14"x 8'0" 14"x 6'8"



12101 SL 81200 SI
12"x 6'8" \$\(\Delta\) (7'0") 12"x 8'0"
14"x 6'8" \$\(\Delta\) (7'0") 14"x 8'0" 81200_SL



S118_ S818_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'0" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0"



\$140 ■ **4 5 E** 2'8" x 6'8" **Å** (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\)(7'0") 2'10"x 8'0" 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S8601_SL S100_SL **⊿ 4 6** 12"x 6'8" **⊿ 4 6** 12"x 8'0" 14"x 6'8" 14"x 8'0"



\$601_\$L 0_1/46 10"x 6'8" S81086_SL 12"x 8'0" 14"x 6'8" \$\(\bar{\Delta}\) (7'0")

Internal Blinds



FCM141

FCM8115 * **4** 6 * 🛮 6 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 8'0" 3'0"x 6'8"



FCM1286 ■ *** 3 6 E** 2'4"x 6'8" 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany FCM8115SL * **4** 6 12"x 8'0"

14"x 8'0"



FCM1286SL FCM81225\$L * • ¥ • ¥ 9 12"x 8'0"



FC141 *** ■ 9 E** 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

81225P *** ■** 6 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded XE = Satin Etch XC = ChordXJ = Chinchilla XR = Rainglass XN = Granite

FCM81225

* **4 6** 2'6"x 8'0"

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"



1286 ■ * **4 5 E** 2'4" x 6'8" Å 2'6" x 6'8" Å (7'0") 81225 ■ *** 1** 6 2'6" x 8'0" 2'8"x 8'0" 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" \$ (7'0")



FC141SL 81225PSL **# 1** 6 *** 4 9** 10"x 6'8" 12"x 8'0" 12"x 6'8" | 14"x 8'0' 14"x 6'8"



1286SL 81225SL ■ * • ¥ 6 14"x 8'0"



S130 *** 1** 6 *** ■** 6 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0' 3'0"x 6'8" (7'0") 3'0"x 8'0'



S6061 ■ * **3 6 E** 2'4"x 6'8" Å 2'6"x 6'8" Å 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" \$ (7'0") | 3'6"x 8'0" 3'6"x 6'8"



\$130\$L *4 6 12"x 6'8" S829SL ***4 4 6** 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S6128SL ■ * ● ⊿ ¼ 6

Smooth S85928SL ■ * ● ⊿

Clear Glass with Divided Lites



FCM1209 * • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1201 ■ * • • • ■ E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany FCM1211 * • • • 1 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1202 ■ * • • • • ■ E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM1212 2'8" x 6'8' 2'10" x 6'8" 3'0" x 6'8"



FCM1203 ■ * † † *** E** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7¹0")



FCM138 *** ■ † † † 2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1285 ■* N 111 6 E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM1208 2'10" x 6'8" 3'0" x 6'8"



FCM1200 ■ * † † 1 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'10" x 6'8" 3'0" x 6'8"

Clear Glass with Divided Lites Continues on next page.

Key

No Stile Lines

Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **Vented Sidelite Options**
- **WBDR Options** WBDR / HVHZ Options
- Elevated 10" Bottom **Rail Options**
- **★** 6'6" Height Available

Clear Glass with Divided Lites continued





FCM828

* • • • 2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"











FCM1202SL

■ * ↑ ↑ ↑ ■

10"x 6'8"
12"x 6'8" Å (7'0")
14"x 6'8" Å (7'0")



Mahogany

FCM1200SL

■ * ↑ ↑ ↑ ■ 5

10"x 6'8"

12"x 6'8" Å (7'0")

14"x 6'8" Å (7'0")







FCM81208SL

* • • • • •

12"x 8'0"
14"x 8'0"



FCM6124SL

* • • • •

10"x 6'8"

12"x 6'8" \$\((7'0") \)

14"x 6'8" \$\((7'0") \)















FC1201

** * * * * * * E

2'6" x 6'8" \$\(\) (7'0")

2'8" x 6'8" \$\(\) (7'0")

2'10" x 6'8" \$\(\) (7'0")

3'0" x 6'8" \$\(\) (7'0")



FC1211

* • • • • • E

2'6" x 6'8"

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



FC1202

* * * * * * * * E

2'6" x 6'8" \$\(\) (7'0")

2'8" x 6'8" \$\(\) (7'0")

2'10" x 6'8" \$\(\) (7'0")

3'0" x 6'8" \$\(\) (7'0")



FC1212 * ♦ ♦ ♦ **]** E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC1203 ■ * † † † **☑** E 3'0"x 6'8" \$\(\hat{7}'0\)")



FC138 * ■ +++ 4 6 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1285 ■ * **■ † † † 9** E 2'6" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0")



FC1208 * • • • • • 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC1200 ■ * † † 1 6 E 2'6" x 6'8" \$\(\begin{array}{cccc} (7'0") \\ 2'8" x 6'8" \$\(\beta\) (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0")



FC18 * N +++ 1 6 E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1284 ■ * **■** • • • • **4 6 E** 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0")



2'10" x 8'0" 3'0"x 8'0"



81828 ***** * * * * **6** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81208 ■ * † † † 2'6"x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0'



FC1209SL *** ♦ ♦ ♦ /** 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC1201SL



Oak FC1211SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC1202SL



FC1208SL * * * * **1 9** 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC1200SL ■ * † † † **■** ¥ 6



FC18SL * **≥** † † † 10"x 6'8" 12"x 6'8" 14"x 6'8"



Oak 12102SL ■ * **≥ † † † • ≥ ∮** 12"x 6'8" \$ (7'0") 14" x 6'8" \$\(\bar{\Delta}\) (7'0")



Oak 81208PSL * † † † | 6 12"x 8'0" 14"x 8'0"



12"x 8'0"

14"x 8'0"

Clear Glass with Divided Lites Continues on next page.

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Scrolled** Advanta Lite Frame
- **Vented Sidelite Options**
- **WBDR Options**
- Elevated 10" Bottom **Rail Options**
- **Å** 6'6" Height Available



FC06188SL

* ~ Z

10"x 6'8"

12"x 6'8"

14"x 6'8"



FC06184SL

* \(\bigcirc \)

12" x 6'8" \(\Lambda \) (7'0")

14" x 6'8" \(\Lambda \) (7'0")









FC06186SL

* • • [70"]

12" x 6'8" \$\(\delta\) (7'0")

14" x 6'8" \$\(\delta\) (7'0")



FC198

* ↑ ↑ ↑ ■ 6

2'6" x 6'8"

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")





FC198SL * • • • • 1 10"x 6'8" 12"x 6'8" 14"x 6'8"





\$1209

* • • • • • • IE

2'6" x 6'8"

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")





Smooth

\$1211

* • • • • • • I E

2'6"x 6'8"

2'8"x 6'8" (7'0")

2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")













\$1208

* * * * * * * * * * 6 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")







Smooth
S6063

2'6"x 6'8" Å (7'0")
2'10"x 6'8" Å (7'0")
3'0"x 6'8" Å (7'0")
3'6"x 6'8"







S81828 * † † † † • 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6"x 8'0"



S808 * + + + + + 16 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth S81208 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6"x 8'0"



S1209SL ***** • • • ***** 12"x 6'8" 14"x 6'8"



S1201SL ***** * * * * * • **/** 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" 1 (7'0")



S1211SL * • • • • 🔏 12"x 6'8" 14"x 6'8"



S1202SL ■ * • • • • ■ 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" (7'0")



Smooth S1208SL * † † † † **1**6 12"x 6'8" 14"x 6'8"



S1200SL ******* 16 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



S308SL * 📦 🕈 🛊 🛊 1+16 12"x 6'8" 14"x 6'8"



S1170SL 10" x 6'8" 12"x 6'8" \$\delta(7'0") 14"x 6'8" \$\(\frac{1}{2}\) (7'0")



S808SL ***≥**1111 12"x 8'0" 14"x 8'0'



S81186SL ***** 12"x 8'0" 14"x 8'0"



S605SL S8605SL 12"x 6'8" 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S85924SL 12"x 8'0" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") | 14"x 8'0" 14"x 6'8" \$ (7'0")



S8606SL S606SL * **1** 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S6125SL S85925SI ■ * N ● 7 ■ * N ● / 12"x 8'0" 10"x 6'8" 12"x 6'8" \$\((7'0") \) 14"x 8'0" 14" x 6'8" \$\(\frac{1}{4}\) (7'0")



S607SL S8607SI * 📦 🛚 12"x 6'8" 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S6126SL S85926SL ■ * N 10"x 6'8" 12"x 6'8" \$ (7'0") | 12"x 8'0" 14"x 6'8" 🛕 (7'0") | 14"x 8'0"



S198 * + + + + 1 6 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6124SL

10"x 6'8"

S6062 ■ * † † † ¥ 6 E 2'10"x 6'8" \$\(\bar{\Lambda}\)(7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"

Clear Glass with Divided Lites Continues on next page.

Key






- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- **Flat Bronze Grilles** Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Scrolled** Advanta Lite Frame
- **Vented Sidelite Options**



6 WBDR / HVHZ Options **Å** 6'6" Height Available

Elevated 10" Bottom **Rail Options**

Clear Glass with Divided Lites Continued





FCM10

* 🛊 🛮 6

2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

Mahogany

FCM870

* **1 5 2** '8" x 8'0" 2'10" x 8'0"

3'0"x 8'0"

Clear Glass





FCM1283

2'4"x 8'0" 2'6"x 6'8" (7'0") 2'6"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"

10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 8'0"

FCM81200SL ■ * ● ⊿ ¼ 6 12"x 8'0"



* • • • • 🗾

10"x 6'8"

12"x 6'8"

14"x 6'8"

Mahogany FCM870SL *** ⊿ 4 9** 12"x 8'0" 14" x 8'0"



3'0"x 6'8" (7'0")



1283 * * 5 E 2'0"x 6'8" F 2'4"x 6'8" \$ 2'6"x 6'8" \$\(\frac{1}{2}\) (7'0") 2'8"x 6'8" 1 (7'0") 2'10"x 6'8" \(\bar{\Lambda}\) (7'0") 3'0"x 6'8" \$ (7'0")



FC47SL * **4 6** 10"x 6'8" 81200PSL *** 3 9** 12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8"



12101SL 81200SL * 6 4 6 7 6 12" x 6'8" \$\(\Delta\) (7'0") 14" x 6'8" \$\(\Delta\) (7'0") * • 4 16 12"x 8'0" 14"x 8'0"



\$118 *** ± ■ 5 E** 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S818

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



81200P

* **12**00 **5 2** '8" x 8'0" **2** '10" x 8'0"

3'0"x 8'0"





2'4"x 8'0" F

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10" x 8'0"





Smooth S601SL ■ * ● ⊿ ¼ 6 S81086SL ■ * • **⊿ ¼** 6 10"x 6'8" 12"x 8'0" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") | 14"x 8'0" 14"x 6'8" \$ (7'0")



| Direct | Set |
|--------------------------------------|------------------------|
| DRS2131SL | DRS82131SL |
| 12"x 6'8" (7'0")
14"x 6'8" (7'0") | 12"x 8'0"
14"x 8'0" |

^{*}Not recommended for use behind storm doors to be painted dark colors, if exposed to direct sunlight. Note: See page 287 for important product details that may help with your purchase decision.



Transoms

For transoms, see page 211.



Blackstone. • ::



FCM765 4 9 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FCM765SL | FCM882SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC765 4 6 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



81952P FC770 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC765SL 81952PSL **4 6** 12" x 6'8" **1 6** 12"x 8'0" 14" x 6'8" | 14" x 8'0"



\$975 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Smooth S979

46 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





S975SL 12"x 6'8" \$894\$L 12"x 8'0"

14"x 6'8" | 14"x 8'0"

Crystalline_™ ◆ ::



FCM38 2'8" x 6'8" 2'10" x 6'8"

3'0"x 6'8"



Mahogany FCM38SL | FCM8105SL 12"x 6'8" | 12"x 8'0"

14"x 6'8" | 14"x 8'0"



FC38
2 9
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



FC772 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

81953P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Crystalline Continues on next page.

Key

- No Stile Lines
- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles
- Flat Bronze Grilles Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Flat Lite Frame



- **WBDR Options**
- **Vented Sidelite Options**
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- ★ 6'6" Height Available PVC Doorlite Frame*

Crystalline → :: Continued



FC38SL 81953PSL 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S977 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S981 S888 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S758SL S888SL 12" x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Sedona ◆



FCM131 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM131SL | FCM883SL 12"x 6'8" 12"x 8'0" 14"x 8'0" 14"x 6'8"



FC131 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC773 81954P 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81954PSL FC131SL 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S95 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth S91 S887 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S91SL S887SL 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"

Salinas_® x



FCM115 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM115SL | FCM884SL | 4 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FC115 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC775 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81955P **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81955PSL 12"x 8'0" FC115SL 6 12"x 6'8" 14"x 6'8" 14"x 8'0"



S6009 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6010

\$895 2'8"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S6009SL

S895SL 12"x 6'8" **⊿ 4 6** 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Maple Park_∞ ♦ ::



Mahogany

FCM902 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM902SL | FCM887SL 12"x 6'8" 12"x 8'0" 14"x 8'0" 14"x 6'8"



FC902 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC777 **4**6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

81957P **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC902SL 81957PSL 12"x 6'8" 12"x 8'0" 14"x 8'0" 14"x 8'0"



S6102 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6103

S85898 **4**6 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6102SL S85898SL 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"





FCM907

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM907SL 4 6 12"x 6'8" FCM889SL 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC907 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC776 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

81956P 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC907SL

81956PSL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



S6092 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$982 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

S891 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Smooth

S6092SL S891SL 12" x 6'8" **12**"x 8'0" 14" x 6'8" | 14" x 8'0"

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

X Wrought Iron (1W) ✓ Flat Lite Frame



NEW Scrolled & Flat Advanta Lite Frame





Texas Star + ::



Mahogany

FCM143 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM143SL

FCM8103SL 12"x 6'8" 12"x 8'0" 14"x 8'0" 14"x 6'8"



FC143 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC778 2'8" x 6'8" 2'10" x 6'8"

81958P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC143SL 81958PSL 12" x 6'8" 12"x 8'0"

14"x 8'0"

14" x 6'8"



S6071 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S6072 S85901 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



\$6071\$L 12" x 6'8" 85901SL 12"x 8'0" 14"x 6'8" 14"x 8'0"





Mahogany

FCM147 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM885SL

12"x 8'0"

FCM147SL 6 5 12"x 6'8" 14"x 6'8" 14"x 8'0'



FC147 2'8" x 6'8" 2'10"x 6'8"



FC779 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

81959P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

81959PSL FC147SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



\$6091 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$983 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 6'8" | 3'0"x 8'0"

S892



S6091SL S892SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Riserva_® x

3'0"x 6'8"



FCM543

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM545SL FCM8545SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC543 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FC8529

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

46

FC529 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC545SL FC8545SL 12"x 6'8" 12" x 8'0" 14"x 6'8" 14"x 8'0"



S543 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$529 2'8"x 6'8" 2'10"x 6'8" \$8529 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



S545SL S8545SL 12"x 6'8" 12"x 8'0' 14"x 6'8" 14"x 8'0"

Concorde_™ ◆ **::** ❖



FCM912 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM912SL | FCM892SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



FC912 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC780 2'8" x 6'8" 2'10" x 6'8" 81960P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



FC912SL 81960PSL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



S912 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$97 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth S85902 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



\$757\$L 4 6 12"x 6'8" S85902SL 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Kensington_™ ♦ ::



FCM156 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM8107SL 4 9 12"x 8'0" 14"x 8'0" FCM1442SL 4 6 12"x 6'8" 14" x 6'8"



FC156 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC20042 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

81961P 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Kensington Continues on next page.

Key

- Black Nickel Caming (1D) **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Flat Lite Frame **NEW Scrolled & Flat**
 - Advanta Lite Frame
- 6 WBDR Options



MBDR / HVHZ Options

Kensington™ ◆ :: Continued



FC1442SL 81961PSL 12"x 6'8" 12"x 8'0" 14" x 6'8" 14"x 8'0"



\$902 2'8" x 8'0" 2'10" x 8'0" S20042 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



\$156 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$902SL 12"x 8'0" S1442SL 12"x 6'8" 14"x 6'8" 14"x 8'0'

Pembridge_™ ♦ **::** ❖



FCM6582 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



12"x 6'8'

14"x 6'8"

FCM86580SL FCM6580SL 12"x 8'0" 14"x 8'0"



FC6582 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6580 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86580 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC6580SL 12"x 6'8" FC86580SL 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S6582 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$86580 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" S6580 **■** 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6580SL S86580SL 12"x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"

Axis.



FCM1647 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM1646SL FCM81646SL 12"x 8'0" 14"x 8'0" **1**6 12"x 6'8" 14"x 6'8"



FC1647 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC1646 FC81646 2'8"x 6'8" 2'10"x 6'8" **16** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



FC1646SL | FC81646SL 12"x 8'0" 16 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S1647 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$1646 2'8"x 6'8"

S81646 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



\$1646SL | \$81646SL | 4 1 2 9 12"x 8'0" 12"x 6'8"

14"x 6'8" | 14"x 8'0'

NEW Calix ◆ # ❖



FCM389 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM4521SL | FCM84521SL **12**"x 8'0" 16 12"x 6'8" 14"x 8'0" 14"x 6'8"



FC389 **▲** 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC84521 2'8"x 8'0" FC4521 **16** 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC4521SL | FC84521SL 16 16 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S389 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



S4521 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S84521 16 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S4521SL S84521SL 16 16 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

NEW Latitude ◆ :: ❖



FCM476 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM4525SL FCM84525SL 46 12"x 8'0" 14"x 8'0"

NEW Oak

FC476 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC4525 **1**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FC84525 **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC4525SL FC84525SL 16 **4**6 12"x 6'8" 12"x 8'0" 14" x 6'8" 14"x 8'0"



S476 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S84525

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

16

S4525 **1**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



16

12"x 6'8"

14"x 6'8"

S4525SL S84525SL 16 16 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

NEW Scrolled & Flat Advanta Lite Frame

WBDR / HVHZ Options



WBDR Options

NEW Echelon ◆ :: ❖



Mahogany
FCM84527SL
9
12"x 8'0"
14"x 8'0"



FC84527 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC84527SL 2 9 12"x 8'0" 14"x 8'0"



\$84527 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$84527\$L 4 9 12"x 8'0" 14"x 8'0"

Privacy & Textured Glass with Divided Lites



FCM82_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM92_SL 12"x 6'8" 14"x 6'8"



FCM8101_SL 12"x 8'0" 14"x 8'0"



FC82_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC92_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



81945P__ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81946P_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC92_SL 12"x 6'8" 14"x 6'8"



81946P_SL 12"x 8'0" 14"x 8'0"



\$82_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$92_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$881_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"




Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Privacy & Textured Glass





2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

Mahogany





FCM32_SL | FCM881_SL | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"

FC32_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FC766_ 2'8"x 6'8" 2'10"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"

Oak



14"x 8'0"

14"x 6'8"







Internal Blinds





3'0"x 6'8"





FC5425 * 2 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1964P

* 2 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 6'8"
3'0" x 8'0"
3'0" x 8'0"





\$5425 *** 4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$8682 *** 4 6** 2'8" x 8'0" 2'10" x 8'0"

3'0"x 8'0"

\$682 * **4 6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$5425\$L * 16 12"x 6'8" 14"x 6'8" 14"x 8'0"

Key










WBDR Options





FCM2106 * 🕈 🕈 🗸 2'8"x 6'8" 2'10" x 6'8"

3'0"x 6'8"



FCM2107 * + + + 🛮 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM2108 * 🕈 🕈 🗸 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM82 * 📦 🕈 🕈 🕻 🌀 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM1089SL | FCM8311SL * 🕈 🕈 🗸 * 🕈 🕴 🗸 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



FCM2101SL * • • • • • 6 FCM8313SL *** ♦ ♦ ♦** 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



Mahogany FCM92SL FCM8310SL * • • • 2 6 12"x 8'0" 14"x 8'0"

14" x 6'8"



FCM8101SL *** ≥** † † † 12"x 8'0" 14"x 8'0"



FCM81900SL ***** ■ <a>Z
12"x 8'0" 14"x 8'0"



FCM81947SL ***** ■ <u>/</u> 12"x 8'0" 14"x 8'0"



FCM81949SL ***** ■ **!** 12"x 8'0" 14" x 8'0'



FCM1402 * • • • • 2 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1400SL| FCM81944SL ***** ♦ ♦ ♦ ∡ 12"x 6'8" ***** ♦ ♦ ♦ **1**2"x 8'0" 14" x 6'8" 14"x 8'0"



FC2106 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC2107 * + + + 1 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC2108 * • • • **/** 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC82 * ***** † † † ***** 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC1089 FC8311 ***** ♦ ♦ ♦ 🗾 ***** ♦ ♦ ♦ 🔏 2'8" x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



FC2101 FC8313 * * * * 1 6 ***** ♦ ♦ ♦ **/** 2'8"x 8'0" 2'8"x 6'8" 2'10"x 8'0" 2'10" x 6'8" 3'0"x 6'8" 3'0"x 8'0"



* • • • **/**

FC2102 FC8316 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8' 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



81945P * ***** † † † 🛚 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'



FC92 FC8310 * N * † † † **1** 6 2'8"x 8'0" 2'8"x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0"x 8'0" 3'0"x 6'8"



81946P * 🗪 🕈 🕯 🧸 🌀 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1089SL FC8311SL * † † † 🗾 * † † † 🗾 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



FC2101SL FC8313SL * † † † 16 ***** ♦ ♦ ↓ 12"x 8'0" 12"x 6'8" 14" x 8'0" 14"x 6'8"



FC92SL FC8310SL * **■ † † †** 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



81946PSL ***≥**††† 12"x 8'0" 14"x 8'0"



81900PSL 12"x 8'0" 14"x 8'0"



81947PSL ***** ■ <a>Z
12"x 8'0" 14"x 8'0"



81949PSL 12"x 8'0" 14"x 8'0"



FC1402 * † † ***** 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC1400 * • • • • 2 2'8"x 6'8" 81944P * + + + 1 6 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC1400SL | 81944PSL *** ♦ ♦ ▼** 12"x 6'8" 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S2106 * • • • • 🛮 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2107 * + + + + **1** 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2108 * • • • • 🛮 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S82 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S1089 S8311 * • • • • 🛚 * • • • • 🔏 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

Clear Glass with Divided Lites Continues on next page.

Key





- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- **NEW Scrolled & Flat** Advanta Lite Frame



WBDR Options WBDR / HVHZ Options

173

Clear Glass with Divided Lites continued



S8313 * ♦ ♦ ♦ ♦ ↓ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8316

*** • • • •**

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

\$2102 * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

















Smooth

S82SL

S8310SL

6

12"x 6'8"

14"x 6'8"

14"x 8'0"

14"x 8'0"





\$8207\$L * • 7 12" x 8'0" 14" x 8'0"







\$1402 * • • • • • 2 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"









Clear Glass

Mahogany

FCM32

** 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM32SL FCM881SL * 16 12"x 6'8" 12"x 8'0" 14"x 8'0"





FC766 * 2 6 2'8" x 6'8" 2'10" x 6'8" 81943P * **1 6** 2'8" x 8'0" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC32SL * 4 5 12"x 6'8" 14"x 6'8" 81943PSL * 4 6 12"x 8'0" 14"x 8'0"



\$80 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0"x 8'0"

\$90 * **5** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





Key

Low-E Glass (LE)



Simulated Divided Lites (SDL)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)



NEW Scrolled & Flat Advanta Lite Frame

NEW Scrolled Advanta Lite Frame



Options



Transoms

For transoms, see page 211.



Blackstone. • ::



FCM110 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM164 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC714 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC164 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC794 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S771 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6085 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley™ ♦ # ❖



S997 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM106 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM163 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC713 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC163 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC796 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S774 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6082 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S999 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™ ◆ **::** ❖



Mahogany

FCM916 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM915 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Oak

FC916 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Oak

FC915 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Oak

FC797 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S773 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S6084 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S1000 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Kensington_™ ♦



Mahogany

FCM151 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM789

FC709 2'8" x 6'8" 2'10" x 6'8" 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0"x 6'8"



FC151 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC798 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Oak



S709 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S163





Smooth

S1001 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Pembridge_™ ♦ **::** ❖



Mahogany FCM6577 2'8"x 6'8" 2'10" x 6'8"

3'0"x 6'8"



Oak

Mahogany

FCM6575 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Pembridge Continues on next page.

Key



Brushed Nickel Caming (1C)

Brass Caming (1A)



FC6577 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC06575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6576 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6577 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6575 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$6576 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



FCM80 ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM160 ** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC710 ** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC160 ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC789

**
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



\$770 ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$6080 ** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$992 ** 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Note: See page 287 for important product details that may help with your purchase decision.



Transoms

For transoms, see page 211.



Blackstone. • ::



FCM109 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM863 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM6032 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6052 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM109SL FCM863SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



Oak

FC109
4 5 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

81933P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81975P 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC109SL

81933PSL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



\$6000 **6 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0"



\$6032 **4 9 E**

\$86032 **4 9 E** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$6052 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$972 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

\$85905 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6000SL 12"x 6'8"

S85912SL **1 6** 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)



WBDR Options

WBDR / HVHZ Options



Crystalline_™ ◆ ::



Mahogany

FCM898 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM898SL 12"x 8'0" 14"x 8'0"



81935P 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



81977P 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



81935PSL 2 5 12"x 8'0" 14"x 8'0"



S81935P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S86027 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

S85907

16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S85914SL 12"x 8'0"

14"x 8'0"

Sedona ♦



FCM101 2'8"x 6'8" 2'10"x 6'8"

FCM864 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



Mahogany FCM6025

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM6045

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM101SL

12"x 6'8" 14" x 6'8"

FCM864SL 12"x 8'0" 14"x 8'0"



Oak

FC101 **∠** E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

81936P 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



81978P 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Oak 81936PSL FC101SL 12"x 6'8" 12"x 8'0" 14" x 6'8" 14"x 8'0"



S211

∠ E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



S81936P 2'8"x 8'0"



S86025

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

ΔE

S6025

E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6045

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S35 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"





S294SL S85915SL 12"x 8'0"

14"x 8'0'

12"x 6'8"

14"x 6'8"

Salinas_® x

FCM114 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM865 **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6031

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM6051 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM114SL | FCM865SL | 5 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FC114 2 6 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

81937P 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81980P **16** 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



FC114SL 81937PSL 12"x 6'8" 16 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S6006 **4 6 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S81937P 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6031 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

S86031 16E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6051 16

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S973 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S893 **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6006SL S85916SL 16

16 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"

Maple Park₃ ♦ ::



Mahogany

FCM901 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM886 **16** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6107 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6108

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM901SL | FCM886SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"

Maple Park Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- NEW Scrolled & Flat Advanta Lite Frame
- **WBDR Options**
- E Elevated 10" Bottom Rail Options

Maple Park ◆ # Continued



Oak

81939P

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

46

FC901 **16** € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



81982P **16** 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC901SL 12"x 6'8" 81939PSL 12" x 8'0" 14"x 6'8" | 14"x 8'0"



S6101 S81939P 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6107 **1**9 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"





Smooth

S6108 2'8'x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S6106 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S85897 **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6101SL 12"x 6'8" 14"x 6'8"

S85918SL 12"x 8'0" 14"x 8'0"



Saratoga_™ ♦ #

Mahogany

FCM906 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM888 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM6029 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6049 **16** 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM906SL 16 12"x 6'8"

FCM888SL 12"x 8'0" 14"x 6'8" | 14"x 8'0"



81938P

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FC906

2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



81981P 2'8"x 8'0"

3'0"x 8'0"



2'10" x 8'0"

Oak



81938PSL FC906SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S213 2'6"x 6'8"

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S81938P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6029 16 E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"





Smooth

S6049 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

46 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S85908 **1**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S291SL S85917SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Texas Star ♦



FCM144 FCM899 16 **4**6 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10" x 6'8" 3'0"x 8'0" 3'0"x 6'8"



FCM6074 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6075 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM899SL 12"x 8'0" 14"x 8'0"



FC144 **1**6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"

81940P

2'8"x 8'0"

2'10"x 8'0"

16



81983P 16 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



81940PSL 12"x 8'0" 14"x 8'0"



S6073 S81940P 16E 16 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"

Wellesley_™ ♦ # ❖



S6074 S86074 16E 19E 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6075 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth \$6076 \$\frac{1}{2}\frac{6}{3}\$ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth 85919SL 12"x 8'0" 14"x 8'0"



Mahogany FCM105 FCM866 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM6030 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6050 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany FCM105SL | FCM866SL 12"x 8'0" 14"x 8'0" 12"x 6'8" 14"x 6'8"

Wellesley Continues on next page.

Key



\$81983 2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

Brushed Nickel Caming (1C)

Brass Caming (1A) **NEW Scrolled & Flat** Advanta Lite Frame



WBDR Options

WBDR / HVHZ Options

Wellesley™ ◆ **::** ❖ Continued

81941P **4 6**

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



FC105

19E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Oak

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

81984P



Oak

81941PSL FC105SL 16 16 12"x 6'8" 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S214 **4 6 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") | 3'0"x 8'0" 3'0"x 6'8" (7'0")



S6030 16E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S86030 46E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

\$6050 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth

\$42 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

S85909 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S85922SL S292SL

12"x 6'8" 14"x 6'8" 14"x 8'0"

Riserva_® x



FCM581 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8581 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$81941P 2'8" x 8'0" 2'10" x 8'0"

Mahogany

FCM575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM577 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

12"x 6'8" 14"x 6'8"

FCM583SL | FCM8583SL 12"x 8'0" 14"x 8'0"



FC8581

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

16

FC581 16 E 2'6"x 6'8"

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC8579 16

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC583SL 12" x 6'8"



FC8583SL 12"x 8'0" 14"x 6'8" | 14"x 8'0"



Smooth S581

16 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



S8581

2'8"x 8'0" 2'10"x 8'0"



\$575 **6** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

\$8575 **6 E** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S577 16

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S579 **16**

S8579 **▲ 6** 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S583SL S8583SL 12"x 6'8" 12" x 8'0"

14"x 6'8" 14"x 8'0"

Concorde_™ ◆ # ❖



FCM911

FCM891 2'8" x 6'8" 2'10" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



Mahogany

FCM6026 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6046 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



12"x 6'8" 14"x 6'8" | 14"x 8'0"





81942P

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FC911

16 E 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



81985P 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC911SL 4 6 12"x 6'8"

81942PSL 4 6 12"x 8'0" 14"x 6'8" 14"x 8'0"



Smooth

S81942P 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



\$6026 **9 E** 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



\$86026 **6** E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6046 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Kensington_™ ◆ **::**



S37

16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S837 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S430SL S85920SL

12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



Mahogany

FCM149 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8149 **16** 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Mahogany FCM6036

16 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM6056 **16** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM149SL FCM867SL **12**"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"

Kensington Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A) X Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- **WBDR Options**
- WBDR / HVHZ Options



FC8149 2'8"x 8'0"

2'10"x 8'0"

FC149

6 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



FC89701 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC149SL FC8867SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



\$161 **6** E 2'8" x 6'8" (7'0")

S8149 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6036 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")





S6056 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$43 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S89701 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S161SL 12"x 6'8" 14"x 6'8" | 14"x 8'0"

S867SL 12"x 8'0"



Pembridge_™ ◆ **!!** ❖

Mahogany

2'10"x 6'8" 3'0"x 6'8"

FCM86560 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6565 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10"x 6'8" 3'0"x 6'8"



FCM6565SL 12"x 6'8" 14" x 6'8"

FCM86560SL 12"x 8'0" 14" x 8'0"



FC6560 **19** € 2'6"x 6'8"

2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10" x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")

FC86560



FC86536 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



FC6565SL FC86560SL 12"x 8'0" 12" x 6'8" 14"x 6'8" 14"x 8'0"



S6560 **19** € 2'6"x 6'8" 2'8"x 6'8" (7'0")



S86560 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



\$6565 **9 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'0" x 8'0"



S6568 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'10"x 8'0"



2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

S6536 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S86560SL S6565SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14"x 8'0"

Axis.

FCM1654 2'8"x 6'8"

FCM81654 16 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM1656 16

2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



FCM1658 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1656SL FCM81654SL **12**" x 6'8"

14" x 6'8"

12"x 8'0" 14"x 8'0"



FC1654 FC81654 **19E 1**6 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" (7'0") | 2'10"x 8'0 2'10"x 6'8" (7'0") | 3'0"x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0")



FC81653 **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1656SL | FC81654SL **1**9 19 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



S1654 S81654 **1**9 € 16 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



S1656 **19E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S81656

19E

2'8" x 8'0" 2'10" x 8'0"

3'0"x 8'0"



S1658 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

NEW Calix ◆ :: ❖



S1653 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S81653 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S1656SL S81654SL 16 16 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



FCM386 FCM8386 2'8"x 8'0" **1**6 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



Mahogany FCM387 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM394 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM387SL 4 9 12"x 6'8" FCM8386SL 12"x 8'0" 14"x 8'0' 14" x 6'8"

Calix Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- NEW Scrolled & Flat Advanta Lite Frame
- **WBDR Options**
- WBDR / HVHZ Options 6

NEW Calix ◆ :: ❖ Continued

FC8386

2'8"x 8'0"

2'10"x 8'0"



FC386 **1**6€ 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") | 3'0"x 8'0" 3'0"x 6'8" (7'0")



FC8392 **16** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC387SL FC8386SL 16 16 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



S8386 S386 **16** € **16** 2'6"x 6'8" 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



S387 **4 6 E** S8387 **16** € 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



\$394 **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S392 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



3'0"x 8'0"



S8386SL S387L 16 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

NEW Latitude ◆ :: ❖



Mahogany FCM8498 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM8498SL 12"x 8'0" 14"x 8'0"



FC8498 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8489 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8498SL 16 12"x 8'0" 14"x 8'0"



S8498 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S8467 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8489 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8498SL 16 12"x 8'0" 14"x 8'0"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

Privacy & Textured Glass with Divided Lites



Mahogany

FCM65_ 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FCM6022_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6042_ 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



Mahogany

FCM8321_ 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Mahogany

FCM65_SL 12"x 6'8" 14" x 6'8"



FCM3487_SL 12"x 8'0" 14"x 8'0"



FC65_ N I E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC8321_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC832_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak FC63_SL

12"x 6'8" 14"x 6'8"



FC3487_SL

12"x 8'0" 14"x 8'0"



Smooth

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Smooth

\$6022_ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6042_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S32_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S8321_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S86022_ 2'10"x 8'0" 3'0"x 8'0"



S832_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S263_SL 12"x 6'8" 14"x 6'8"



S3487_SL 12"x 8'0" 14"x 8'0"

Key



Brushed Nickel Caming (1C)



NEW Scrolled & Flat **Advanta Lite Frame**





WBDR Options WBDR / HVHZ Options

Privacy & Textured Glass



FCM62_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





Mahogany

FCM6021_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM6041_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM104 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM62_SL 12"x 6'8" 14"x 6'8"

FCM862_SL 12"x 8'0" 14"x 8'0"



FC62 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0") | 3'0"x 8'0"

81929P_ 2'8"x 8'0" 2'10"x 8'0"



Oak

FC104 ■ 16E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



81971P_ 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



FC48_SL 16 12"x 6'8"

81929P_SL 16 12"x 8'0" 14" x 6'8" | 14" x 8'0"



\$206_ **6** E 2'8" x 6'8" (7'0")

2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"

S81929P_



S6021

S86021_ **16E** 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6041_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S30

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S210_SL

12"x 6'8" 14"x 6'8"



S85910_SL 16 12"x 8'0" 14"x 8'0"

Internal Blinds



Mahogany

FCM678 * **4 6** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8678 *** 4 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6035

16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6055 *** 4 6** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

S830_

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

XK = ReededXE = Satin Etch XC = ChordXJ = Chinchilla XR = Rainglass XN = Granite



Mahogany

FCM116 ■ * **4 5 E** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM678SL * **4 6** 12"x 6'8" 14"x 6'8"





* **4 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0")



Oak

2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC8971

* 16 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC678SL

FC8678SL * **4 6** 12"x 6'8" *** ∡ 6** 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S132

* **4 6 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



\$8132 *** 6** 2'8" x 8'0" 2'10" x 8'0"

S6035



S86035 30033 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"

Smooth



Smooth S6055 * 16 2'8" x 6'8"

2'10" x 6'8"

3'0"x 6'8"



S131 ■ * **1**6 E 2'6"x 6'8" 2'8"x 6'8" (7'0")

2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")



S971 * **1**6 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"





S8132SL

S132SL 14"x 6'8" | 14"x 8'0"

Screen Vented Lites*

3'0"x 8'0"



S243

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6034

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6054 2'8"x 6'8" 2'10" x 6'8"

3'0"x 6'8"



S137

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



No Stile Lines

Low-E Glass (LE)





9 WBDR Options

WBDR / HVHZ Options

Clear Glass with Divided Lites



FCM8322 *** • • •** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany FCM8323 2'10"x 8'0" 3'0"x 8'0"



FCM8324 ***** ♦ ♦ ♦ 🗾 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM65 ***** ■ † † † 🛚 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6022 * ■ ↑ ↑ ↓ 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6042 * **■ ↑ ↑ ↑ 2 9** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM8321 *** ≥ † † † 2 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM8675SL 12"x 8'0" 14"x 8'0"



FCM65SL FCM7125SL * * * * I 4 12"x 8'0" 14"x 8'0" 14"x 6'8"



FCM3487SL 14"x 8'0"



FCM1408 FCM8145 * ♦ ♦ 🗸 ***** ♦ ♦ ♦ 🗾 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



FCM1405 *** ♦ ♦ ♦** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1406 * ♦ ♦ ♦ 🗾 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1405SL | FCM8145SL ***** ♦ ♦ ♦ 🔏 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



FC8322 *** ♦ ♦ ♦** 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC8323 * + + + 1 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8324 * † † † 🗾 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC65 * ₩ +++ ¥ 9 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC8321 *** ≈** † † † 🛮 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8318 * • • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8319 * + + + 1 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8320 ***** ♦ ♦ ♦ ∡ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC832 *** ≈** +++**1**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8675SL * † † † 🗾 12"x 8'0" 14"x 8'0"



FC7125SL FC63SL 12"x 6'8" 14"x 6'8" 14"x 8'0"



FC3487SL ---16 12"x 8'0" 14"x 8'0"



FC1408 FC8145 *** ♦ ♦ ♦ ∡ E** 2'6"x 6'8" ***** ♦ ♦ ***** 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



2'10"x 8'0" 3'0"x 8'0"



FC1408SL | FC8145SL ***** ♦ ♦ ♦ **1**2"x 6'8" 14"x 6'8" | 14"x 8'0"



\$8322 ***** ♦ ♦ ♦ ↓ ✓ 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$8326 ****** ♦ ♦ ♦ ♦ *** E** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'10"x 8'0" 3'0"x 8'0"



\$8327 ***** ♦ ♦ ♦ ♦ **2 6 E** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'



\$8324 * • • • • • 2'8"x8'0" 2'10"x 8'0" 3'0"x 8'0"



\$8328 ***** ♦ ♦ ♦ ♦ **I E** 2'8"x8'0" 2'10"x 8'0" 3'0"x 8'0"



S262 * № 11114 ■ 6 E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6022 6E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6042 2'10"x 6'8" 3'0"x 6'8"



S8321 * **=** ++++ **3** 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8325 * **≥ † † † † 6** E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8318 * • • • • 🗾 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8319 ** * * * **1 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites Continues on next page.

Key

- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- **Flat Bronze Grilles** Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG) **NEW Scrolled & Flat**
- **Advanta Lite Frame WBDR Options**
- 6 WBDR / HVHZ Options

Clear Glass with Divided Lites Continued



\$8320 * • • • • • 2 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$32 * • 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S832

2'10"x 8'0"

3'0"x 8'0"





\$8675\$L * • • • 12" x 8'0" 14" x 8'0"



\$263\$L * • • • 6 12"x 6'8" 14"x 6'8" 14"x 8'0"





S8145

* * * * * |

2'8"x 8'0"

2'10"x 8'0" 3'0"x 8'0"



S81405

Æ

* • • • •

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



\$1406 * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$1407 * • • • • • • • • 2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



Clear Glass



FCM862

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

FCM62 * 2 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





FCM6041 * 2 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM670

** | | | | | | | |
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM62SL | FCM862SL | * 2 6 |
12"x 6'8" | 12"x 8'0" |
14"x 6'8" | 14"x 8'0"





FC670 ■ * **2** 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



3'0"x 8'0"



FC48SL 81929PSL ***** 16 *** 4** 12"x 6'8" 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S81929P S206 * **1**6 E *** 1** 6 2'6" x 6'8" 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



S6021 S86021 * **1 5 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") *** 3 9 E** 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0"x 8'0"



\$6041 * \$\bigsigma\$ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

\$104 ■* **4 5 E**

2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S105 ■ * **I** E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



\$30 *** 4 6** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$830 *** 6** 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$210\$L * **4 6** 12"x 6'8"

\$85910\$L *** 4 6** 12"x 8'0" 14" x 6'8" | 14" x 8'0"



Key



Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- **NEW Scrolled & Flat Advanta Lite Frame**
- **WBDR Options** 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



Transoms

For transoms, see page 211.



Blackstone_® ♦



S6013 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Sedona ♦



S294 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Salinas_® x



S6014 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Maple Park₃ ♦ ::



Smooth S6104 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Saratoga_™ ♦



S291 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

Wellesley_™ ♦ **::** ❖



S292 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Riserva_® x



S585 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™ ♦ # ❖



S430 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = ReededXE = Satin Etch XC = ChordXJ = Chinchilla XR = Rainglass XN = Granite

Kensington_™ ♦ **::**



\$162 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6572 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Axis.



\$1661 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

NEW Calix ♦ :: ❖



\$398 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & TexturedGlass with Divided Lites



\$807_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass



\$289__ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Clear Glass with Divided Lites





\$1411 * 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



\$289

* 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)



Transoms

For transoms, see page 211.



Blackstone₈ ♦ ::



FC80943 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86243 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9343 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83143 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Sedona 🔷 ::



FC80952 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86252 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9352 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Salinas_® x



\$83152 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC80953 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86253 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9353 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83153 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Maple Park_∞ ◆ ::



FC80955 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86255 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

S9355 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S83155 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Saratoga_™ ◆ #

Oak

FC80954 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Oak

FC86254 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S9354 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S83154 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Wellesley_™ ♦ **::** ❖



FC80949

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86249 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9349 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83149 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Riserva_® x



FC507 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Oak

FC549 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$507 **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™ ◆ :: ❖



\$549 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC80947

16 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC86247 6 2'8"x 8'0"

2'10"x 8'0" 3'0"x 8'0"



S9347

16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

\$83147 **6** 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Kensington_™ ◆ **::**



FC80942 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86242 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Kensington Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- **NEW Scrolled & Flat** Advanta Lite Frame
- **WBDR / HVHZ Options**

Kensington™ ◆ **::** Continued







Smooth

S9342 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S83142 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Pembridge_™ ◆ :: ❖



Oak

FC6534 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Oak

FC86533 **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6534 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S86533 **4**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Axis.



FC1655 **4**6 2'8"x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FC81649 2'8"x 8'0"



2'10" x 8'0" 3'0"x 8'0"



S1655 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S81649 **4**6 2'8"x 8'0" 2'10" x 8'0"

3'0"x 8'0"

NEW Calix ◆ :: ❖



FC393 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC8390 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S393 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass with Divided Lites



\$8390 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC809203_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC862203_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S93203_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S831203_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded XE = Satin Etch XC = ChordXJ = Chinchilla

XR = Rainglass XN = Granite

Privacy & Textured Glass



FC80920_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86220_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9320_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83120_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Internal Blinds



FC925 * 2 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC8972 * 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$925 * 26 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



\$8972 * **4 6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"











FC1404

* • • • •
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



FC8141

* • • • 1

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

Clear Glass



\$1404 * • • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$8141 * • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







Smooth

\$9320

* 2 6
2'8"x 6'8"
2'10"x 6'8"

3'0"x 6'8"



\$83120 * 2 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key

- ***** Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles
 Between Glass (GBGF)

Fixed Grilles (FXG)

- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled
 Advanta Lite Frame



Transoms

For transoms, see page 211.

Optional Dentil Shelves***

4-Block Dentil Shelf

Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf Available for all Craftsman-style Smooth-Star doors.

Sedona ♦ ::



S2650* 🚄 🛮 E 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

S82650* **4** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM604 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S604 S8604 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Maple Park. • ::



S2630** ⊿ Ø E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82630** **149** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM609 **1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S609 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8609 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Saratoga_™ ♦



FCM602 **1**6 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"



S2660** **⊿** 🛭 6 🗉 2'8" x 6'8" 2'10"x 6'8' 3'0"x 6'8"

S82660** **⊿**⊈6 2'8" x 8'0" 2'10"x 8'0' 3'0"x 8'0"



\$8602 **4** 6 2'8"x 8'0" S602 46 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0"

3'0"x 8'0"

Riserva_® x



FCM508 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2670** _1 4 6 E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82670** 146 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass

XN = Granite

3'0"x 6'8"

^{*}Available with flat lite frame or Advanta flat lite frame only. **Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

^{***}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 287 for important product details that may help with your purchase decision.

S508 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'

S8508 **4**6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Pembridge_™ ◆ :: ❖



FCM6520

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82640** 126 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

NEW Calix ◆ :: ❖



S6520 16 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

S86520 **4**9 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Axis.



FCM1650 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S2620** **⊿**26E 2'8"x 6'8" 2'10"x 6'8"

S82620** 126 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S1650 **1**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S81650 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM6975 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S3540** **⊿**46€ 2'8" x 6'8"

S83540** 146 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S6975 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S86975 **1**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass with Divided Lites



Mahogany FCM605_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM606_

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM607_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM608_

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S605

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8605 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S606 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

S8606 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass with Divided Lites Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A) X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Scrolled Advanta Lite Frame**
- **NEW Flat Advanta** Lite Frame
- **6** WBDR Options



WBDR / HVHZ Options Elevated 10" Bottom **Rail Options**

Privacy & Textured

Glass with Divided Lites



\$607_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$8607_ 2'8" x 8'0" 2'10" x 8'0"

3'0"x 8'0"



S608_ 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

| \$8608_ | 2'8"x 8'0" | 2'10"x 8'0" | 3'0"x 8'0"

Privacy & Textured Glass



FCM601_ 2'8" x 6'8" 2'10" x 6'8"

3'0"x 6'8"



\$2610_*

12 9 E
2'8"x 6'8"
2'10"x 6'8"
2'10"x 6'8"
3'0"x 6'8"
3'0"x 6'8"
3'0"x 8'0"



\$601_ \$600_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" \$30"x 8'0" \$30"x 8'0"

Clear Glass with Divided Lites





FCM606

* ~ \(\)

3'0"x 6'8"



FCM607

* • 2'8" x 6'8"
2'10" x 6'8"

3'0"x 6'8"







Clear Glass



\$607 * \[\sum \]
2'8" x 6'8"
2'10" x 6'8"









Smooth

\$2610*

\$2610*

\$2'8"x 6'8"

2'8"x 6'8"

2'10"x 6'8"

2'10"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

3'0"x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite



Transoms

For transoms, see page 211.



Maple Park₈ ♦ ::



FCM736 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8736 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC736 FC8736 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



S736 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



S8736 2'8"x 8'0" 2'10"x 8'0"

Saratoga_™ ♦



FCM8707 FCM707 2'8"x 6'8" 2'10"x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0" 3'0"x 6'8"



FC707 FC8707 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'8" (7'0")

Wellesley_™ ♦ **::** ❖



S707 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM721 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

Oak

FC721 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")




S721

S8721 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"

Key





Brushed Nickel Caming (1C)

Brass Caming (1A)

Simulated Divided Lites (SDL)

FCM8721

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

- Flat Lite Frame
 - **NEW Scrolled & Flat** Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- **NEW Flat Advanta** Lite Frame
- **WBDR Options**



FC8721

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

6 WBDR / HVHZ Options

Concorde_™ ◆ **::** ❖



FCM8735

FCM735 2'8" x 8'0" 2'10" x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



FC735 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S735 \$8735 2'8"x 8'0" 2'10"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")

Pembridge_™ ◆ **::** ❖



Mahogany

FCM745 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8745 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC745 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

FC8745 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites



Smooth

S745 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S8745 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8735

FCM752 * • • • •

***** • • • • 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0"

FCM8752



FC752

* • • • • 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





S752 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8752 * • • • 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Mahogany

FCM704 * • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8704 # 🌢 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass



FC704

FC8704

2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"

2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

S704

* **♦** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S8704 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM708 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8708 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC708

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

FC8708 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S708 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

S8708 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Concorde_™ ◆ :: ❖



FC917 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S454 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



FC23 * • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S255 * • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



FC803





S256 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



S8317

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S236 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S237 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" (Scalloped Lite Frame)

Pembridge_™ ◆ **::** ❖



FCM6570

2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"

FCM86570 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



FC6570 FC86570 ∡ E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6570 ∡ E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") | 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"

S86570 2'6"x 8'0" 2'8"x 8'0"

Axis.



FCM1645 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM81645 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1645 2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 8'0" 3'0"x 6'8" (7'0")



FC81645



S1645 🛮 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S81645 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)** Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG)
 - **NEW Scrolled & Flat** Advanta Lite Frame

Privacy & Textured Glass



FCM61 FCM861 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC861

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

FC61 / E 2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S296 ∡ E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S896 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass



FCM61 2'8"x 6'8" 2'10"x 6'8"

FCM861 2'8"x 8'0" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC61 * 🛮 E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S296 * 🛮 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")





Noise Reduction Doors

FC861

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

Therma-Tru. Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



S140STC 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S8140STC 2'6"x 8'0" 2'8"x 8'0" 3'0"x 8'0"



S141STC ■ * **♦ E**2'6" x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6063STC 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0"x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass

XN = Granite



Transoms

For transoms, see page 211.





FCM31 6 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FCM220 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Mahogany



FCM205 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Mahogany



FCM755 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM600 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM60 FCM860 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1000

FCM81000 ■ **6 E** 2'0"x 6'8" **6** 2'0"x 8'0" 2'4"x 6'8" 2'4"x 8'0" 2'6" x 6'8" (7'0") 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC31 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC809 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC755 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC862 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC60 FC860 **9**E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



No Stile Lines



Flat White Grilles Between Glass Only (GBGFW)





1000 **6 E** 2'0" x 6'8" 2'4"x 6'8" 🕸

81000 2'0"x 8'0" 2'4"x 8'0" 2'4"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'6" x 6'8" Å (7'0") 2'8" x 6'8" Å (7'0") 2'10" x 6'8" Å (7'0") 3'0" x 6'8" \$ (7'0") 3'0"x 8'0"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S45 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$8200 **6** E 2'8" x 8'0" 2'10" x 8'0" S220 5220 5 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



\$81100 \$1100 **9 E** 2'8" x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



\$120 **9 E** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"





S897

6 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S200 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S205 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"



\$755 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$831 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



S960 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S4800 S84800 **9 E** 2'8" x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S600 S8600 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"




S810

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

\$210 **6 E** 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



■ 9 E 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8"



Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Blackstone. • ::



3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Sedona • ::



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Salinas_® x



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Maple Park • • ::



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Saratoga_™ ♦



19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

Wellesley_™ ◆ **!!** ❖



19730T 3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

Riserva_® x



3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Concorde_™ ◆ # ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Kensington_™ ◆ **::**



KNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Pembridge_™ ◆ **!!** ❖



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Axis.



AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

NEW Calix ◆ :: ❖



3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems

NEW

CX30T 3'0" Door Only

NEW Latitude ◆ :: ❖



LTRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



LT30T 3'0" Door Only

NEW Echelon ♦ :: ❖



ECRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



FC30T 3'0" Door Only

Clear Glass



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T

3'0" Door Only

19210T 12" & 14" Sidelite Only

Key



Low-E Glass (LE)

Black Nickel Caming (1D) **Brushed Nickel Caming (1C)**



WBDR Options

WBDR / HVHZ Options

Å 6'6" Height Available

Hinged Patio Doors
Fiber-Classic, Smooth-Star, Profiles, & Traditions



Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR

Top: Fiber-Classic Oak Collection, Clear Glass, Doors - FC10, Finish - Barley Bottom: Smooth-Star, Clear Glass, Doors - S118

Door Selections



Fiber-Classic. Mahogany Collection_™



Fiber-Classic. Oak Collection™



Smooth-Star.



Profiles_™ & Traditions

(Wood-grained images shown in Driftwood stain.)

Glass Selections



Low-E / Clear



Simulated Divided Lites

Divided Lites

see pages 126-127.

For details on divided lite options,





Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 46-47 for details.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten_™ Flush-Glazed **Warranty Riders**

See page 129 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

| ■ = Available | Fiber-Classic. | Smooth-Star ₀ | Profiles _™ | Traditions |
|---|---|---|-----------------------|----------------------------------|
| Door Selections | | | | |
| Material | Fiberglass | Fiberglass | Steel | Steel |
| Warranty | Lifetime | Lifetime | 10 Years | Door: 5 Years
Glass: 10 Years |
| Finish Options | Stain or Paint | Paint | Paint | Paint |
| Flush-Glazed Glass Selections | | | | |
| Internal Blinds 6 | | • | | |
| Low-E Glass
with and without Divided Lites • | • | • | | |
| Clear Glass
with and without Divided Lites | • | • | | |
| Privacy & Textured Glass with and without Divided Lites | • | • | | |
| Lip-Lite Glass Selections | | | | |
| Internal Blinds | • | | | |
| Low-E Glass
with and without Divided Lites | • | • | • | • |
| Clear Glass
with and without Divided Lites | • | • | • | • |
| Privacy & Textured Glass
with and without Divided Lites | • | • | • | • |
| Available Sizes | | | | |
| Heights | 6'6", 6'8", 7'0", 8'0" | 6'6", 6'8", 7'0", 8'0" | 6'6", 6'8", 7'0" | 6'6", 6'8", 8'0" |
| Single Widths | 2'0"-3'0" | 2'0"-3'0" | 2'0"-3'0" | 2'0"-3'0" |
| Double Widths | 4'0"-6'0" | 4'0"-6'0" | 4'0"-6'0" | 4'0"-6'0" |
| Triple Widths | 6'0"-9'0" | 6'0"-9'0" | 6'0"-9'0" | 6'0"-9'0" |
| Retrofit Openings | 5'0", 6'0" | 5'0", 6'0" | 5'0", 6'0" | 5'0", 6'0" |
| Additional Options | | | | |
| Vented Sidelites
(Single / Double Widths) | 6'6", 6'8", 8'0" Heights
in 2'4"–6'0" Widths | 6'6", 6'8", 8'0" Heights
in 2'4"–6'0" Widths | | |
| Screens & Screen Accessories Available
Colors: Bronze, White | 2" Frame, 3" Frame | 2" Frame, 3" Frame | 2" Frame, 3" Frame | 2" Frame, 3" Frame |
| Impact-Rated Options | | | | |
| Tru-Defense Eligible | | | | |

EnLiten_™ Flush-Glazed Internal Blinds **•**




Available Collections

• Smooth-Star.

Available Door Styles



Available Configurations



Internal Blinds




Available Collections

- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles™
- Traditions

Available Door Styles



Available Configurations



EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites ♦

Colonial Style




Available Collections

- Fiber-Classic. Oak
- Smooth-Star.

Available Door Styles



Available Configurations




Prairie Style




Available Collections

- Fiber-Classic. Oak
- Smooth-Star.

Available Door Styles



Available Configurations



EnLiten™ Flush-Glazed Low-E / Clear Glass **b**




Available Collections

- Fiber-Classic, Oak
- Smooth-Star.

Available Door Styles



Available Configurations



Low-E / Clear Glass with Divided Lites

Colonial Style




Available Collections

- Fiber-Classic, Mahogany
- Fiber-Classic, Oak
- Smooth-Star.
- Profiles™
- Traditions

Available Door Styles



Available Configurations




Prairie Style




Available Collections


- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles_™
- Traditions

Available Door Styles




Available Configurations









Low-E / Clear Glass



Available Collections

- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles™
- Traditions


Available Door Styles




Available Configurations











Profiles... Steel Doors




Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL Bottom: Profiles, Screen Vented Glass, Door – 1004HD

Profiles™ & Traditions Steel

Traditions Steel Doors



Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210 Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

Profiles Mark & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 242–245.



Profiles_™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.







Traditions Steel

Features 25-gauge steel, standard embossed smooth surface.
All 8'0" doors are 24-gauge steel with standard embossments.







| ■ = Available • = Not Applicable P = Paint | Profiles | Traditions | | | | | | |
|--|-----------------|------------|--|--|--|--|--|--|
| Door Widths | | | | | | | | |
| 2'0" | | | | | | | | |
| 2'4" | | | | | | | | |
| 2'6" | | | | | | | | |
| 2'8" | | | | | | | | |
| 2'10" | | | | | | | | |
| 3'0" | | | | | | | | |
| 3'6" | | • | | | | | | |
| Door Heights | | | | | | | | |
| 6'6" | | | | | | | | |
| 6'8" | | | | | | | | |
| 7'0" | | • | | | | | | |
| 8'0" | • | | | | | | | |
| Glass Options | | | | | | | | |
| Decorative | 16 | 16 | | | | | | |
| Privacy & Textured | 6 | 6 | | | | | | |
| Internal Blinds | | | | | | | | |
| Screen Vented Lites | | | | | | | | |
| Simulated Divided Lites | | | | | | | | |
| Grilles Between Glass | | | | | | | | |
| Fixed Grilles | | | | | | | | |
| Low-E | | | | | | | | |
| Clear | | | | | | | | |
| Frame Options | | | | | | | | |
| NEW Advanta _™ Lite Frame | | | | | | | | |
| Standard Lite Frame | | | | | | | | |
| Impact Lite Frame | | | | | | | | |
| Additional Options | | | | | | | | |
| Finish | Р | Р | | | | | | |

Retrofit Hinged Patio Doors

Replacing common slider sizes?
Find hinged patio door options
on pages 212–217.
5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

^{*}Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

^{**}Decorative glass designs are shown in Profiles only.

^{***}Brass caming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.


Decorative & Specialty Glass Designs**



Brushed Nickel

Brushed Nickel

Brushed Nickel **Black Nickel**





Blackstone. Glass Privacy Rating: 7

Crystalline Glass Privacy Rating: 7

Sedona Glass Privacy Rating: 7

Salinas. Glass Privacy Rating: 10










Black Nickel **Brushed Nickel**





Maple Park Glass Privacy Rating: 6

Saratoga... Glass Privacy Rating: 7

Texas Star Glass Privacy Rating: 5


Wellesley... Glass Privacy Rating: 6















Glass Privacy Rating: 10

Concorde. Glass Privacy Rating: 8

Kensington... Glass Privacy Rating: 8

Pembridge... Glass Privacy Rating: 7



Axis. Glass Privacy Rating: 7



Black Nickel

Brushed Nickel Black Nickel

Brushed Nickel

NEW Calix Glass Privacy Rating: 1

NEW Latitude Glass Privacy Rating: 2

NEW Echelon Glass Privacy Rating: 1

Also Available:

Internal Blinds Screen Vented **Glass Privacy Rating Scale**

3 4 5 6 7 8 9 10 Clear Opaque

221

Privacy & Textured Glass



Reeded (XK)
Glass Privacy Rating: 7



Satin Etch (XE) Glass Privacy Rating: 10



Chord (XC)
Glass Privacy Rating: 10



Chinchilla (XJ)
Glass Privacy Rating: 10



Rainglass (XR)
Glass Privacy Rating: 8



Granite (XN)Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Also Available:

Divided Lites Clear Glass



Note: See page 287 for important product details that may help with your purchase decision. Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Blackstone.

+ :::



310 2'6"x 6'8" \$\frac{1}{2}\$ (7'0") 2'8"x 6'8" \$\frac{1}{2}\$ (7'0") 2'10"x 6'8" \$\frac{1}{2}\$ (7'0") 3'0"x 6'8" \$\frac{1}{2}\$ (7'0") 3'6"x 6'8" (7'0")



10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

$\textbf{Crystalline}_{^{\text{\tiny{M}}}}$

+ :::



916 2'8" x 6'8" (7'0") 2'10" x 6'8" \$\Delta\$ (7'0") 3'0" x 6'8" \$\Delta\$ (7'0") 3'6" x 6'8" (7'0")



916SL 2 6 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Sedona

+ :::





139SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Salinas_®

X





369SL 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Maple Park

+ ::



1006 2'8" x 6'8" (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 6'8" (7'0")



1006SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Saratoga_™

•:



610 2'6"x 6'8" \$\frac{1}{2}\$ (7'0") 2'8"x 6'8" \$\frac{1}{2}\$ (7'0") 2'10"x 6'8" \$\frac{1}{2}\$ (7'0") 3'0"x 6'8" \$\frac{1}{2}\$ (7'0") 3'6"x 6'8" (7'0")



610SL 5 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Texas Star

• :::





1029SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Wellesley™

***** :: *****



620 620 2'6"x 6'8" \$\(\) (7'0") 2'8"x 6'8" \$\(\) (7'0") 2'10"x 6'8" \$\(\) (7'0") 3'0"x 6'8" \$\(\) (7'0") 3'6"x 6'8" (7'0")



620SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Riserva.


X





TS572SL 2 6 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Key



Brushed Nickel Caming (1C)



NEW Scrolled & Flat Advanta Lite Frame

WBDR / HVHZ Options

Å 6'6" Height Available

Concorde_™

♦ # ♦



1028 2'6"x 6'8" \$\Delta\$ (7'0") 2'8"x 6'8" \$\Delta\$ (7'0") 2'10"x 6'8" \$\Delta\$ (7'0") 3'0"x 6'8" \$\Delta\$ (7'0") 3'6"x 6'8" (7'0")



416SL 6 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Kensington_™

+ :::



626 2'8"x 6'8" (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" (7'0")



626SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Pembridge_M

→ :: ❖



6500HD
2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6" x 6'8" (7'0")



6500SL

65
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Axis.





1651HD 2'8" x 6'8" \$\frac{1}{2}\$ (7'0") 2'10" x 6'8" \$\frac{1}{2}\$ (7'0") 3'0" x 6'8" \$\frac{1}{2}\$ (7'0") 3'6" x 6'8" (7'0")



1651SL 0 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

NEW Calix

♦ ## ◆



2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6" x 6'8" (7'0")



2389SL 26 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

NEW Latitude

♦ # ♦





2382SL 5 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

NEW Echelon

♦ # ❖



2385HD 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 6'8" (7'0")



2385SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites



128__ 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" (7'0")



2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6" x 6'8" (7'0")



6184_SL*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



10"x 6'8" 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



6186_SL*

10" x 6'8"
12" x 6'8" (7'0")

14" x 6'8" (7'0")



632_SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin Etch

XC = Chord XJ = Chinchilla

Privacy & **Textured Glass**



118_ **4**6 2'8"x 6'8" \$ (7'0") 2'10" x 6'8" \(\bar{\Lambda}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" (7'0")



100_SL **4**6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Internal Blinds



130 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" (7'0")



130SL *** ■ 6** 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Clear Glass with Divided Lites



1201 ***** ♦ ♦ ♦ ▼ 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8" (7'0")



1202 *** • • • •** 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8" (7'0")



1203



128 ***≈**++++**≥**6 2'6" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6" x 6'8" (7'0")



1200 * * * * * **1** 6 2'6" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10"x 6'8" \$\hat{\chi}(7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8" (7'0")



108 *****≥++++**2**6 2'10"x 6'8" \$\hat{\chi} (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8" (7'0")



1201SL ***** • • • 🗸 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



1202SL * • • • • 🗾 10"x 6'8" 12"x 6'8" (7'0") 14" x 6'8" (7'0")



1200SL * † † † † **1** 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



*****16 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



6184SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



6185SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



10" x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



* + + + + 1 6 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" (7'0")



198SL * • • • • 🗸 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Clear Glass



118 * **1 5** 2'0"x 6'8" 3'6"x 6'8" (7'0")



100SL * **4** 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")





- Black Nickel Caming (1D) **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- **Flat Bronze Grilles** Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Scrolled** Advanta Lite Frame



Blackstone.

+ :::



1037HD 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



1037SLHD 16 12"x 6'8" 14"x 6'8"

Crystalline_™

+ :::



1042HD 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



956SLHD 12"x 6'8" 14"x 6'8"

Sedona

+ :::



965HD 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



965SLHD 12" x 6'8" 14" x 6'8"

Salinas.



968HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



971SLHD **4**6 12"x 6'8" 14"x 6'8"

Maple Park



1009HD 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



1009SLHD **1 6** 12" x 6'8" 14"x 6'8"

Saratoga_™

##



1039HD **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1039SLHD 12"x 6'8" 14"x 6'8"

Texas Star



1040HD 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1040SLHD 12"x 6'8" 14"x 6'8"

Wellesley_™

♦ ##



1041HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1041SLHD 12"x 6'8" 14"x 6'8"

Riserva.



544HD **4**6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



546SLHD 12"x 6'8" 14"x 6'8"

Concorde_™

#



967HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



967SLHD 12"x 6'8" 14"x 6'8"

Kensington_™

+ :::



03142HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

966SLHD 12"x 6'8" 14"x 6'8"

Pembridge_M

♦ # ♦



6582HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6580SLHD 12"x 6'8" 14"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded XE = Satin Etch XC = ChordXJ = Chinchilla

Axis.





1644HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1644SLHD 2 6 12"x 6'8" 14"x 6'8"

NEW Calix





391HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



391SLHD 4 6 12"x 6'8" 14"x 6'8"

NEW Latitude

♦ ∷ ♦



469HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

NEW

469SLHD 2 6 12"x 6'8" 14"x 6'8"

Privacy & Textured Glass



961HD__ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



959HD__ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6720HD_SL 12"x 6'8" 14"x 6'8"



Internal Blinds



5425 * **4** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



5425SL * **4 6** 12"x 6'8" 14"x 6'8"

Clear Glass with Divided Lites





出出

2111HD * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





1089SLHD * ♦ ♦ ♦ ↓ 1 12"x 6'8" 14"x 6'8"



4572SLHD * • • • • • 2 6 12"x 6'8" 14"x 6'8"





1403HD * • • • • • 2'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1400SLHD * • • • • • 1 12"x 6'8" 14"x 6'8"

Clear Glass



* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



959SLHD * **4 5** 12"x 6'8" 14"x 6'8"

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled
 Advanta Lite Frame

Blackstone.

+ :::



1025HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley™

♦ ∷ ❖



1022HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™

♦ ∷ ❖



1024HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Kensington_™

+ :::



630HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Pembridge_™

* ** **



6578HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Clear Glass



1020HD ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

1/2 Lites

Blackstone_®

+ :::



309HD 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1001HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1117HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



311SLHD 26 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Sedona

+ ::



211HD 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



996HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



294SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Salinas_®

X



2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1002HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1115HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



371SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Maple Park

+ ::



1007HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1011HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1116HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1007SLHD
5
12"x 6'8" (7'0")
14"x 6'8" (7'0")

Saratoga_™





613HD 6 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



988HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1112HD 4 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



615SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Texas Star

+ :::



1032HD 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1035HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1111HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley_™



623HD **4**6 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



989HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1120HD 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



625SLHD 16 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Riserva.



582HD 16 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



578HD **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



584SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Concorde_™

♦ ∷ ❖



426HD 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



999HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1118HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



430SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Kensington_™

+ ::



627HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



631HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1113HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



628SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Key





Brushed Nickel Caming (1C)



X Wrought Iron (1W)



WBDR / HVHZ Options

Pembridge





6560HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



6565HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6568HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6565SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Axis.





1660HD 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1657HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1659HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1657SLHD 6 12"x 6'8" (7'0") 14"x 6'8" (7'0")

NEW Calix





835HD 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



395HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



397HD 3 6 5'8" 2'8"x 6'8" 6'8" 2'10"x 6'8" 5'8" 3'0"x 6'8"



395SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites



262HD__ 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



982HD__ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



263SLHD__ 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass



206HD__ 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



980HD_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



104_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



210SLHD__ 26 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Internal Blinds





Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla

Screen Vented Lites*



1121HD * **4 6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



131 * **2 6 E** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



132SLHD * **4 6** 12" x 6'8" (7'0") 14" x 6'8" (7'0")



243HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1004HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1102HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



137 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Clear Glass with Divided Lites





982HD

* • • • • • • •

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





115HD **★ ◆ E**2'6" x 6'8" (7'0")

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")





* • • • • • • 2'6"x 6'8" 2'6"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



* • • • • • 2' 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1406HD * • • • • • 2 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



1405SLHD * • • • • • 1 12" x 6'8" (7'0") 14" x 6'8" (7'0")



206HD * 26" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



980HD * 2 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1101HD * 26 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





105 **E**2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled
 Advanta Lite Frame
 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Blackstone.





311HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Sedona





294HD

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Salinas_®

X



371HD

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Maple Park

+ :::



1008HD

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Saratoga_™

+ ::



615HD

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Wellesley™





625HD

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Riserva.





588HD

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Concorde_™





430HD

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Kensington_™

+ ::



628HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Pembridge_{TM}





6572HD

2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Axis_®





1662HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

NEW Calix





396HD

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Privacy & Textured Glass



263HD_

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



289HD_

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin Etch

XC = Chord XJ = Chinchilla

Clear Glass with Divided Lites



263HD

* • • • • • • • 2
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1411HD

* • • • • • • 2
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Clear Glass



Craftsman Lites

Sedona





604HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Maple Park₉

+ :::



609HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Saratoga™

+ ::



602HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Riserva_®

X



508HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Pembridge_™

♦ # ♦



6520HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Axis.





1650HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

NEW Calix





6975HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass with Divided Lites



605HD__*

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



607HD__*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



608HD__*

2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Wrought Iron (1W)

 Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
 - NEW Scrolled & Flat Advanta Lite Frame



Privacy & Textured Glass



601_HD* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



* **** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





607HD ***** ■ Z 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



608HD * ■ 1 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Clear Glass



601HD * 2 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Minimal Lites ____

Maple Park.





736HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Saratoga_™





707HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Wellesley™





721HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

$\textbf{Concorde}_{^{\text{\tiny{M}}}}$





735HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Pembridge_™





745HD2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Clear Glass with Divided Lites



752HD ** ↑ ↑ ↑ ◆2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Clear Glass



708HD ** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Concorde_™





454HD2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla

Clear Glass with Divided Lites



255HD

* • • • • •
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Clear Glass



256HD * 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Clear Glass with Divided Lites



236HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



$\textbf{Pembridge}_{^{\text{\tiny{M}}}}$





6570HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



6570SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Axis_®





1643HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1643SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass



296HD__ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



296SLHD__ 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Clear Glass



296HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



296SLHD * 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Solid Panels -



969HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



978HD **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1005HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



205HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



203HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



210HD **6** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
 ♦ Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled
 Advanta Lite Frame
- WBDR / HVHZ Options
 Flevated 10" Bottom

Privacy & Textured

Glass with Divided Lites



TS128 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS108 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6184_SL* 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



6185_SL* 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



6186_SL* 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



632_SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass



TS118 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'6"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass



100_SL 4 6 10"x 6'8" 818_SL 6 12"x 8'0" 12"x 6'8" (7'0") 14" x 8'0" 14"x 6'8" (7'0")

Internal Blinds



TS130 *** ∡ 6** 2'4" x 6'8" 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



*** 3 6** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



130SL * **4 6** 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



829SL * **4 5** 12"x 8'0" 14"x 8'0"



Clear Glass

with Divided Lites

TS1201 ***** ♦ ♦ ♦ ↓ ✓ 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



* ♦ ♦ ♦ ↓ 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS1203 ***** ♦ ♦ ♦ **1** 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS1200 * + + + + 1 6 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS108 *****≥† 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



828 ******* 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



808 * + + + + + 🗸 6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



***** • • • **/** 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0") 14"x 6'8" (7'0")





1202SL ***** • • • • 🗾 10"x 6'8" 12"x 6'8" (7'0")



12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = ReededXE = Satin Etch XC = Chord XJ = Chinchilla

^{*}Not available with Reeded (XK) glass.

^{**}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 287 for important product details that may help with your purchase decision.



632SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



828SL ******* ********** 12"x 8'0" 14"x 8'0"



6184SL 86184SL ***** ■ <u>/</u> 12"x 8'0" 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0") 14"x 8'0"



6185SL 86185SL ***** ■ <u>/</u> 12"x 8'0" 10"x 6'8" 12"x 6'8" (7'0") | 14"x 8'0" 14"x 6'8" (7'0")



6186SL 10"x 6'8" 12"x 6'8" (7'0") | 14"x 8'0" 14"x 6'8" (7'0")

86186SL ***** ■ <u>/</u> 12"x 8'0"

TS198 * + + + + 1 6 2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8' 3'0" x 6'8"



198SL ***** ♦ ♦ ♦ ***** 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

Clear Glass

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



* **6** 🛮 10"x 6'8"

818SL *** 6 ⊿** 12"x 8'0"

1/2 Lites

Privacy & Textured

Glass with Divided Lites



TS262 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



8321_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



TS263_SL 12"x 6'8" 14"x 6'8"

Privacy & Textured Glass



TS206_ 8206_ 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 8'0"



TS104 **6 ≥ E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS210_SL 12"x 6'8" 14"x 6'8"





- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
 - **NEW Scrolled Advanta Lite Frame**
 - WBDR / HVHZ Options
- E Elevated 10" Bottom **Rail Options**
- PVC Doorlite Frame**

Internal Blinds



TS132 * 6 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



TS131 * **4 6 E** 2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS132SL *** ■ 6** 12"x 6'8" 14"x 6'8"

Screen Vented Lites*



TS243 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS137 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites

* **4 6** 2'8" x 8'0" 2'10" x 8'0"

3'0"x 8'0"



8322 * • • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



8323 * † † † † 2 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



8324 * • • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



3'0"x 6'8"




3'0"x 8'0"



TS115 *** ◆ E** 2'6"x 6'8" 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



TS263SL 14"x 6'8"



TS1408 ***** ♦ ♦ ♦ ✓ 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

8145 ***** ♦ ♦ ♦ *** *** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



TS1405SL ***** ♦ ♦ ♦ ↓ 12"x 6'8" 14"x 6'8"

Clear Glass



8206

***1**6

2'8"x 8'0"

2'10"x 8'0"

TS206 *** ■ 6** 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 8'0" 3'0"x 6'8"



TS104 * **4 5** E 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS105 **E** 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS210SL *** 1 6** 12"x 6'8" 14"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded XE = Satin Etch XC = ChordXJ = Chinchilla

Privacy & Textured Glass with Divided Lites



TS263 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass



TS289 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



TS263 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



***** • • • 🗾 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



TS289 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Minimal Lites

Privacy & Textured Glass



TS296_ 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

896_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



TS296 SL 12"x 6'8" 14"x 6'8"

Clear Glass with Divided Lites



TS752 * * * * • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



3'0"x 8'0"



TS704 ***** ◆ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



*****◆ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



***** ♦ ♦ ♦ ◆ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS236 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites Continues on next page.





- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles
- Fixed Grilles (FXG)
- Between Glass (GBGF / GBGC)
 - **NEW** Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom

Clear Glass with Divided Lites



TS237 * • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" (Scalloped Lite Frame)

Clear Glass



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

TS708 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



* 🛮

TS296

* 2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



TS296SL ***** ✓ 12"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 14"x 6'8"

Solid Panels



TS210 6 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





TS100 **9E** 2'0"x 6'8" 2'4"x 6'8" 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

800 **5** E 2'0"x 8'0" 2'4"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Transoms

Transoms can be painted to match a Profiles, or Traditions door system.

Blackstone. • ::



BSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Sedona 🔷 👯



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Salinas. X



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Maple Park. • ::



FWRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Saratoga_™ ♦



19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

Wellesley_™ ◆ **::** ❖



19730T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

Riserva. X



RSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Concorde_™ ♦ ## ❖



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Kensington_™ ◆ **#**



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Pembridge_™ ◆ **!!** ❖



PBRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Axis.





AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

NEW Calix ◆ ## ❖



CXRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems

CX30T 3'0" Door Only

NEW Latitude ♦ # ❖



LTRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



1T30T 3'0" Door Only

NEW Echelon ♦ ## ❖



ECRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



EC30T 3'0" Door Only

Clear Glass



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied





19200T

19210T

3'0" Door Only

12" & 14" Sidelite Only

Key



Brass Caming (1A)



Brushed Nickel Caming (1C)







Fire Doors


Smooth-Star_® & Steel



Therma-Tru_® Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

Additional Options

Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 245.

For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

^{*}To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit www.thermatru.com/performancedata.

Left: Smooth-Star Door – SSF120





20-Minute Fire-Rated Wood Edge – Fiberglass




SSF93 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF45 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF220 **9** E 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



SSF8220 **9 E**



SSF81100 SSF1100 **9 E** 2'8" x 6'8" 2'10" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



SSF8120 SSF120 **9** E 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



SSF200 SSF8200 2'8"x 8'0" 2'10"x 8'0" 2'6"x 6'8" 2'8"x 6'8" 2'10" x 6'8" 3'0"x 8'0" 3'0"x 6'8"



SSF205 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



SSF755 2'10"x 6'8" 3'0"x 6'8"



SSF31 SSF831 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF960 **9** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF4800 **9 E** SSF84800 **9** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF600

SSF8600 2'8" x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0" x 6'8"



SSF160 **9 E** 2'6"x 6'8"

2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



2'6"x 6'8"

2'8"x 6'8" (7'0") | 3'0"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

2'10"x 8'0"

20-Minute Fire-Rated Wood Edge - Steel

SSF8160

2'6"x 8'0"

Profiles_™



969HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



978HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



205HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



210HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



100 5 E 2'0"x 6'8" 2'4"x 6'8" 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'6"x 6'8"

Traditions



TS210 2'6" x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



TS100 9 E 2'0"x 6'8" 2'4"x 6'8" 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"







PULSE

Modern design. Upbeat living.










Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.















The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.








1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



2 Choose a MATERIAL.

Each style is available in any of these material choices.




3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass


Available for all Pulse door styles.



Low-E Also Available.


Decorative Glass

Available for Línea



Available for Ari.

Available for Echo.



- 1 Blackstone
- 2 Crystalline™
- 3 Sedona
- 4 Salinas_®
- 5 Saratoga™
- 6 Riserva_®
- 7 Pembridge_™
- 8 Axis
- 9 **NEW** Calix
- 10 **NEW** Latitude
- 11 NEW Echelon

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style. Available in Advantan* and Standard lite frames.



Scrolled Profile Lite Frame



Flat Profile Lite Frame


| Pulse _s Size Options | | | | | | | | | |
|---------------------------------|-----------|-------------------------|--------------|-------------------|---------------|---------------|---------------|--|--|
| | | Wood-Grained Fiberglass | | Smooth Fiberglass | | Steel | | | |
| | | 6'8" | 8'0" | 6'8" | 8'0" | 6'8" | 8'0" | | |
| | Doors | 2'6" x 6'8" o | 2'6" x 8'0"° | 2'6" x 6'8" o | 2'6" x 8'0" o | 2'6" x 6'8" o | 2'6" x 8'0" o | | |
| | | 2'8" x 6'8" | 2'8" x 8'0" | 2'8" x 6'8" | 2'8" x 8'0" | 2'8" x 6'8" | 2'8" x 8'0" | | |
| | | 2'10" x 6'8" | 2'10" x 8'0" | 2'10" x 6'8" | 2'10" x 8'0" | 2'10" x 6'8" | 2'10" x 8'0" | | |
| | | 3'0" x 6'8" | 3'0" x 8'0" | 3'0" x 6'8" | 3'0" x 8'0" | 3'0" x 6'8" | 3'0" x 8'0" | | |
| | | | | 3'6" x 6'8" | 3'6" x 8'0" | 3'6" x 6'8" | | | |
| | Sidelites | 10" x 6'8" ● | 12" x 8'0" | 10" x 6'8" • | 12" x 8'0" | 10" x 6'8" • | 12" x 8'0" | | |
| | | 12" x 6'8" | 14" x 8'0" | 12" x 6'8" | 14" x 8'0" | 12" x 6'8" | 14" x 8'0" | | |
| | | 14" x 6'8" | | 14" x 6'8" | | 14" x 6'8" | | | |


- Available in full-lite sidelites only. Available in Línea and Echo only.





















Línea

Note: Product images show exterior side of door.











Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass It's your decision, by design.
Select a look for the door and sidelite

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Steel




































Línea Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 248.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)Wrought Iron (1W)
- NEW Scrolled & Flat
 Advanta Lite Frame
 WBDR / HVHZ Options

































Smooth Steel Fiberglass


It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.


Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.
































Echo Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 248.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
 - Elevated 10" Bottom Rail Options

































Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)

Smooth Steel Fiberglass

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



































Echo Continues on next page.


Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 248.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- NEW Scrolled & Flat Advanta Lite Frame
- E Elevated 10" Bottom Rail Options








































It's your decision, by design.
Select a look for the door and sidelite

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



Sidelites Continue on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 248.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Key



Black Nickel Caming (1D)

■■ Brushed Nickel Caming (1C)


Brass Caming (1A)




Vented Sidelite Options



■ Elevated 10" Bottom Rail Options





Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.





Finishing Options















Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuardo premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru_® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft, doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.









Fiber-Classic, Smooth-Star, Pulse

Application

Durable Topcoat & Steel











Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the () symbol.









Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-True doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

PrismaGuard_® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru₀ fiberglass doors and composite door frames.

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru₀ door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- **6** A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.



Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru_® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Bottom Left: Smooth-Star, Calix Glass, Door – S2223, Finish – Golden Wheat Bottom Right: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2400SL, Finish – Alpine









Color matches available.

Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the () symbol. See your Therma-Tru seller for details.



SAME-DAY. STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru_® fiberglass doors and composite door frames.



















All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*


Watch easy-to-follow instructions at thermatru.com/samedaystain.





For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.

Door System Components





Engineered to work together.

A Therma-Tru_® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology





COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard_™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded A LVL core to provide additional structural support and stability and feature a 3 composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

^{*}See your Therma-Tru seller for details on product availability.

^{**}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{**}To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

Available Textures





Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry
 - no sanding or priming required.





White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is no painting required. Or finish with stain or paint to complement the entry - no sanding or priming required.

The advantage is clear.

| Performance | |
|---|----------|
| Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting | ✓ |
| Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture | ✓ |
| Resists Insects – Help Protect from Wood-Ingesting Insects | √ |
| Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.** | ✓ |
| Impact and 20-Minute Fire Code Compliant*** | ✓ |
| Aesthetics | |
| Ready to Finish – No Sanding or Priming Required | ✓ |
| Ready-to-Install Option – No Finishing Required – White Smooth | ✓ |
| Universal Grain Complements a Wide Range of Wood Species – Buff Grained | ✓ |
| Screw Plugs Match Frame Material and Conceal External Fasteners | ✓ |
| Warranty | |

| Therma-Tru Products & Applications | Warranty For First Homeowner | Warranty Riders Transferable 1x to Second Homeowner |
|--|--|---|
| Composite Door Frame
+ Classic Craft _* Door
+ Components | LIFETIME LIMITED WARRANTY TRANSFERABLE | Lifetime Transferable
Full-System Rider |
| Composite Door Frame
+ Fiber-Classic, Smooth-Star, Pulse, Fiberglass Door
+ Components | LIFETIME
WARRANTY | 10-Year Transferable
Full-System Rider |
| Composite Door Frame Only | LIFETIME
WARRANTY | |

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs



Mullions





■ Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim







Mull Casing







Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor Face Adaptor (Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap



Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions



Engineered as part of Therma-Tru's complete entry door system, our composite door frame is

more reliable and up to 50% stronger on average than standard wood door frames*


when withstanding a simulated forced entry attempt by kicking in the door.*



7/16" x 5/16" Cove Mould

Transom Sills





Code-Compliant Options

Therma-Tru composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.**



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.**



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.**

^{*}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{*}To confirm code requirements in your jurisdiction, always check with your local building code authority.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options



Composite Adjustable Sill (Premium) 🔹

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- · Adjustable flush screws.

Value Composite

Value Composite Adjustable Sill (Economy)

- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

Outswing Options



Composite Outswing Sill (Premium)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break


- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)

- · All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Inswing Sill Extenders



Public Access Sill

Public Acce (For ADA Appl

Public Access Sill with Thermal Break** (For ADA Applications)

- All-aluminum construction.
- Ramp slope meets
 Americans with Disabilities
 Act (ADA) requirements.
- Also available without thermal break.

Key



^{*}See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

^{**}Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.


^{***}For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision.

Sill Finishes



Mill



Bronze

Cap Colors



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

| ■ = Available • = Not Applicable | Inswing Options | Composite Adjustable (Premium) | Hardwood Adjustable | Value Composite Adjustable (Economy) | Outswing Options | Composite Outswing (Premium) | Aluminum with Thermal Break | Aluminum without Thermal Break | Coastal | Public Access (Inswing / Outswing) | Public Access (ADA)** |
|---|-----------------|--------------------------------|---------------------|--------------------------------------|------------------|------------------------------|-----------------------------|--------------------------------|---------|------------------------------------|-----------------------|
| Sill Finishes | | | | | | | | | | | |
| Mill | | | | | | | | | | | |
| Bronze | | | | | | | | | • | | |
| Cap Colors | | | | | | | | | | | |
| Lightwood | | | • | | | | • | • | • | | • |
| Darkwood | | | • | | | | • | • | • | | • |
| Hardwood | | • | | • | | • | • | • | • | | • |
| Sill Configurations | | | | | | | | | | | |
| Single | | | | | | | | | | | |
| French | | | | • | | | | | | | |
| Double Patio | | | | • | | | • | • | • | | • |
| Triple Patio | | | • | • | | | • | • | • | | • |
| Lineal | | _ | _ | • | | • | • | • | • | | • |
| Sidelite Configurations | | | | | | | | | | | |
| Boxed Sidelites | | | • | • | | • | • | • | • | | • |
| Single with Sidelites | | | | • | | | • | • | • | | • |
| French with Sidelites | | | • | • | | • | • | • | • | | • |
| Single Vented Sidelites | | | • | • | | • | • | • | • | | • |
| French Vented Sidelites | | | • | • | | • | • | • | • | | • |
| Depths | | | | | | | | | | | |
| 4-9/16" | | | • | | | | • | | | | |
| 5-3/4" | | | | | | | | • | • | | • |
| 6-%16" | | • | • | • | | • | • | • | • | | |
| 7-3/4" | | | | | | • | | • | • | | • |
| Substrates | | | | | | | | | | | |
| Composite Extruded | | | • | • | | | • | • | • | | • |
| Composite Injection Molded | | | • | | | • | • | • | • | | • |
| Treated Pine | | • | | • | | • | | | | | • |
| Other Options | | | | | | | | | | | |
| Integrated Thermal Break | | | | | | | | • | • | | |
| Screen Rail Available | | | | • | | • | • | • | • | | • |
| Sill Extenders Available | | | | | | | • | • | • | | • |
| Sill Covers Available | | - | | | | - | • | • | • | | • |
| Tru-Defense Eligible*** With Anchor Holes | | • | • | • | | • | • | • | • | | • |
| ANIGH VITOLION LIGHTS | | - | - | _ | | - | | | | | |

Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options



for replacement applications.

Available in bronze only.





Outswing Options

Composite Outswing Colors: Bronze





ADA / Replacement

channels to help collect and drain moisture away.



Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.



See page 273 for availability.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft₈7-Shape Pads • Fiber-Classic. / Smooth-Star. **Basic Pads** 7-Shape Pads 💠 Colors: Colors: Bronze Colors: Bronze White Bronze Sills: White Sills: Inswing Composite Adjustable Sills: Applications Only Hardwood Adjustable Composite Adjustable Value Composite Adjustable Hardwood Adjustable Public Access Value Composite Adjustable Public Access

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.





Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.





Hardware


Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

Grip-Style MPLS 💠

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)





Tongue Heights:

Height 6'8" 7'0" 8'0" Configurations: Inswing Outswing

1 Self-lubricating locks.

2 1" premium stainless steel deadbolt.

3 Integrated mishandling device.

Key







Lever-Style MPLS 💠

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue Heights:

6'6" 6'8" 7'0"

8'0"


Configurations: Inswing Outswing



Shootbolt

(For door systems with an astragal.) Heights: Configurations:

6'6" 6'8" 7'0" 8'0" Inswing Outswing



Vented Sidelite MPLS







Tongue (Included in vented sidelite units.) Heights: 6'6" 6'8" 8'0"

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru_® door styles from traditional to contemporary.











Adjustable Security Strike Plate



Latch & Deadbolt Strike Plate

(Recommended for standard lock and deadbolt handlesets only.) Finish Options: A genuine Therma-Tru adjustable security s

Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze Stainless Steel Zinc Dichomate A genuine Therma-Tru adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- 1 Wraps around the door jamb for added support and an exact fit.
- 2 2-1/2" screws fully engage with the frame of the house for added strength.

Standard vs. Adjustable Security Strike Plate

Hinges

Adjustable Hinge 💠

(Recommended for Classic Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft_® Ball-Bearing •

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Classic-Craft_® Ball-Bearing – Staggered Hole Pattern 🕈

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.





Self-Aligning Ball-Bearing •

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Self-Aligning *

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab *

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded 💠

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.



Hinge Finish Options



Brass



Nickel



Black

Nickel





Polished

Chrome



Oil-Rubbed

Bronze



Steel



Zinc Dichromate

| = Available= Not ApplicableHinge Finish Options | Adjustable | Classic Craft。
Ball-Bearing | Classic Craft。
Ball-Bearing –
Staggered Hole Pattern | Classic Craft,
Ball-Bearing –
Staggered Hole Pattern
(Non-Removable Pin) | Self-Aligning
Ball-Bearing | Self-Aligning | Self-Aligning NRP
(Non-Removable Pin) | Security Tab | Spring-Loaded |
|---|------------|--------------------------------|--|---|-------------------------------|---------------|--|--------------|---------------|
| Bright Brass | | | | - | | • | • | • | • |
| Brushed Nickel | | | | - | | | - | | |
| Black Nickel | | | | - | - | • | - | • | |
| Polished Chrome | | | | | | • | | • | |
| Oil-Rubbed Bronze | | | | • | | | | • | |
| Stainless Steel | • | | | - | | • | | | |
| Zinc Dichromate | • | | | | | | | | |

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Astragal



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Stainable Astragal 💠 Heights: 6'6" 6'8" 7'0" 8'0" Width: Shown in Oak grain with Driftwood stain.

Configurations: Inswing Outswing Multi-Point Lock Double Bore Left-Handed Right-Handed

Grain Options: 0ak

Weatherstrip: Bronze



Configurations: Inswing Outswing Multi-Point Lock Double Bore Left-Handed Right-Handed

Finish Colors: Bronze

> Weatherstrip: Bronze

Textures Available

Stainable (Shown in Driftwood stain.)



Oak Grain



Fir Grain







Bronze

White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors - CCR804028 Right Page, Top: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - 8000-12, Finish - Raven Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors - CCA211, Finish - Driftwood Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - FC8313, Finish - Barley







Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.







Special Quote GBG Color Options

Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.





Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options

Classic Craft®




Key

- Classic Craft_® Artíssa Collection_™
- ◆ Classic Craft。
 Founders Collection™
- ▲ Classic Craft。 Visionary Collection™
- * Smooth-Star.
- ▶ Profiles™ & Traditions

6'8" & 8'0" Solid-Panel Door Styles



Smooth-Star_®, Profiles_™, Traditions & Pulse_®



7'0" Height Door Style Options


| Door Styles | | | | | | | | | | | | |
|--------------------------|----------------------|-------------|----|----------------------|---|----|----|-------------|---|-------------|---|--|
| Blackstone | V A*) | A* | * | | | | | | | | | |
| Crystalline _™ | VA* | _ T F | T- | | | | | | | | | |
| Sedona | VA * D | A *) | * | | | | | | | | | |
| | - | | | | | | | | | | | |
| Salinas. | VA * D | A *) | * | | • | | | | | | | |
| Maple Park. | VA *) | A* | * | | • | | | A *) | | | | |
| Saratoga _™ | VA *) | A *D | * | | D | | ▼* | A *D | | | | |
| Texas Star | VA *) | * * | * | | D | | | | | | | |
| Wellesley™ | VA *) | * * | * | | • | | | A *D | | | | |
| Riserva | VA *) | A *D | * | | D | | | | | | | |
| Concorde™ | VA *) | A *) | * | | • | | | A *) | • | | | |
| Kensington _™ | VA *) | * * | * | | • | | | | | | | |
| Pembridge™ | VA *) | A *) | * | | • | | | • | | A D | | |
| Axis. | VA *) | A *) | * | | D | | | | | A *D | | |
| NEW Calix | VA *) | A *D | * | | | | | | | | | |
| NEW Latitude | VA *) | | | | | | | | | | | |
| NEW Echelon | VA *) | | | | | | | | | | | |
| Privacy & Textured Glass | VA *) | A *) | * | VA * D | • | | ▼* | | | A *) | | |
| Internal Blinds | VA *) | A *) | * | VA * D | | | | | | | | |
| Screen Vented | | *) | * | *) | | | | | | | | |
| Divided Lites | VA *) | A *) | * | | • | *1 | ▼* | A *) | • | | • | |
| Clear | VA *) | A *) | * | VA * D | • | *) | ▼* | A *) | • | A *) | | |
| Solid Panel | | | | | | | | | | | | |

6'6" Height Door Style Options

| 0 | | | | • | |
|---------------------------|-------------|---|---|----------|----|
| Door Styles Glass Designs | | | | | |
| Blackstone | A *) | | | * | |
| Crystalline _™ | * * | | | * | |
| Sedona | A *D | | | * | |
| Salinas. | A *D | | | * | |
| Maple Park | A *D | | | * | |
| Saratoga _™ | A *D | | | * | |
| Texas Star | A *D | | | * | |
| Wellesley™ | A *D | | | * | |
| Riserva | A *D | | | * | |
| Concorde | A *D | | | * | |
| Kensington™ | A *D | | | * | |
| Pembridge _™ | A *D | | | * | |
| Axis. | A *D | | | * | |
| NEW Calix | A *D | | | * | |
| NEW Latitude | A *D | | | * | |
| NEW Echelon | A *D | | | * | |
| Privacy & Textured Glass | A* |) | | * | |
| Internal Blinds | A *D | • | | * | |
| Screen Vented | | • | | | |
| Divided Lites | A* | | • | * | |
| Clear | A *D | • | • | * | |
| Solid Panel | | | | | *) |

Key

- ▲ Classic Craft_® Visionary Collection_™
- ▼ Fiber-Classic_® Mahogany Collection_™
- ▲ Fiber-Classic_® Oak Collection_™
- * Smooth-Star.
- ▶ Profiles™ & Traditions







Top: Smooth-Star, Maple Park Glass, Door – S6107 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

| Feature | Classic Craft | Fiber-Classic. & Pulse.
Wood-Grained | Smooth-Star. &
Pulse. Smooth | Profiles _™ &
Pulse₅ Steel (6'8") | Traditions & Pulse. Steel (8'0") | |
|--|---|---|---|--|--|--|
| Skin Material Fiberglass | | Fiberglass | Fiberglass | 24-Gauge Steel | 6'8": 25-Gauge Ste
/ 8'0": 24-Gauge
Steel | |
| Skin Texture | Fir, Walnut,
Mahogany; High-
Detail Smooth | Mahogany,
Oak Grain | High-Detail Smooth | Smooth | Smooth | |
| Exterior Finish | Stain or Paint | Stain or Paint | Paint | Paint | Paint | |
| Interior Finish | Stain or Paint | Stain or Paint | Paint | Paint | Paint | |
| Panel - Top Rail | Composite | Composite | Composite | Wood | Wood | |
| Panel - Bottom
Rail | Composite | Composite | Composite | Composite | Composite | |
| Lock Stile | Engineered Lumber Engineered Lumber 8'0": 3-15/16" 8'0": 3-15/16" 8'0": 3-15/16" Full-Length Full-Length Engineered | | Engineered Lumber
8'0": 3- ¹⁵ / ₁₆ " | 1-1/4" Wood | 1-1/4" Wood | |
| Lock Block | 4" Full-Length
Engineered
Lumber Stile | 22-1/2" Wood | 12-1/2" Wood | 12-½" Wood | 6'8": 12-½" Wood /
8'0": 22-½" Wood | |
| Height Options | 6'8", 7'0" & 8'0" | 6'6", 6'8", 7'0" & 8'0" | 6'6", 6'8", 7'0" & 8'0" | 6'6", 6'8" & 7'0" | 6'8" & 8'0" | |
| Width Options | 2'6", 2'8", 2'10",
3'0" & 3'6" | 2'0", 2'4", 2'6", 2'8",
2'10" & 3'0" | 2'0", 2'4", 2'6", 2'8",
2'10", 3'0" & 3'6" | 2'0", 2'4", 2'6", 2'8",
2'10", 3'0" & 3'6" | 2'0", 2'4", 2'6", 2'8",
2'10" & 3'0" | |
| Panel Options | Single, Double or
Triple | Single, Double or Triple | Single, Double or Triple | Single, Double or
Triple | Single, Double or
Triple | |
| Sidelite Options | 12" & 14" | 10", 12" & 14" | 10", 12" & 14" | 10", 12" & 14" | 10", 12" & 14" | |
| Lite Frame
Options | SMC Frame | Advanta Frame, Standard
Frame, PVC Frame | Advanta Frame, Standard Frame, PVC Frame | Standard Frame,
PVC Frame | Standard Frame,
PVC Frame | |
| Glass Options | Deco /
Privacy & Textured /
Low-E IG | Deco /
Privacy & Textured /
Low-E / Clear IG | Deco /
Privacy & Textured /
Low-E / Clear IG | Deco /
Privacy & Textured /
Low-E / Clear IG | Deco /
Privacy & Textured /
Low-E / Clear IG | |
| Sill* | Inswing: Composite
Adjustable
Outswing:
Composite
Outswing | Inswing: Value
Composite Adjustable
Outswing: Composite
Outswing | Inswing: Value
Composite Adjustable
Outswing: Composite
Outswing | Inswing:
Value Composite
Adjustable
Outswing:
Aluminum | Inswing:
Value Composite
Adjustable
Outswing:
Aluminum | |
| Weatherstrip –
Hinge | Medium-Reach | Medium-Reach | Medium-Reach | Medium-Reach | Medium-Reach | |
| Weatherstrip –
Lock | Medium-Reach | Long-Reach | Long-Reach | Long-Reach or
Magnetic | Long-Reach or
Magnetic | |
| Weatherstrip –
Head | Medium-Reach | Long-Reach | Long-Reach | Long-Reach or
Magnetic | Long-Reach or
Magnetic | |
| Multi-Point Lock | Recommended | Recommended | Recommended | _ | _ | |
| Security Strike Plate | Recommended | Recommended | Recommended | Recommended | Recommended | |
| Hinges* | Classic Craft
Ball-Bearing | Self-Aligning | Self-Aligning | Self-Aligning | Self-Aligning | |
| Frame* | Composite Door
Frame | Composite Door Frame | Composite Door Frame | Rot-Resistant | Primed Pine | |
| Screens & Screen
Accessories
Available
Colors: Bronze,
White | 2" Frame | 2" Frame | 2" Frame | 2" Frame | 2" Frame | |
| Residential
Limited
Warranty | Transferable
Lifetime | Lifetime | Lifetime | 10 Years | Door: 5 Years /
Glass: 10 Years /
Pulse 8'0":
10 Years | |

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru_® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit

www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges - Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru_n Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft_n, Fiber-Classic_n, Smooth-Star_n and Pulse. Door Systems; Steel – Pulse_n, Profiles_m, and Traditions Door Systems
- Therma-Tru₀ Tru-Defense₀ Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft₀, Fiber-Classic₀, Smooth-Star₀ and Pulse₀ Fiberglass Door Systems
- EnLiten... Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten... Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft., Fiber-Classic., Smooth-Star., and Pulse. Door Systems; Steel – Pulse., Profiles... and Traditions
- Same-Day, Stain 5-Year Limited Warranty: Same-Day, Stain and Topcoat for Use on Therma-Tru, Fiberglass Door Systems and Fypon-Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard... Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru_{*} Composite Door Frame featuring Tru-Guard_{**} Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic_{*}, Smooth-Star_{*} and Pulse_{*} Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft.

| 40000T | 400 | 004000000000 | | 004040401 | 00 | 00400001/D | | 00400000041 | | 00404040 | |
|--------------------------|-----|--------------|-----|-------------|-----|--------------|----|--------------|-----|-------------|---|
| 19020T | | CCA2320XNSL | | CCA3401SL | | CCA8220XR | | CCA82360XN | | CCA84940XN | |
| 19200T | | CCA2320XR | | CCA3450SL | | CCA8230 | | CCA82360XR | | CCA84940XR | |
| 19210T | | CCA2320XRSL | | CCA3450XCSL | | CCA82300 | | CCA82370 | | CCA84945 | |
| 19220T | | CCA2330 | | CCA3450XJSL | | CCA82300SL | | CCA82370XC | | CCA87100 | |
| AB30T | | CCA2330SL | | CCA3450XNSL | | CCA82300XC | | CCA82370XE | | CCA87100XR | |
| ABRT | | CCA2330XC | | CCA3450XRSL | | CCA82300XCSL | | CCA82370XJ | | CCA87111 | |
| CC040T | | CCA2330XCSL | | CCA3500SL | | CCA82300XE | | CCA82370XN | | CCA87112 | |
| CC400T | 108 | CCA2330XE | 70 | CCA3500XCSL | | CCA82300XESL | 72 | CCA82370XR | 71 | CCA87131 | |
| CC420T | 108 | CCA2330XESL | 72 | CCA3500XJSL | 98 | CCA82300XJ | 70 | CCA82380 | 73 | CCA87132 | 9 |
| CCA1100 | 103 | CCA2330XJ | 70 | CCA3500XNSL | 98 | CCA82300XJSL | 72 | CCA82380XC | 70 | CCA87200 | ! |
| CCA1125 | 102 | CCA2330XJSL | 72 | CCA3500XRSL | 98 | CCA82300XK | 70 | CCA82380XE | 70 | CCA87200XR | ! |
| CCA1127 | 102 | CCA2330XK | 70 | CCA3501SL | | CCA82300XKSL | 72 | CCA82380XJ | 70 | CCA87300 | |
| CCA1133 | 103 | CCA2330XKSL | 72 | CCA3560SL | 100 | CCA82300XN | | CCA82380XK | | CCA87300XR | |
| CCA1145 | 103 | | 70 | CCA3560XCSL | 98 | CCA82300XNSL | 72 | CCA82380XN | 70 | CCA87400 | |
| CCA1147 | | CCA2330XNSL | | CCA3560XJSL | | CCA82300XR | | CCA82380XR | | CCA87400XR | |
| CCA1149 | | CCA2330XR | | CCA3560XNSL | | CCA82300XRSL | | CCA8240 | | CCA87600 | |
| CCA1150 | | CCA2330XRSL | | CCA3560XRSL | | CCA8230XC | | CCA82400 | | CCA87600XR | |
| CCA1158 | | CCA2340 | | CCA4900 | | CCA8230XJ | | CCA82400SL | | CCA89100 | |
| CCA1166 | | CCA2340SL | | CCA4900XC | | CCA8230XN | | CCA82400XC | | CCA89300 | |
| CCA1100 | | CCA2340XC | | CCA4900XE | | CCA8230XR | | | | | |
| | | | | | | | | CCA82400XCSL | | CCA9100 | |
| CCA210 | | CCA2340XCSL | | CCA4900XJ | | CCA8231 | | CCA82400XE | | CCA9100SL | |
| CCA210SL | | CCA2340XE | | CCA4900XN | | CCA82310 | | CCA82400XESL | | CCA9300 | |
| CCA210XC | | CCA2340XESL | | CCA4900XR | | CCA82310SL | | CCA82400XJ | | CCM1424 | |
| CCA210XCSL | | CCA2340XJ | | CCA4905 | | CCA82310XC | | CCA82400XJSL | | CCM1465 | |
| CCA210XJ | | CCA2340XJSL | | CCA4910L | | CCA82310XCSL | 72 | CCA82400XK | 71 | CCM1495 | |
| CCA210XJSL | 98 | CCA2340XK | 70 | CCA4910LXC | 71 | CCA82310XE | 70 | CCA82400XKSL | 72 | CCM1842 | |
| CCA210XN | | CCA2340XKSL | | CCA4910LXE | | CCA82310XESL | | CCA82400XN | | CCM2800 | |
| CCA210XNSL | | CCA2340XN | | CCA4910LXJ | | CCA82310XJ | | CCA82400XNSL | | CCM2800XC | |
| CCA210XR | | CCA2340XNSL | | CCA4910LXN | | CCA82310XJSL | | CCA82400XR | | CCM2800XE | |
| CCA210XRSL | | CCA2340XR | | CCA4910LXR | | CCA82310XK | | CCA82400XRSL | | CCM2800XK | |
| CCA210ANSL | | CCA2340XRSL | | | | CCA82310XKSL | | CCA8240XC | | CCM2800XN | |
| | | | | CCA4910R | | | | | | | |
| CCA211SL | | CCA2350 | | CCA4910RXC | | CCA82310XN | | CCA8240XJ | | CCM2800XR | |
| CCA220 | | CCA2350XC | | CCA4910RXE | | CCA82310XNSL | | CCA8240XN | | CCM2801 | |
| CCA220SL | | CCA2350XE | | CCA4910RXJ | | CCA82310XR | | CCA8240XR | | CCM2802 | |
| CCA220XC | 97 | CCA2350XJ | 71 | CCA4910RXN | 71 | CCA82310XRSL | | CCA82410SL | | CCM2803 | |
| CCA220XCSL | 98 | CCA2350XN | 71 | CCA4910RXR | 71 | CCA82320 | 72 | CCA82420SL | 103 | CCM2804 | 8 |
| CCA220XJ | 97 | CCA2350XR | 71 | CCA4915L | 102 | CCA82320SL | 74 | CCA8260 | 99 | CCM2804XC | |
| CCA220XJSL | 98 | CCA2360 | | CCA4915R | | CCA82320XC | | CCA8260XC | | CCM2804XE | |
| CCA220XN | | CCA2360XC | | CCA4920L | | CCA82320XCSL | | CCA8260XJ | | CCM2804XK | |
| CCA220XNSL | | CCA2360XE | | CCA4920LXC | | CCA82320XE | | CCA8260XN | | CCM2804XN | |
| | 97 | CCA2360XJ | | CCA4920LXE | | CCA82320XESL | | CCA8260XR | | CCM2804XR | |
| | | | | | | | | | | | |
| CCA220XRSL | | CCA2360XN | | CCA4920LXJ | | CCA82320XJ | | CCA84900 | | CCM2806 | |
| CCA230 | | CCA2360XR | | CCA4920LXN | | CCA82320XJSL | | CCA84900XC | | CCM2806XC | |
| CCA2300 | | CCA2370 | | CCA4920LXR | | CCA82320XK | | CCA84900XE | | CCM2806XE | |
| CCA2300SL | | CCA2370XC | | CCA4920R | | CCA82320XKSL | | CCA84900XJ | | CCM2806XK | |
| CCA2300XC | | CCA2370XE | | CCA4920RXC | | CCA82320XN | 70 | CCA84900XN | 71 | CCM2806XN | |
| CCA2300XCSL | 72 | CCA2370XJ | 71 | CCA4920RXE | 71 | CCA82320XNSL | 72 | CCA84900XR | 71 | CCM2806XR | |
| CCA2300XE | 70 | CCA2370XN | 71 | CCA4920RXJ | 71 | CCA82320XR | 70 | CCA84905 | 102 | CCM2812 | 1 |
| CCA2300XESL | 72 | CCA2370XR | | CCA4920RXN | | CCA82320XRSL | | CCA84910L | 73 | CCM2812XC | |
| CCA2300XJ | | CCA2380 | | CCA4920RXR | | CCA82330 | | CCA84910LXC | | CCM2812XE | |
| CCA2300XJSL | | CCA2380XC | | CCA4925L | | CCA82330SL | | CCA84910LXE | | CCM2812XK | |
| CCA2300XK | | CCA2380XE | | CCA4925R | | CCA82330XC | | CCA84910LXJ | | CCM2812XN | |
| CCA2300XKSL | | CCA2380XJ | | CCA4930 | | CCA82330XCSL | | CCA84910LXN | | CCM2812XR | |
| | | | | | | | | CCA84910LXR | | CCM300 | |
| CCA2300XN | | CCA2380XK | | CCA4930XC | | CCA82330XE | | | | | |
| CCA2300XNSL | | CCA2380XN | | CCA4930XE | | CCA82330XESL | | CCA84910R | | CCM300XC | |
| CCA2300XR | | CCA2380XR | | CCA4930XJ | | CCA82330XJ | | CCA84910RXC | | CCM300XN | |
| CCA2300XRSL | | CCA240 | | CCA4930XN | | CCA82330XJSL | | CCA84910RXE | | CCM301CAL | |
| CCA230XC | | CCA2400 | | CCA4930XR | | CCA82330XK | | CCA84910RXJ | | CCM301CALXC | |
| CCA230XJ | 97 | CCA2400SL | 75 | CCA4935 | 103 | CCA82330XKSL | 72 | CCA84910RXN | 71 | CCM301CALXE | 9 |
| CCA230XN | | CCA2400XC | | CCA4940 | | CCA82330XN | | CCA84910RXR | | CCM301CALXN | |
| CCA230XR | | CCA2400XCSL | | CCA4940XC | | CCA82330XNSL | 72 | CCA84915L | | CCM301CALXR | |
| CCA231 | | CCA2400XE | | CCA4940XE | 71 | CCA82330XR | | CCA84915R | | CCM301CAR | |
| CCA2310 | | CCA2400XESL | | CCA4940XJ | | CCA82330XRSL | | CCA84920L | | CCM301CARXC | |
| CCA2310SL | | CCA2400XJ | | CCA4940XN | | CCA82340 | | CCA84920LXC | | CCM301CARXE | |
| CCA2310XC | | CCA2400XJSL | | CCA4940XR | | CCA82340SL | | CCA84920LXE | | CCM301CARXN | |
| CCA2310XCSL | | CCA2400XK | | CCA4945 | | CCA82340XC | | CCA84920LXJ | | CCM301CARXR | |
| CCA2310XE | | CCA2400XKSL | | CCA81100 | | CCA82340XCSL | | CCA84920LXN | | CCM302 | |
| | | | | | | | | | | | |
| CCA2310XESL | | CCA2400XN | | CCA81125 | | CCA82340XE | | CCA84920LXR | | CCM302L | |
| CCA2310XJ | | CCA2400XNSL | | CCA81127 | | CCA82340XESL | | CCA84920R | | CCM302LXC | |
| CCA2310XJSL | | CCA2400XR | | CCA81133 | | CCA82340XJ | | CCA84920RXC | | CCM302LXE | |
| CCA2310XK | | CCA2400XRSL | | CCA81145 | | CCA82340XJSL | | CCA84920RXE | | CCM302LXN | |
| CCA2310XKSL | 72 | CCA240XC | 97 | CCA81147 | 103 | CCA82340XK | 70 | CCA84920RXJ | | CCM302LXR | |
| CCA2310XN | 70 | CCA240XJ | 97 | CCA81149 | 102 | CCA82340XKSL | 72 | CCA84920RXN | 71 | CCM302R | 9 |
| CCA2310XNSL | | CCA240XN | 97 | CCA81150 | | CCA82340XN | | CCA84920RXR | 71 | CCM302RXC | |
| CCA2310XR | | CCA240XR | | CCA81158 | | CCA82340XNSL | | CCA84925L | | CCM302RXE | |
| CCA2310XRSL | | CCA2410SL | | CCA81166 | | CCA82340XR | | CCA84925R | | CCM302RXN | |
| | 72 | CCA2420SL | | CCA81423SL | | CCA82340XRSL | | CCA84930 | | CCM302RXR | |
| CCA2320SL | | CCA260 | | CCA8210 | | CCA82350 | | CCA84930XC | | CCM303 | |
| | | | | | | | | | | | |
| CCA2320XC | | CCA260XC | | CCA8210XC | | CCA82350XC | | CCA84930XE | | CCM303L | |
| CCA2320XCSL | | CCA260XJ | | CCA8210XJ | | CCA82350XE | | CCA84930XJ | | CCM303LXC | |
| CCA2320XE | | CCA260XN | | CCA8210XN | | CCA82350XJ | | CCA84930XN | | CCM303LXE | |
| CCA2320XESL | | CCA260XR | | CCA8210XR | | CCA82350XN | | CCA84930XR | | CCM303LXN | |
| CCA2320XJ | 70 | CCA3400SL | 100 | CCA8211 | 96 | CCA82350XR | 71 | CCA84935 | 103 | CCM303LXR | ! |
| CCA2320XJSL | 72 | CCA3400XCSL | | CCA8220 | | CCA82360 | | CCA84940 | 74 | CCM303R | |
| | | CCA3400XJSL | | CCA8220XC | | CCA82360XC | | CCA84940XC | | CCM303RXC | |
| UUAZ3ZUXK | | | | | • | | | | | | |
| CCA2320XK
CCA2320XKSL | 72 | CCA3400XNSL | 98 | CCA8220XJ | 97 | CCA82360XE | 71 | CCA84940XE | 71 | CCM303RXE | |

| CCM303RXR | 90 | CCM8303LXC | ٩n | CCR2025XCSL | 79 | CCR81846A | 88 | CCV10028 | 69 | CCV81512 | 85 |
|---|--|---|---|--|-----------------------------------|---|--|---|---|--|---|
| CCM304L | | CCM8303LXE | | CCR2025XESL | | CCR81847 | | CCV100SL | | CCV81515 | |
| CCM304LXC | | CCM8303LXN | | CCR2025XHSL | | CCR81851SL | | CCV100SL | | CCV81516 | |
| CCM304LXE | | CCM8303LXR | | CCR2025XJSL | | CCR8200 | | CCV100SL | | CCV81519 | |
| CCM304LXN | 90 | CCM8303R | | CCR2025XKSL | | CCR820020 | | CCV100XCSL | 80 | CCV81838 | |
| CCM304LXR | 90 | CCM8303RXC | 90 | CCR2025XNSL | 79 | CCR820020XC | 89 | CCV100XCSL | 99 | CCV81839 | 88 |
| CCM304R | 92 | CCM8303RXE | | CCR2025XRSL | | CCR820020XN | | CCV100XESL | | CCV81843 | |
| CCM304RXC | | CCM8303RXN | | CCR205 | | CCR820022 | | CCV100XESL | | CCV81846 | |
| CCM304RXE | | CCM8303RXR | | CCR20520 | | CCR820023 | | CCV100XHSL | | CCV81851SL | |
| CCM304RXN | | CCM8304L | | CCR20520XC | | CCR820027 | | CCV100XHSL | | CCV8205 | |
| CCM304RXR | | CCM8304LXC | | CCR20520XN | | CCR820028 | | CCV100XJSL | | CCV820520 | |
| CCM305CAL | | CCM8304LXE | | CCR20522 | | CCR820030 | | CCV100XJSL | | CCV820520XC | |
| CCM305CALXC | | CCM8304LXN | | CCR20523 | | CCR820030A | | CCV100XNSL | | CCV820520XN | |
| CCM305CALXE | | CCM8304LXR | | CCR20527 | | CCR820030XC | | CCV100XNSL | | CCV820522 | |
| CCM305CALXNCCM305CALXR | | CCM8304R | | CCR20537
CCR20537A | | CCR820030XN | | CCV100XNSL | | CCV820523 | |
| | | CCM8304RXC | | CCR205A | | CCR820032
CCR820032A | | CCV100XNSL | | CCV820527
CCV820528 | |
| CCM305CARCCM305CARXC | | CCM8304RXE
CCM8304RXN | | CCR30020 | | CCR820037 | | CCV100XRSL
CCV100XRSL | | CCV820530 | |
| CCM305CARXE | | CCM8304RXR | | CCR30023 | | CCR820037A | | CCV100XN3L | | CCV820530 | |
| CCM305CARXN | | CCM8305CAL | | CCR30027 | | CCR8200A | | CCV103SL | | CCV820530XN | |
| CCM305CARXR | | CCM8305CALXC | | CCR30028 | | CCR82035SL | | CCV108SL | | CCV820532 | |
| CCM306CAL | | CCM8305CALXE | | CCR3400SL | | CCR82035XCSL | | CCV108SL | | CCV820537 | |
| CCM306CALXC | | CCM8305CALXN | | CCR3400SL | | CCR82035XESL | | CCV1414 | | CCV8220 | |
| CCM306CALXE | | CCM8305CALXR | | CCR3400XCSL | | CCR82035XHSL | | CCV1415 | | CCV822020 | |
| CCM306CALXN | 91 | CCM8305CAR | 93 | CCR3400XESL | 79 | CCR82035XJSL | 79 | CCV1418 | 76 | CCV822020XC | 89 |
| CCM306CALXR | 91 | CCM8305CARXC | 91 | CCR3400XHSL | 69 | CCR82035XKSL | 79 | CCV1423 | 68 | CCV822020XN | 89 |
| CCM306CAR | 93 | CCM8305CARXE | 91 | CCR3400XHSL | | CCR82035XNSL | | CCV1423SL | | CCV822022 | 87 |
| CCM306CARXC | 91 | CCM8305CARXN | | CCR3400XJSL | | CCR82035XRSL | 79 | CCV1423SL | | CCV822023 | |
| CCM306CARXE | | CCM8305CARXR | | CCR3400XKSL | | CCR8205 | | CCV1423SL | | CCV822027 | |
| CCM306CARXN | | CCM8306CAL | | CCR3400XNSL | | CCR820520 | | CCV1424 | | CCV822028 | |
| CCM306CARXR | | CCM8306CALXC | | CCR3400XNSL | | CCR820520XC | | CCV1512 | | CCV831 | |
| CCM60 1 | | CCM8306CALXE | | CCR3400XNSL | | CCR820520XN | | CCV1515 | 85 | CCV8950SL | |
| CCM600 | | CCM8306CALXN | | CCR3400XRSL | | CCR820523 | | CCV1516 | | CCV8950SL | |
| CCM600XE | | CCM8306CALXR | | CCR3407SL | | CCR820527 | | CCV1519 | | CCV8950XCSL | |
| CCM603 | | CCM8306CAR | | CCR3407SL | | CCR820528 | | CCV1528 | | CCV8950XCSL | |
| CCM612 | | CCM8306CARXC | | CCR3408SL | | CCR820530 | | CCV1838 | | CCV8950XHSL | |
| CCM805027 | | CCM8306CARXE | | CCR3408SL | | CCR820530A | | CCV1839 | | CCV8950XJSL | |
| CCM81418 | | CCM8306CARXN | | CCR3412SL | | CCR820530AXC | | CCV1843 | | CCV8950XJSL | |
| CCM81519 | | CCM8306CARXR | | CCR3412SL | | CCR820530AXN
CCR820530XC | | CCV1851 | | CCV8950XNSL | |
| CCM82800XC | | CCM890
CCM892 | | CCR8000SL
CCR8000XCSL | | CCR820530XV | | CCV1851SL
CCV1851SL | | CCV8950XNSL
CCV8950XRSL | |
| CCM82800XE | | CCM9926 | | CCR8000XESL | | CCR820532 | | CCV200 | | CCV8950XRSL | |
| CCM82800XK | | CCR040 | | CCR8000XLSL | | CCR820532A | | CCV205 | | CCV89918 | |
| CCM82800XN | | CCR04020 | | CCR8000XISL | | CCR820537 | | CCV20520 | | CCV89919 | |
| CCM82800XR | | CCR04020XC | | CCR8000XKSL | | CCR8205A | | CCV20520XC | | CCV89922 | |
| CCM82801 | | CCR04020XN | | CCR8000XNSL | | CCR8222 | | CCV20520XN | | CCV9010SL | |
| CCM82802 | | CCR04022 | | CCR8000XNSL | | CCR822214 | | CCV20522 | | CCV9011SL | |
| CCM82803 | | CCR04023 | | CCR8000XRSL | | CCR822215 | | CCV20523 | | CCV9020SL | |
| CCM82804 | | CCR04027 | 83 | CCR8005 | | CCR822218 | | CCV20527 | | CCV910 | |
| CCM82804XC | 70 | CCR04037 | 83 | CCR8005A | 106 | CCR822220 | 91 | CCV20537 | 84 | CCV910XC | 98 |
| | 79 | UURU4U37 | | | | | | | | 001101011001 | |
| CCM82804XE | | CCR040R | 106 | CCR8007SL | 77 | CCR822220XC | | CCV220 | 107 | CCV910XCSL | |
| | 79 | CCR040RCCR100 | 106
106 | CCR8008SL | 78 | CCR822220XC
CCR822220XN | 89 | CCV22020 | 92 | CCV910XJ | 98 |
| CCM82804XE
CCM82804XK
CCM82804XN | 79
79
79 | CCR040R
CCR100
CCR10022 | 106
106
69 | CCR8008SL
CCR8040 | 78
107 | CCR822220XC
CCR822220XN
CCR822222 | 89
87 | CCV22020
CCV22020XC | 92
89 | CCV910XJ
CCV910XJSL | 98
99 |
| CCM82804XE
CCM82804XK
CCM82804XN
CCM82804XR | 79
79
79
79 | CCR040R
CCR100
CCR10022
CCR100R | 106
106
69
106 | CCR8008SL
CCR8040
CCR804020 | 78
107
91 | CCR822220XC
CCR822220XNCCR822222CCR822223 | 89
87
86 | CCV22020
CCV22020XCCCV22020XN | 92
89
89 | CCV910XJ
CCV910XJSL
CCV910XN | 98
99
98 |
| CCM82804XE | 79
79
79
79
79 | CCR040R
CCR100
CCR10022
CCR100R
CCR1414 | 106
106
69
106
82 | CCR8008SL
CCR8040
CCR804020
CCR804020XC | 78
107
91
89 | CCR822220XC
CCR822220XN
CCR822222
CCR822223
CCR822227 | 89
87
86
83 | CCV22020
CCV22020XC
CCV22020XN
CCV22022 | 92
89
89
87 | CCV910XJ
CCV910XJSL
CCV910XN
CCV910XNSL | 98
99
98
99 |
| CCM82804XE | 79
79
79
79
79
80
79 | CCR040R | 106
106
69
106
82 | CCR804020CCR804020CCR804020XCCCR804020XC | 78
107
91
89 | CCR822220XC
CCR822220XN
CCR822222
CCR822223
CCR822227
CCR822228 | 89
87
86
83
86 | CCV22020
CCV22020XC
CCV22020XN
CCV22022
CCV22023 | 92
89
89
87
86 | CCV910XJ
CCV910XJSL
CCV910XN
CCV910XNSL
CCV910XR | 98
99
98
99 |
| CCM82804XE | 79
79
79
79
79
80
79 | CCR040R | 106
106
69
106
82
82 | CCR8008SL | 78
107
91
89
89 | CCR822220XC
CCR822220XN
CCR822222
CCR822223
CCR822227
CCR822228
CCR822228 | 89
87
86
83
86 | CCV22020
CCV22020XC
CCV22020XN
CCV22022
CCV22023
CCV22027 | 92
89
89
87
86 | CCV910XJ
CCV910XJSL
CCV910XN
CCV910XNSL
CCV910XR
CCV910XRSL | 98
99
98
99
98 |
| CCM82804XE | 79
79
79
79
79
80
79
79 | CCR040R | 106
106
69
106
82
82
82 | CCR8008SL | 78
107
91
89
89
87 | CCR822220XC | 89
87
86
83
86
88
107 | CCV22020 | 92
89
87
86
84 | CCV910XJ | 98
99
98
99
98
99 |
| CCM82804XE | 79
79
79
79
79
80
79
79 | CCR040R | 106
106
69
106
82
82
82
68 | CCR804020CCR804020CCR804020XCCCR804020XNCCR804022XNCCR804022CCR804023CCR804027 | 78
91
89
89
87
86 | CCR822220XC | 89
87
86
83
86
88
107
106 | CCV22020 | 92
89
87
86
84
69
78 | CCV910XJ | 98
99
98
99
98
99
96
68 |
| CCM82804XE | 79
79
79
79
80
79
79
79
79 | CCR040R | 106
106
69
106
82
82
82
68
68 | CCR804020 | 78918989878685 | CCR822220XC | 89
87
86
83
86
88
107
106
82 | CCV22020
CCV22020XC
CCV22020XN
CCV22022
CCV22022
CCV22027
CCV3412SL
CCV3412SL
CCV4100 | 92
89
87
86
84
69
78 | CCV910XJ | 98
99
98
99
98
99
96
68
76 |
| CCM82804XE | 79
79
79
79
80
79
79
79
79 | CCR040R | 106
106
69
106
82
82
82
68
68
76 | CCR804020 | 78918987868591 | CCR822220XC | 89 87 86 83 86 88 107 106 82 82 | CCV22020
CCV22020XC
CCV22020XN
CCV22022
CCV22022
CCV22027
CCV3412SL
CCV3412SL
CCV4100
CCV4100SL | 92
89
87
86
84
69
78
97 | CCV910XJ | 98 99 98 99 96 68 76 96 |
| CCM82804XE | 79
79
79
79
80
79
79
79
79
79 | CCR040R | 106
106
69
106
82
82
82
68
68
76
85 | CCR8008SL | 78107918987868591 | CCR822220XC | 89 87 86 83 86 88 107 106 82 82 82 82 | CCV22020
CCV22020XC
CCV22020XN
CCV22022
CCV22023
CCV22027
CCV3412SL
CCV3412SL
CCV4100
CCV4100SL
CCV4300 | 92 89 89 87 86 84 69 78 97 97 | CCV910XJ | 98 99 98 99 96 68 76 96 100 |
| CCM82804XE | 79
79
79
79
80
79
79
79
79
79 | CCR040R | 106
106
69
106
82
82
82
68
68
76
85
85 | CCR80408SL | 781079189878683859189 | CCR822220XC | 89 87 86 83 86 88 107 106 82 82 82 76 | CCV22020
CCV22020XC
CCV22020XN
CCV22022
CCV22023
CCV22027
CCV3412SL
CCV3412SL
CCV4100
CCV4100SL
CCV4100SL
CCV4300
CCV805020 | 92 89 89 87 86 84 69 97 97 81 | CCV910XJ | 98 99 98 99 98 99 96 68 76 96 100 98 |
| CCM82804XE | 79
79
79
80
79
79
79
79
79
79
79 | CCR040R | 106 106 106 69 106 82 82 82 68 68 76 85 85 | CCR80408SL | 781079189878683859189 | CCR822220XC | 89 87 86 83 86 88 107 106 82 82 82 82 82 82 | CCV22020
CCV22020XC
CCV22020XN
CCV22022
CCV22023
CCV22027
CCV3412SL
CCV3412SL
CCV4100
CCV4100SL
CCV4100SL
CCV4300
CCV805020
CCV805022 | 92
89
87
86
84
69
78
97
97
97 | CCV910XJ | 98
99
98
99
96
96
76
96
100
98 |
| CCM82804XE CCM82804XK CCM82804XR CCM82806XR CCM82806XC CCM82806XE CCM82806XK CCM82806XR CCM82815XC CCM82815XC CCM82815XC CCM82815XK CCM82815XK | 79
79
79
80
79
79
79
79
79
79
79 | CCR040R | 106 106 106 69 106 82 82 82 85 85 85 85 | CCR80408SL | 781079189898786838591898989 | CCR822220XC | 89 87 86 83 86 88 107 106 82 82 82 82 82 | CCV22020
CCV22020XC
CCV22020XN
CCV22022X
CCV22023
CCV22027
CCV3412SL
CCV4100
CCV4100SL
CCV4300
CCV805020
CCV805022
CCV805023 | 92 89 89 87 86 84 69 97 97 97 81 78 77 | CCV910XJ | 98 99 98 98 99 96 68 76 96 100 98 99 99 98 |
| CCM82804XE CCM82804XK CCM82804XN CCM82804XR CCM82806C CCM82806XC CCM82806XE CCM82806XK CCM82806XK CCM82806XK CCM82815XC CCM82815XC CCM82815XC CCM82815XK CCM82815XK CCM82815XK CCM82815XK CCM82815XK CCM82815XK CCM82815XK | 79
79
79
79
80
79
79
79
79
79
79
79 | CCR040R | 106 106 106 69 106 82 82 82 82 85 85 85 | CCR80408SL | | CCR822220XC | 89 87 86 83 86 88 107 106 82 82 82 82 82 82 82 | CCV22020
CCV22020XC
CCV22020XN
CCV22022
CCV22023
CCV22027
CCV3412SL
CCV4100
CCV4100SL
CCV4300
CCV805020
CCV805022
CCV805023
CCV805023
CCV805027 | 92
89
89
87
86
84
69
78
97
97
97
77 | CCV910XJ | 98 99 98 98 99 96 68 76 96 99 99 99 99 99 |
| CCM82804XE CCM82804XK CCM82804XN CCM82804XR CCM82806C CCM82806XC CCM82806XK CCM82806XK CCM82806XN CCM82806XN CCM82815XC CCM82815XC CCM82815XE CCM82815XK CCM82815XK CCM82815XK CCM82815XK CCM82815XK CCM82815XR CCM82815XR | 79
79
79
79
80
79
79
79
79
79
79
79
79 | CCR040R | 106
106
69
106
82
82
68
76
85
85
85
85 | CCR8008SL | | CCR822220XC | | CCV22020
CCV22020XC
CCV22020XN
CCV22022
CCV22023
CCV22027
CCV3412SL
CCV3412SL
CCV4100
CCV4100SL
CCV4300
CCV805022
CCV805022
CCV805022
CCV805023
CCV805027
CCV805028 | 92
89
89
87
86
84
69
78
97
97
97
81
78
77
77 | CCV910XJ | 98
99
98
99
99
99
96
68
76
96
100
98
99
99 |
| CCM82804XE | 79 779 779 779 779 779 779 779 779 779 | CCR040R | 106 106 106 106 106 106 82 82 68 76 85 85 85 85 85 | CCR80408SL | | CCR822220XC | 89 87 86 83 86 88 107 106 82 82 76 82 82 68 | CCV22020
CCV22020XC
CCV2202XX
CCV22022
CCV22023
CCV22027
CCV3412SL
CCV4100
CCV4100SL
CCV4300
CCV805020
CCV805022
CCV805023
CCV805023
CCV805027
CCV805028
CCV8100SL | 92
89
89
86
86
84
69
78
97
97
97
77
78 | CCV910XJ | 98
99
98
99
98
99
99
96
68
76
96
100
98
99
99
98 |
| CCM82804XE CCM82804XK CCM82804XR CCM82804XR CCM82806 CCM82806XC CCM82806XE CCM82806XR CCM82806XR CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CAL CCM8301CAL | 79 79 79 79 79 80 79 79 79 79 79 79 79 79 79 79 79 90 90 90 | CCR040R | 106
106
106
69
82
82
82
68
85
85
85
85
85
85 | CCR8008SL | | CCR822220XC
CCR822220XN
CCR822222
CCR822223
CCR822223
CCR822228
CCR822238
CCR8225R
CCR8225R
CCR8225R
CCR89918
CCR89919
CCR89921
CCR89919
CCR89925SL
CCR9925
CCR9925SL | | CCV22020
CCV22020XC
CCV22020XN
CCV22022X
CCV22023
CCV22027
CCV3412SL
CCV4100
CCV4100SL
CCV4300
CCV805020
CCV805022
CCV805023
CCV805027
CCV805028
CCV805028
CCV805028
CCV805027
CCV805028
CCV805028
CCV8100SL
CCV8100SL | 92
89
87
86
84
69
97
97
97
97
77
77
77
77
78
81
101 | CCV910XJ | 98
99
98
98
98
99
96
68
76
100
98
99
99
99
99 |
| CCM82804XE | 79 79 79 79 79 80 79 79 79 79 79 79 79 79 79 90 70 90 90 90 | CCR040R | 106 106 106 106 | CCR804020 | | CCR822220XC | | CCV22020
CCV22020XC
CCV2202XX
CCV22022
CCV22023
CCV22027
CCV3412SL
CCV4100
CCV4100SL
CCV4300
CCV805020
CCV805022
CCV805023
CCV805023
CCV805027
CCV805028
CCV8100SL | 92
89
87
86
84
69
97
97
97
97
78
77
77
78
81
101
80 | CCV910XJ | 98
99
99
98
99
96
66
76
96
100
98
99
99
98
99
99
98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82806C CCM82806XC CCM82806XE CCM82806XK CCM82806XK CCM82815XC CCM8301CAL CCM8301CAL CCM8301CALXC | 79 779 779 779 779 779 779 779 779 779 | CCR040R | 106 106 106 106 106 82 82 82 85 85 85 85 85 85 85 85 85 85 85 | CCR80408SL CCR804020 CCR804020 CCR804020XC CCR804022XC CCR804023 CCR804027 CCR804027 CCR804030 CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR80403C CCR8040C CCR8040C CCR8040C CCR8040C CCR8040C CCR8040C CCR8040C CCR8040C CCR8040C CC | | CCR822220XC CCR822220XN CCR822222 CCR822223 CCR822227 CCR822228 CCR822228 CCR8225 CCR8225 CCR8225 CCR8225 CCR89918 CCR89919 CCR89919 CCR89925SL CCR9925 CCR9925SL CCR9925SL CCR9925SL CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC | | CCV22020
CCV22020XC
CCV22020XN
CCV22022
CCV22023
CCV22027
CCV3412SL
CCV4100
CCV4100SL
CCV4300
CCV805022
CCV805022
CCV805022
CCV805023
CCV805025
CCV8100SL
CCV8100SL
CCV8100SL
CCV8100SL
CCV8100SL
CCV8100SL | 92
89
87
86
86
84
69
97
97
97
97
81
78
81
77
77
78
81
81
80
99
99 | CCV910XJ | 98 99 99 98 99 96 66 67 66 96 100 98 99 99 98 99 99 98 99 99 98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82806 CCM82806XC CCM82806XE CCM82806XK CCM82806XR CCM82815XC CCM8301CAL CCM8301CAL CCM8301CALXC | 79 779 779 779 779 779 779 779 779 779 | CCR040R | 106 106 106 106 82 82 82 68 76 85 85 85 85 85 85 87 84 69 88 | CCR80403C | | CCR822220XC CCR822220XN CCR822222 CCR822223 CCR822227 CCR822228 CCR822238 CCR8225R CCR8225R CCR8225R CCR89918 CCR89919 CCR89911 CCR89911 CCR99925 CCR9925 CCR9925 CCR9925SL CCR9925SL CCCV0500 CCV05020 CCV05020XC | | CCV22020 CCV22020XC CCV22020XN CCV22022X CCV22023 CCV22027 CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805020 CCV805022 CCV805023 CCV805027 CCV805028 CCV8100SL CCV4100SL CCV4100SL CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100XCSL CCV8100XCSL CCV8100XJSL | 92
89
87
86
84
69
97
97
97
97
78
81
77
77
78
81
101
80
99
99
97 | CCV910XJ | 98
99
99
98
99
98
99
68
76
96
100
98
99
98
99
99
98
99
99
98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82806XC CCM82806XE CCM82806XK CCM82806XR CCM82815XC CCM82815XC CCM82815XC CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CAL CCM8301CALXC CCM8301CALXR CCM8301CARXC | 79 779 779 779 779 880 779 779 779 779 779 779 779 779 779 77 | CCR040R | 106 106 106 106 82 82 82 88 68 76 85 85 85 85 85 85 85 87 87 70 | CCR80408SL CCR804020 CCR804020 CCR804020XC CCR804022X CCR804023 CCR804027 CCR804023 CCR804030 CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804031 CCR804031 CCR804031 CCR804032 CCR804031 CC | | CCR822220XC CCR822220XN CCR822222 CCR822223 CCR822227 CCR822228 CCR822228 CCR8225R CCR8225R CCR8225R CCR89918 CCR89919 CCR89921 CCR99925C CCR9925 CCR9925 CCR9925C CCY0500C CCV05020XC CCV05020XN CCV05020X | | CCV22020 CCV22020XC CCV22020XN CCV2202XN CCV22022 CCV22023 CCV22027 CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805022 CCV805022 CCV805023 CCV805027 CCV805028 CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100XSL CCV8100XSL CCV8100XSL CCV8100XSL CCV8100XJSL CCV8100XJSL CCV8100XJSL | 92 89 89 87 86 84 69 97 97 97 77 77 77 78 81 101 80 99 99 99 | CCV910XJ | 98 99 99 98 99 96 68 68 100 98 99 99 98 99 98 99 99 98 99 99 98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82806XC CCM82806XC CCM82806XK CCM82806XK CCM82806XK CCM82815XC CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CALXC CCM8301CALXC CCM8301CALXC CCM8301CALXR CCM8301CARXC CCM8301CARXC | 79 779 779 779 779 779 779 779 779 779 | CCR040R | 106 106 106 106 82 82 82 85 85 85 85 85 85 85 85 87 70 70 | CCR80408SL CCR80401 CCR804020 CCR804020XC CCR804022XC CCR804023 CCR804027 CCR804027 CCR804030 CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804031 CCR804031 CCR804032 CCR804032 CCR804031 CCR804031 CCR804032 CCR804031 CCR81401 CCR81414 CCR81415 CCR81415 CCR81423SL CCR815511 CCR81511A | | CCR822220XC CCR822220XN CCR822222 CCR822223 CCR822223 CCR822228 CCR822238 CCR82258 CCR8225R CCR8225R CCR89919 CCR89919 CCR89919 CCR89911 CCR9925 CCR9925SL CCR9925SL CCR9925SL CCR9925SL CCR9925SL CCR9925SL CCCV050 | | CCV22020 CCV22020XC CCV22020XN CCV2202XN CCV22023 CCV22027 CCV3412SL CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805022 CCV805022 CCV805023 CCV805028 CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100XCSL CCV8100XCSL CCV8100XISL | 92 89 89 87 86 84 69 97 97 97 78 81 81 101 80 99 97 77 89 99 77 77 77 77 77 77 77 77 77 77 77 77 | CCV910XJ | 98 99 99 98 99 96 66 100 98 99 98 99 98 99 98 99 98 99 98 99 99 |
| CCM82804XE CCM82804XK CCM82804XN CCM82804XR CCM82806C CCM82806XC CCM82806XE CCM82806XK CCM82806XK CCM82815XC CCM82815XR CCM82815XR CCM82815XR CCM8301CAL CCM8301CAL CCM8301CALXC CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CARXC | 79 779 779 779 779 779 779 779 779 779 | CCR040R | 106 106 106 106 | CCR80408SL CCR80401 CCR804020 CCR804020XC CCR804022XC CCR804023 CCR804027 CCR804023 CCR804030 CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804031 CCR804032 CCR804031 CCR8102SL CCR81141 CCR81413 CCR81413 CCR81415 CCR81415 CCR81411 CCR81415 CCR81411 CCR81415 CCR81511 CCR81511 | | CCR822220XC | | CCV22020 CCV22020XC CCV22020XN CCV2202XN CCV22022 CCV22023 CCV22027 CCV3412SL CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805022 CCV805022 CCV805022 CCV805023 CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100XISL | 92 89 89 87 86 84 69 97 97 97 81 77 77 78 81 81 80 99 777 80 | CCV910XJ | 98 99 99 98 99 96 66 100 98 99 99 98 99 99 98 99 99 98 99 99 98 99 99 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82806XC CCM82806XC CCM82806XC CCM82806XK CCM82806XR CCM82815XC CCM8301CAL CCM8301CALXC CCM8301CARXC | 79 779 779 779 779 779 779 779 779 779 | CCR040R | 106 106 106 106 82 82 82 88 68 76 85 85 85 85 85 87 70 70 70 70 70 70 70 70 70 70 70 70 | CCR804032 | | CCR822220XC CCR822220XN CCR822222 CCR822223 CCR822223 CCR822227 CCR822228 CCR822238 CCR8225 CCR8225 CCR8225 CCR89918 CCR89919 CCR89911 CCR89921 CCR99925 CCR9925 CCR9925 CCR9925 CCR9925 CCCV0500 CCV05020 CCV05020X CCV05022 CCV05022 CCV05027 CCV05027 CCV05027 CCV05027 CCV05027 | | CCV22020 CCV22020XC CCV22020XN CCV2202XN CCV22022 CCV22023 CCV22027 CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805020 CCV805022 CCV805023 CCV805027 CCV805028 CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100XSL CCV8100XJSL CCV8100XJSL CCV8100XJSL CCV8100XJSL CCV8100XNSL CCV8100XNSL CCV8100XNSL CCV8100XNSL CCV8100XNSL CCV8100XNSL | 92
89
87
86
84
69
97
97
97
97
97
77
78
81
101
80
99
99
77
77
78
80
99
99 | CCV910XJ | 98 99 99 98 99 98 99 96 68 76 96 100 98 99 98 99 98 99 98 99 98 99 98 99 100 98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82804KR CCM82806 CCM82806XC CCM82806XE CCM82806XR CCM82806XR CCM82815XC CCM82815XC CCM82815XC CCM82815XK CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CALXC CCM8301CALXC CCM8301CALXC CCM8301CALXR CCM8301CARXR CCM8301CARXC | 79 779 779 779 880 779 779 779 779 779 779 779 779 779 77 | CCR040R | 106 106 106 106 106 82 82 82 68 76 85 85 85 85 85 87 70 70 70 70 70 79 | CCR804020 | | CCR822220XC CCR822220XN CCR822222 CCR822223 CCR822227 CCR822228 CCR822228 CCR82225 CCR8225 CCR8225 CCR89918 CCR89919 CCR89921 CCR89921 CCR99925 CCR9925 CCR9925 CCR9925 CCV0500 CCV05020 CCV05020XC CCV05020X CCV05022 CCV05023 CCV05023 CCV05028 CCV05028 CCV05028 CCV05028 CCV05028 CCV05028 | | CCV22020 CCV22020XC CCV22020XN CCV2202XN CCV22022 CCV22023 CCV22027 CCV3412SL CCV4100 CCV4100SL CCV4100SL CCV4805022 CCV805023 CCV805023 CCV805027 CCV805028 CCV8100XL CCV8100XCSL CCV8100XCSL CCV8100XISL | 92 89 89 87 86 84 84 69 97 97 97 77 77 77 78 81 101 80 99 97 77 80 99 99 80 80 | CCV910XJ | 98 99 99 98 99 98 99 96 68 68 76 96 100 98 99 99 98 99 99 98 99 99 98 99 100 98 98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82806XC CCM82806XC CCM82806XK CCM82806XK CCM82806XR CCM82815XC CCM82815XC CCM82815XC CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CALXC CCM8301CALXC CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CARXC CCM8301CAC | 79 79 79 79 79 80 79 79 79 79 79 79 79 79 79 79 79 79 90 90 90 90 90 90 90 90 90 90 90 90 90 | CCR040R | 106 106 106 106 106 82 82 82 85 85 85 85 85 85 87 87 89 89 | CCR80408SL CCR8040 CCR804020 CCR804020XC CCR804020XN CCR804023 CCR804027 CCR804027 CCR804030 CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804031 CCR8100 CCR8100 CCR8100 CCR8100 CCR8101 CCR81511 CCR81511 CCR81511 CCR81511 CCR81511 CCR81511 CCR81512 CCR81514 CCR81514 | | CCR822220XC CCR822220XN CCR822222 CCR822223 CCR822223 CCR822227 CCR822228 CCR82225 CCR8225 CCR8225 CCR8225 CCR89918 CCR89919 CCR89921 CCR99925 CCR9925 CCR9925 CCCV05020 CCV05020 CCV05020XC CCV05020XC CCV05023 CCV05023 CCV05027 CCV05028 CCV05028 CCV05028 CCV05028 CCV05028 CCV05027 CCV05028 CCV05020 CCV05020 CCV05020XC | | CCV22020 CCV22020XC CCV22020XC CCV22020XN CCV22022X CCV22023 CCV22027 CCV3412SL CCV4100 CCV4100SL CCV4100SL CCV4300 CCV805022 CCV805022 CCV805022 CCV805028 CCV8100SL CCV8100SL CCV8100SL CCV8100SL CCV8100XCSL CCV8100XCSL CCV8100XCSL CCV8100XISL | 92 89 89 89 87 86 84 69 97 97 97 97 78 81 101 80 99 99 77 80 80 80 99 | CCV910XJ | 98 99 99 98 99 96 66 100 98 99 99 98 99 98 99 99 98 99 100 98 98 98 98 98 98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82806XC CCM82806XC CCM82806XK CCM82806XK CCM82806XK CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CALXC CCM8301CALXC CCM8301CALXC CCM8301CALXR CCM8301CALXR CCM8301CARXC CCM8301CAC CCM8301CXC CCM8302LXC CCM8302LXC | 79 79 79 79 79 79 80 79 79 79 79 79 79 79 79 79 79 79 90 90 90 90 90 90 90 90 90 90 90 90 90 | CCR040R | 106 106 106 106 106 82 82 82 85 85 85 85 85 85 85 87 89 89 89 89 | CCR80408SL CCR80401 CCR804020 CCR804020XC CCR804020XC CCR804022 CCR804023 CCR804027 CCR804027 CCR804030 CCR804030 CCR804030 CCR804030 CCR804030 CCR804030 CCR804031 CCR804032 CCR804032 CCR804031 CCR804032 CCR804032 CCR804031 CCR804032 CCR804031 CCR8100 CCR8100 CCR8100 CCR8100 CCR8101 CCR81511 CCR81511 CCR81511A CCR81515 | | CCR822220XC CCR822220XN CCR822222 CCR822223 CCR822227 CCR822228 CCR822228 CCR82228 CCR8225R CCR8225R CCR82919 CCR89919 CCR89919 CCR89918 CCR99918 CCR9919 CCR9925SL CCR9925SL CCR9925SL CCR9020 CCV05020XC CCV05020XC CCV05020XC CCV05020XC CCV05022XC CCV05022 CCV05022 CCV05022 CCV05022 CCV05022 CCV05022 CCV05022 CCV05027 CCV05028 CCV06020 CCV06020 CCV06020XC | | CCV22020 CCV22020XC CCV22020XC CCV22020XN CCV22022X CCV22023 CCV22027 CCV3412SL CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805022 CCV805022 CCV805022 CCV805023 CCV8100SL CCV8100XL CCV8100XL CCV8100XL CCV8100XSL CCV8100XSL CCV8100XISL | 92 89 89 87 86 86 84 69 97 97 97 97 78 81 101 80 99 77 80 99 77 80 99 77 80 99 77 | CCV910XJ | 98 99 99 98 99 96 66 100 98 99 98 99 98 99 98 99 98 99 100 98 98 99 90 100 98 98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82804XR CCM82806 CCM82806XC CCM82806XC CCM82806XK CCM82806XR CCM82815XC CCM82815XC CCM82815XC CCM82815XK CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CALXC CCM8301CALXC CCM8301CALXC CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CARXC | 79 79 79 79 79 79 79 79 79 79 79 79 79 7 | CCR040R | 106 106 106 106 82 82 82 68 76 85 85 85 85 85 87 70 70 70 79 107 91 89 87 87 86 | CCR80408SL CCR80401 CCR804020 CCR804020XC CCR804020XC CCR804022 CCR804023 CCR804027 CCR804023 CCR804030 CCR804030 CCR804030 CCR804030 CCR804032 CCR804031 CCR804032 CCR804031 CCR804032 CCR804031 CCR804032 CCR804031 CCR8100 CCR8100 CCR8100 CCR8102SL CCR81141 CCR81412 CCR81413 CCR81511 CCR81515 CCR81516 CCR81516 | | CCR822220XC CCR822220XN CCR822222 CCR822223 CCR822223 CCR822228 CCR822238 CCR82255 CCR8225 CCR82258 CCR89918 CCR89919 CCR89921 CCR89925 CCR9925SL CCR9925 CCR9925SL CCR9925SL CCY050 CCV05002 CCV05020XC CCV05020XC CCV05020XC CCV05022 CCV05022 CCV05023 CCV05027 CCV05027 CCV05028 CCV060 | | CCV22020 CCV22020XC CCV22020XN CCV2202XN CCV22022 CCV22023 CCV22027 CCV3412SL CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805020 CCV805022 CCV805022 CCV805022 CCV805022 CCV8100SL CCV8100XL CCV8100XL CCV8100XLSL CCV8100XLSL CCV8100XISL | 92 89 89 89 87 86 84 69 97 97 97 81 77 77 77 78 80 99 97 80 99 77 80 99 99 77 | CCV910XJ | 98 99 99 98 99 98 99 98 96 68 76 96 100 98 99 98 99 98 98 98 98 98 98 98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82804XR CCM82806 CCM82806XC CCM82806XE CCM82806XR CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CALXC CCM8301CALXC CCM8301CALXC CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CARXC | 79 79 79 79 79 79 79 79 79 79 79 79 79 7 | CCR040R | 106 106 106 106 | CCR80403C CCR804020 CCR804020XC CCR804020XC CCR804022X CCR804023 CCR804023 CCR804023 CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804114 CCR8100 CCR8100 CCR8100 CCR8101 CCR8101 CCR81415 CCR81415 CCR81415 CCR81415 CCR81511 CCR81511 CCR81511 CCR81511 CCR81511 CCR81511 CCR81511 CCR81512 CCR81512 CCR81512 CCR81514 CCR81512 CCR81514 CCR81515 CCR81516 CCR81516 CCR81516 CCR81518 | | CCR822220XC CCR822220XN CCR822222 CCR822223 CCR822223 CCR822227 CCR822228 CCR82225 CCR8225 CCR8225 CCR89918 CCR89919 CCR89921 CCR89919 CCR89925 CCR9925 CCR9925 CCR9925 CCR9020XC CCV05020 CCV05020 CCV05020XC CCV05020XC CCV05020XC CCV05020XC CCV05022 CCV05023 CCV05027 CCV05028 CCV06020 CCV06020 CCV06020 CCV06020 CCV06020 CCV06020XE CCV06020XE CCV06022 CCV06020XE CCV06022 | | CCV22020 CCV22020XC CCV22020XC CCV22020XN CCV22022X CCV22023 CCV22027 CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805020 CCV805022 CCV805023 CCV805027 CCV805028 CCV8100XL CCV8100XCSL CCV8100XCSL CCV8100XSL CCV8100XSL CCV8100XISL CCV8103SL | 92 89 89 87 86 84 84 97 97 97 97 77 77 77 78 80 99 97 80 99 77 80 99 77 80 99 77 80 99 77 80 99 77 | CCV910XJ | 98 99 99 98 99 98 99 98 96 68 76 96 100 98 99 99 98 99 99 98 99 99 98 98 99 100 98 98 98 98 98 98 98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82806XC CCM82806XC CCM82806XC CCM82806XC CCM82806XR CCM82815XC CCM82815XC CCM82815XC CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CAL CCM8301CAL CCM8301CALXC CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CARXC CCM8301CARC | 79 79 79 79 79 79 79 79 79 79 79 79 79 7 | CCR040R | 106 106 106 106 106 82 82 82 85 85 85 85 85 85 85 89 89 89 89 89 89 89 89 89 89 89 89 89 | CCR80408SL CCR8040 CCR804020 CCR804020XC CCR804020XN CCR8040223 CCR804023 CCR804027 CCR804030 CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804031 CCR8100 CCR8100 CCR8100 CCR8100 CCR8101 CCR81512 CCR81511 CCR81511 CCR81511 CCR81512 CCR81511 CCR81514 CCR81518 CCR81538 | | CCR822220XC CCR822220XN CCR822223 CCR822223 CCR822227 CCR822228 CCR822228 CCR8225 CCR8225 CCR8225 CCR89918 CCR89919 CCR89911 CCR99925 CCR9925 CCR9925 CCR9925 CCR9020XC CCV05020X CCV05020X CCV05020X CCV05020X CCV05020X CCV05028 CCV06020 CCV06022 CCV06022 CCV06023 CCV06023 CCV06023 CCV06023 | | CCV22020 CCV22020XC CCV22020XC CCV22020XN CCV22022X CCV22023 CCV22027 CCV3412SL CCV4100 CCV4100SL CCV4100SL CCV4805022 CCV805022 CCV805023 CCV805022 CCV805022 CCV805022 CCV805022 CCV805022 CCV805022 CCV805022 CCV8100SL CCV8100SL CCV8100XCSL CCV8100XCSL CCV8100XCSL CCV8100XSL CCV8100XISL | 92 89 89 89 87 86 84 69 97 97 97 77 77 78 81 101 80 99 777 80 80 99 777 80 80 99 777 80 80 99 777 80 80 99 777 80 80 99 777 80 80 80 99 777 | CCV910XJ | 98 99 99 98 99 96 68 68 76 96 100 98 99 99 98 99 99 98 99 99 100 98 98 98 98 98 98 98 98 98 98 98 98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82806XC CCM82806XC CCM82806XK CCM82806XK CCM82806XK CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CALXC CCM8301CALXC CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CARXC CCM8301CXC | 79 79 79 79 79 79 80 79 79 79 79 79 79 79 79 79 79 79 90 90 90 90 90 90 90 90 90 90 90 90 90 | CCR040R | 106 106 106 106 106 82 82 82 85 85 85 85 85 85 85 85 85 85 85 85 85 85 84 84 84 84 84 84 | CCR80408SL CCR804020 CCR804020 CCR804020XC CCR804022XC CCR804022 CCR804023 CCR804027 CCR804023 CCR804030 CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804031 CCR804032 CCR804032 CCR804032 CCR804031 CCR804032 CCR804031 CCR804031 CCR804031 CCR804031 CCR804031 CCR804031 CCR8100 CCR8100 CCR8100 CCR8100 CCR8101 CCR81512 CCR81415 CCR81511A CCR81513 CCR81518 CCR81839 CCR81839 | | CCR822220XC CCR82222X CCR822223 CCR822223 CCR822227 CCR822228 CCR822228 CCR8225 CCR8225 CCR8225 CCR89918 CCR89919 CCR89919 CCR89925SL CCR9925SL CCR9925SL CCR9925SL CCV050 CCV05020 CCV06020 CCV06020 CCV06020 CCV06020 CCV06020 CCV06023 CCV06028 CCV06028 CCV06028 CCV06028 CCV06028 | | CCV22020 CCV22020XC CCV22020XC CCV22020XN CCV22022X CCV22023 CCV22027 CCV3412SL CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805020 CCV805022 CCV805023 CCV805027 CCV805028 CCV8100SL CCV8100XCSL CCV810XCSL CCV810XCSL CCV810XCSL CCV810XCSL CCV810XCSL CCV810XCSL CCV810XCSL CCV8111SL CCV8111SL CCV81414 | 92 89 89 87 86 86 84 69 97 97 97 97 77 78 81 101 80 99 77 80 99 77 80 99 77 80 99 77 80 80 99 77 80 80 80 80 80 80 80 80 80 80 80 80 80 | CCV910XJ | 98 99 99 98 99 96 66 100 98 99 98 99 98 99 98 99 98 99 99 99 100 98 98 98 98 98 98 98 98 98 98 98 98 100 100 100 100 100 100 100 100 100 10 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82804XR CCM82806 CCM82806XC CCM82806XC CCM82806XK CCM82806XR CCM82815XC CCM82815XC CCM82815XK CCM82815XK CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CALXC CCM8301CALXC CCM8301CALXC CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CARXC CCM8301CXC | 79 79 79 79 79 79 79 79 79 79 79 79 79 7 | CCR040R | 106 106 106 106 | CCR80408SL CCR80401 CCR804020 CCR804020XC CCR804020XC CCR804022X CCR804023 CCR804027 CCR804023 CCR804030 CCR804030 CCR804030XC CCR804030 CCR804032 CCR804032 CCR804031 CCR804032 CCR804031 CCR804031 CCR804032 CCR804031 CCR804031 CCR804032 CCR804031 CCR804031 CCR804031 CCR804031 CCR804031 CCR804031 CCR804031 CCR804031 CCR8100 CCR8100 CCR8100 CCR8100 CCR8102S CCR81414 CCR81415 CCR81415 CCR81415 CCR81415 CCR81415 CCR81511 CCR81511A CCR81518 CCR81518 CCR81518 CCR81838 CCR81839 CCR81841 | | CCR822220XC. CCR822220XN. CCR822222 CCR822223 CCR822223 CCR822228 CCR822238 CCR822238 CCR82255 CCR82258 CCR89918 CCR89919 CCR89921 CCR89925 CCR9918 CCR9918 CCR9910 CCR9925 CCR9925 CCR9925 CCR9925 CCR9020XC CCV050 CCV050 CCV050 CCV05020 CCV06020 CCV10020 | | CCV22020 CCV22020XC CCV22020XC CCV22020XN CCV2202X CCV22023 CCV22027 CCV3412SL CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805022 CCV805022 CCV805022 CCV805023 CCV8100SL CCV8100SL CCV8100XISL CCV810XISL CCV811ISL CCV81414 | 92 89 89 89 87 86 86 84 69 97 97 97 81 81 77 77 78 80 99 77 80 99 77 80 99 77 80 80 99 77 88 80 99 77 88 80 99 77 88 80 | CCV910XJ | 98 99 99 98 99 96 66 100 98 99 98 99 98 99 98 99 98 99 99 100 98 98 99 99 100 98 98 98 98 98 98 98 98 98 98 98 |
| CCM82804XE CCM82804XK CCM82804XK CCM82804XR CCM82806XC CCM82806XC CCM82806XK CCM82806XK CCM82806XK CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XC CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM82815XR CCM8301CALXC CCM8301CALXC CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CALXR CCM8301CARXC CCM8301CXC | 79 79 79 79 79 79 79 79 79 79 79 79 79 7 | CCR040R | 106 106 106 106 69 82 82 82 68 76 85 85 85 85 85 85 87 70 70 70 70 107 107 91 89 87 87 88 88 88 88 88 87 70 70 70 70 70 70 70 70 70 70 70 70 75 | CCR80408SL CCR804020 CCR804020 CCR804020XC CCR804022XC CCR804022 CCR804023 CCR804027 CCR804023 CCR804030 CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804030XC CCR804031 CCR804032 CCR804032 CCR804032 CCR804031 CCR804032 CCR804031 CCR804031 CCR804031 CCR804031 CCR804031 CCR804031 CCR8100 CCR8100 CCR8100 CCR8100 CCR8101 CCR81512 CCR81415 CCR81511A CCR81513 CCR81518 CCR81839 CCR81839 | | CCR822220XC CCR82222X CCR822223 CCR822223 CCR822227 CCR822228 CCR822228 CCR8225 CCR8225 CCR8225 CCR89918 CCR89919 CCR89919 CCR89925SL CCR9925SL CCR9925SL CCR9925SL CCV050 CCV05020 CCV06020 CCV06020 CCV06020 CCV06020 CCV06020 CCV06023 CCV06028 CCV06028 CCV06028 CCV06028 CCV06028 | | CCV22020 CCV22020XC CCV22020XC CCV22020XN CCV22022X CCV22023 CCV22027 CCV3412SL CCV3412SL CCV4100 CCV4100SL CCV4300 CCV805020 CCV805022 CCV805023 CCV805027 CCV805028 CCV8100SL CCV8100XCSL CCV810XCSL CCV810XCSL CCV810XCSL CCV810XCSL CCV810XCSL CCV810XCSL CCV810XCSL CCV8111SL CCV8111SL CCV81414 | 92 89 89 87 86 84 84 97 97 97 97 77 77 77 77 78 80 99 97 80 99 77 77 77 77 80 80 99 77 77 80 80 99 77 77 80 80 99 77 77 | CCV910XJ | 98 99 99 98 99 98 99 98 96 68 76 96 100 98 99 99 98 99 99 98 99 99 98 98 98 98 |

Classic Craft Continued

Fiber-Classic. & Smooth-Star.

| CCV950XESL | . 99 |
|------------|------|
| CCV950XHSL | 107 |
| CCV950XJSL | |
| CCV950XJSL | |
| CCV950XNSL | |
| CCV950XNSL | |
| | |
| CCV950XRSL | . 80 |
| CCV950XRSL | |
| CCV960 | 100 |
| CCV960XC | . 99 |
| CCV960XJ | |
| CCV960XN | |
| CCV960XR | . 99 |
| CCV9918 | |
| CCV9919 | . 82 |
| CCV9922 | . 76 |
| CCV9925 | . 68 |
| CCV9926 | |
| CCW1000 | 104 |
| CCW81000 | 104 |
| CCW8900L | 104 |
| CCW8900R | 104 |
| CCW8901L | 104 |
| CCW8901R | 104 |
| CCW8902L | 104 |
| CCW8902R | 104 |
| | |
| CCW8903 | 105 |
| CCW8904L | 105 |
| CCW8904R | 105 |
| CCW8905 | 105 |
| CCW8906L | 105 |
| CCW8906R | 105 |
| CCW8907L | 105 |
| CCW8907R | 105 |
| CCW900L | 104 |
| CCW900R | 104 |
| CCW901L | 104 |
| CCW901R | 104 |
| CCW902L | 104 |
| CCW902R | 105 |
| CCW903 | 105 |
| CCW904L | 105 |
| CCW904R | 105 |
| CCW905 | 105 |
| CCW906L | 105 |
| CCW906R | 105 |
| CCW900H | 105 |
| CCW907R | 105 |
| DRS2131SL | 105 |
| DDC00101CI | |
| DRS82131SL | 105 |
| HW30T | 108 |
| HWRT | 108 |
| LC30T | 108 |
| LCET | 108 |
| LCRT | 108 |
| LF30T | 108 |
| LFET | 108 |
| LFRT | 108 |
| 7UDT | 100 |

| | ass | |
|------------------------|------|--------------------------------|
| 1000 | 210 | 2050XJSL130 |
| 1283 | | 2050XK 130 |
| 1284 | 159 | 2050XKSL130 |
| 1285 | | 2050XN 130 |
| 1286 | | 2050XNSL |
| 1289
2000 | | 2050XR 130
2050XRSL |
| 2009 | | 8000-12133 |
| 2010 | | 8000-18133 |
| 2050 | | 8000-9133 |
| 8000 | | 8000XC 132 |
| 81000
81200 | | 8000XE132
8000XJ132 |
| 81208 | | 8000XK 132 |
| 81225 | | 8000XN 132 |
| 81828 | | 8000XR 132 |
| 12101SL | | 81200P162 |
| 12101XCSL
12101XESL | | 81200PSL |
| 12101XJSL | | 81200PXCSL 156 |
| 12101XKSL | | 81200PXE156 |
| 12101XNSL | | 81200PXESL156 |
| 12101XRSL | | 81200PXJ156 |
| 12102SL
12102XCSL | | 81200PXJSL 156
81200PXK 156 |
| 12102X6SL | | 81200PXKSL156 |
| 12102XJSL | | 81200PXN 156 |
| 12102XKSL | | 81200PXNSL 156 |
| 12102XNSL | | 81200PXR 156 |
| 12102XRSL
1283XC | | 81200PXRSL 156
81200SL 162 |
| 1283XE | | 81200XC 156 |
| 1283XJ | | 81200XCSL 156 |
| 1283XK | | 81200XE156 |
| 1283XN
1283XR | | 81200XESL |
| 1284XC | | 81200XJSL156 |
| 1284XE | 154 | 81200XK 156 |
| 1284XJ | | 81200XKSL156 |
| 1284XK
1284XN | | 81200XN 156
81200XNSL 156 |
| 1284XR | | 81200XR 156 |
| 1285XC | | 81200XRSL 156 |
| 1285XE | | 81208P159 |
| 1285XJ
1285XK | | 81208PSL |
| 1285XN | | 81225P156 |
| 1285XR | | 81225PSL 157 |
| 1286SL | | 81225SL157 |
| 18101SL
19020T | | 81800P144
81800PSL144 |
| 19055T | | 81800SL144 |
| 19200T | | 81900PSL173 |
| 19210T | | 81918P143 |
| 19220T
19520T | | 81918PSL143
81918SL143 |
| 1964P | | 81919P145 |
| 19720T | | 81919PSL145 |
| 19730T | | 81919SL145 |
| 19740T
19750T | | 81921P147
81921PSL148 |
| 2000SL | | 81921SL148 |
| 2000XC | | 81928P149 |
| 2000XCSL | | 81928PSL149 |
| 2000XE | | 81928SL149 |
| 2000XESL
2000XJ | | 81929P194
81929PSL195 |
| 2000XJSL | | 81929PXC190 |
| 2000XK | | 81929PXCSL 190 |
| 2000XKSL | | 81929PXE190 |
| 2000XN
2000XNSL | | 81929PXESL |
| 2000XR | | 81929PXJSL190 |
| 2000XRSL | 132 | 81929PXK190 |
| 2009SL | | 81929PXKSL190 |
| 2010XC
2010XE | | 81929PXN 190
81929PXNSL 190 |
| 2010XJ | | 81929PXR 190 |
| 2010XK | 130 | 81929PXRSL 190 |
| 2010XN | | 81933P179 |
| 2010XR
2050SL | | 81933PSL |
| 2050XC | | 81935PSL180 |
| 2050XCSL | 130 | 81936P180 |
| 2050XE
2050XESI | | 81936PSL |
| CODUMEDI | 1.50 | 0195/2 181 |

81937P......181

81937PSL.....181

2050XESL......130

2050XJ......130

| 81938P | | 81983P | 183 | FC131SL164 |
|------------------|------------|------------|------------|------------------------|
| 81938PSL | | 81984P | | FC138 159 |
| 81939P | 182 | 81985P | | FC138XC 154 |
| 81939PSL | | 81986PSL | 146 | FC138XE154 |
| 81940P | 183 | 81986SL | 146 | FC138XJ154 |
| 81940PSL | 183 | 85901SL | 166 | FC138XK 154 |
| 81941P | 184 | 85919SL | 183 | FC138XN 154 |
| 81941PSL | 184 | AXRT | 211 | FC138XR 154 |
| 81942P | 185 | BSRT | 211 | FC1400173 |
| 81942PSL | | CNRT | 211 | FC1400SL173 |
| 81943P | 175 | CX30T | 211 | FC1402173 |
| 81943PSL | | CXRT | | FC1404201 |
| 81943PXC | | DRS2131SL | | FC1408193 |
| 81943PXCSL | | DRS82131SL | | FC1408SL193 |
| 81943PXE | | EC30T | | FC141156 |
| 81943PXESL | | ECRT | | FC141SL157 |
| 81943PXJ | | FC10 | | FC142147 |
| 81943PXJSL | | FC100 | | FC142SL147 |
| 81943PXK | | FC1006 | | FC143166 |
| 81943PXKSL | | FC100SL | | FC143SL166 |
| 81943PXN | | FC101 | | FC144183 |
| 81943PXNSL | | FC101SL | | FC1442SL168 |
| 81943PXR | | FC1029 | | FC147166 |
| | | | | FC147SL166 |
| 81943PXRSL | | FC104 | | |
| 81944P | | FC104SL | | FC148150 |
| 81944PSL | | FC104XC | | FC148SL150 |
| 81945P | | FC104XE | | FC149 186 |
| 81945PXC | | FC104XJ | | FC149SL186 |
| 81945PXE | | FC104XK | | FC151177 |
| 81945PXJ | | FC104XN | | FC156 167 |
| 81945PXK | | FC104XR | | FC16144 |
| 81945PXN | | FC105 | | FC160178 |
| 81945PXR | | FC105SL | | FC163176 |
| 81946P | | FC108 | | FC164176 |
| 81946PSL | 173 | FC1089 | 172 | FC1645207 |
| 81946PXC | 170 | FC1089SL | 173 | FC1646168 |
| 81946PXCSL | | FC108SL | 143 | FC1646SL 168 |
| 81946PXE | 170 | FC109 | 179 | FC1647168 |
| 81946PXESL | 170 | FC109SL | 179 | FC1651151 |
| 81946PXJ | 170 | FC10XC | 156 | FC1651SL 151 |
| 81946PXJSL | 170 | FC10XE | 156 | FC1652151 |
| 81946PXK | 170 | FC10XJ | 156 | FC1652SL151 |
| 81946PXKSL | 170 | FC10XK | 156 | FC1654187 |
| 81946PXN | 170 | FC10XN | 156 | FC1655200 |
| 81946PXNSL | | FC10XR | 156 | FC1656SL187 |
| 81946PXR | | FC113 | 145 | FC18159 |
| 81946PXRSL | 170 | FC113SL | 145 | FC18SL159 |
| 81947PSL | | FC114 | | FC18XC 154 |
| 81949PSL | | FC114SL | | FC18XCSL 155 |
| 81952P | | FC115 | | FC18XE154 |
| 81952PSL | | FC115SL | | FC18XESL155 |
| 81953P | | FC116 | | FC18XJ |
| 81953PSL | | FC1200 | | FC18XJSL155 |
| 81954P | | FC1200SL | | FC18XK 154 |
| 81954PSL | | FC1201 | | FC18XKSL155 |
| 81955P | | FC1201SL | | FC18XN 154 |
| 81955PSL | | FC1202 | | FC18XNSL 155 |
| 81956P | | FC1202SL | | FC18XR 154 |
| 81956PSL | | FC1203 | | FC18XRSL 155 |
| 81957P | | FC1204 | | FC198160 |
| 81957PSL | | FC1204SL | | FC198SL160 |
| 81958P | | FC1205 | | FC20042167 |
| 81958PSL | | FC1205SL | | FC2101172 |
| 81959P | | FC1205XC | | FC2101SL172 |
| 81959PSL | | FC1205XE | | FC21013L173 |
| | | FC1205XE | | FC2102173 |
| 81960P | | | | FC2106172
FC2107172 |
| 81960PSL | | FC1205XK | | |
| 81961P | | FC1205XN | | FC2108172 |
| 81961PSL | | FC1205XR | | FC2213 153 |
| 81964P | | FC1206 | | FC2213SL |
| 81964PSL | | FC1206SL | | FC2223 152 |
| 81968P | | FC1207 | | FC2223SL |
| 81968PSL | | FC1207XC | | FC2233 153 |
| 81968SL | | FC1207XE | | FC2233SL154 |
| 81971P | | FC1207XJ | | FC23207 |
| 81971PXC | | FC1207XK | | FC2382 153 |
| 81971PXE | | FC1207XN | | FC2382SL153 |
| 81971PXJ | | FC1207XR | | FC2385 153 |
| 81971PXK | 190 | FC1208 | | FC2385SL154 |
| 81971PXN | 190 | FC1208SL | | FC2389 152 |
| 81971PXR | | FC1209 | 158 | FC2389SL 152 |
| 81975P | 179 | FC1209SL | 159 | FC241144 |
| 81977P | | FC1211 | | FC31209 |
| | | | | FC310143 |
| 81978P | 180 | FC1211SL | 100 | 1 65 10 145 |
| 81978P
81980P | | FC1212 | | FC32175 |
| | 181 | | 159 | |
| 81980P | 181
182 | FC1212 | 159
160 | FC32175 |

| FC32XCSL | 171 | FC5720XJ | 130 | FC709 | 177 | FC820 | 149 | FC8573SL | 148 | FC902 | 165 |
|------------------------|-----|----------------------|-----|--------------------|-----|------------------------|-----|------------------------|-----|----------------------|-----|
| FC32XE | | FC5720XJSL | | FC710 | | FC821 | | FC8574 | | FC902SL | |
| FC32XESL | | FC5720XK | | FC7125SL | | FC822 | | FC8579 | 184 | FC905 | |
| FC32XJ | | FC5720XKSL | | FC713 | 176 | FC82213 | | FC8581 | 184 | FC905SL | |
| FC32XJSL | | FC5720XN | | FC714 | | FC82213SL | | FC8583SL | | FC906 | |
| FC32XK | | FC5720XNSL | | FC721 | | FC82223 | | FC860 | | FC906SL | |
| FC32XKSL | | FC5720XR | | FC735 | | FC82223SL | | FC861 | | FC907 | |
| FC32XN | | FC5720XRSL | | FC736 | | FC82233 | | FC861XC | | FC907SL | |
| FC32XNSL | | FC572SL | | FC745 | | FC82233SL | | FC861XE | | FC910 | |
| FC32XR | | FC573SL | | FC752 | | FC82382 | | FC861XJ | | FC910SL | |
| FC32XRSL
FC3487SL | | FC574
FC581 | | FC755
FC765 | | FC82382SL
FC82385 | | FC861XK
FC861XN | | FC911
FC911SL | |
| FC3487XCSL | | FC583SL | | FC765SL | | FC82385SL | | FC861XR | | FC912 | |
| FC3487XESL | | FC60 | | FC766 | | FC82389 | | FC862 | | FC912SL | |
| FC3487XJSL | | FC6093 | | FC766XC | | FC82389SL | | FC86220 | | FC915 | |
| FC3487XKSL | | FC6094 | | FC766XE | | FC828 | | FC862203 | | FC916 | |
| FC3487XNSL | | FC6095 | | FC766XJ | | FC82XC | | FC862203XC | | FC917 | |
| FC3487XRSL | | FC61 | | FC766XK | | FC82XE | | FC862203XE | | FC92 | |
| FC369 | 145 | FC61XC | 208 | FC766XN | 171 | FC82XJ | | FC862203XJ | | FC925 | |
| FC38 | 163 | FC61XE | | FC766XR | 171 | FC82XK | 170 | FC862203XK | 200 | FC92SL | 173 |
| FC386 | 188 | FC61XJ | 208 | FC770 | 163 | FC82XN | 170 | FC862203XN | 200 | FC92XC | |
| FC387SL | | FC61XK | | FC772 | | FC82XR | 170 | FC862203XR | 200 | FC92XCSL | 170 |
| FC389 | | FC61XN | | FC773 | | FC8310 | | FC86220XC | | FC92XE | |
| FC38SL | | FC61XR | | FC775 | | FC8310SL | | FC86220XE | | FC92XESL | |
| FC393 | | FC62 | | FC776 | | FC8311 | | FC86220XJ | | FC92XJ | |
| FC4521 | | FC626 | | FC777 | | FC8311SL | | FC86220XK | | FC92XJSL | |
| FC4521SL | | FC62XC | | FC778 | | FC8313 | | FC86220XN | | FC92XK | |
| FC4525 | | FC62XE | | FC779 | | FC8313SL | | FC86220XR | | FC92XKSL | |
| FC4525SL | | FC62XJ | | FC780 | | FC8316 | | FC86242 | | FC92XN | |
| FC46SL
FC476 | | FC62XK | | FC789
FC794 | | FC8318
FC8319 | | FC86243
FC86247 | | FC92XNSL
FC92XR | |
| | | FC62XN | | | | | | | | | |
| FC47SL
FC47XCSL | | FC62XR
FC63SL | | FC796
FC797 | | FC832
FC8320 | | FC86249
FC86252 | | FC92XRSL
FCM10 | |
| FC47XESL | | FC63XCSL | | FC798 | | FC8321 | | FC86253 | | FCM100 | |
| FC47XJSL | | FC63XESL | | FC803 | | FC8321XC | | FC86254 | | FCM1000 | |
| FC47XKSL | | FC63XJSL | | FC808SL | | FC8321XE | | FC86255 | | FCM1006 | |
| FC47XNSL | | FC63XKSL | | FC809 | | FC8321XJ | | FC86500 | | FCM101 | |
| FC47XRSL | | FC63XNSL | | FC80920 | | FC8321XK | | FC86500SL | | FCM101SL | |
| FC48SL | | FC63XRSL | | FC809203 | | FC8321XN | | FC86533 | | FCM1029 | |
| FC48XCSL | | FC65 | | FC809203XC | | FC8321XR | | FC86536 | | FCM104 | |
| FC48XESL | | FC6500 | | FC809203XE | | FC8322 | | FC86550 | | FCM104XC | |
| FC48XJSL | | FC6500SL | | FC809203XJ | | FC8323 | | FC86550SL | | FCM104XE | |
| FC48XKSL | 190 | FC6534 | 200 | FC809203XK | 200 | FC8324 | 192 | FC86560 | 186 | FCM104XJ | 190 |
| FC48XNSL | | FC6550 | 150 | FC809203XN | | FC832XC | 189 | FC86560SL | 186 | FCM104XK | 190 |
| FC48XRSL | | FC6550SL | | FC809203XR | | FC832XE | | FC86570 | 207 | FCM104XN | |
| FC507 | | FC6560 | | FC80920XC | | FC832XJ | | FC86580 | | FCM104XR | |
| FC529 | | FC6565SL | | FC80920XE | | FC832XK | | FC86580SL | | FCM105 | |
| FC5425 | | FC6570 | | FC80920XJ | | FC832XN | | FC8675SL | | FCM105SL | |
| FC5425SL | | FC6576 | | FC80920XK | | FC832XR | | FC8678 | | FCM106 | |
| FC543 | | FC6577 | | FC80920XN | | FC8386 | | FC8678SL | | FCM108 | |
| FC545SL | | FC6580 | | FC80920XR | | FC8386SL | | FC8685L | | FCM1089SL | |
| FC549 | | FC6580SL | | FC80942 | | FC8390 | | FC8685LXC | | FCM109 | |
| FC5700
FC5700SL | | FC6582
FC65XC | | FC80943
FC80947 | | FC8392
FC84521 | | FC8685LXE
FC8685LXJ | | FCM109SL
FCM10XC | |
| FC5700XC | | FC65XE | | FC80949 | | FC84521SL | | FC8685LXK | | FCM10XE | |
| FC5700XCSL | 131 | FC65XJ | | | 198 | FC84525 | 160 | FC8685LXN | 130 | FCM10XJ | |
| FC5700XE | 130 | FC65XK | | FC80953 | | FC84525SL | 169 | FC8685LXR | 130 | FCM10XK | |
| FC5700XESL | | FC65XN | | FC80954 | | FC84527 | | FC8685R | | FCM10XN | |
| FC5700XJ | | FC65XR | | FC80955 | | FC84527SL | | FC8685RXC | | FCM10XR | |
| FC5700XJSL | | FC668 | | FC809SL | | FC8489 | | FC8685RXE | | FCM110 | |
| FC5700XK | 130 | FC670 | 195 | FC812SL | 146 | FC8498 | 188 | FC8685RXJ | 130 | FCM113 | 145 |
| FC5700XKSL | 131 | FC678 | 191 | FC813SL | 150 | FC8498SL | 188 | FC8685RXK | 130 | FCM114 | 181 |
| FC5700XN | | FC678SL | | FC814 | | FC8529 | | FC8685RXN | | FCM114SL | |
| FC5700XNSL | | FC685L | | FC8141 | | FC8545SL | | FC8685RXR | | FCM115 | |
| FC5700XR | | FC685LXC | | FC8144 | | FC85700 | | FC8691 | | FCM115SL | |
| FC5700XRSL | | FC685LXE | | FC8145 | | FC85700XC | | FC8691XC | | FCM116 | |
| FC571 | | FC685LXJ | | FC8145SL | | FC85700XE | | FC8691XE | | FCM1200 | |
| FC5710 | | FC685LXK | | FC8149 | | FC85700XJ | | FC8691XJ | | FCM1200SL | |
| FC5710SL | | FC685LXN | | FC814SL | | FC85700XK | | FC8691XK | | FCM1201 | |
| FC5710XC | | FC685LXR | | FC815SL | | FC85700XN
FC85700XR | | FC8691XN
FC8691XR | | FCM1201SL | |
| FC5710XCSL | | FC685R | | FC816
FC81645 | | | | | | FCM1202 | |
| FC5710XE
FC5710XESL | | FC685RXC
FC685RXE | | FC81646 | | FC8571
FC85710 | | FC8704
FC8707 | | FCM1202SL
FCM1203 | |
| FC5710XJ | | FC685RXJ | | FC81646SL | | FC85710XC | | FC8708 | | FCM1204SL | |
| FC5710XJSL | | FC685RXK | | FC81649 | | FC85710XE | | FC8721 | | FCM1205SL | |
| FC5710XK | | FC685RXN | | FC81651 | | FC85710XJ | | FC8735 | | FCM1206SL | |
| FC5710XKSL | | FC685RXR | | FC81651SL | | FC85710XK | | FC8736 | | FCM1208 | |
| FC5710XN | | FC691 | | FC81652 | | FC85710XN | | FC8745 | | FCM1209 | |
| FC5710XNSL | | FC691XC | | FC81652SL | | FC85710XR | | FC8752 | | FCM12101SL | |
| FC5710XR | | FC691XE | | FC81653 | | FC85720 | | FC8867SL | | FCM12101XCSL | |
| FC5710XRSL | | FC691XJ | | FC81654 | | FC85720XC | | FC89701 | | FCM12101XESL | 156 |
| FC5720 | | FC691XK | | FC81654SL | | FC85720XE | | FC8971 | | FCM12101XJSL | |
| FC5720SL | | FC691XN | | FC816SL | | FC85720XJ | | FC8972 | | FCM12101XKSL | |
| FC5720XC | | FC691XR | | FC817 | | FC85720XK | | FC900 | | FCM12101XNSL | |
| FC5720XCSL | | FC704 | | FC817SL | | FC85720XN | | FC900SL | | FCM12101XRSL | |
| FC5720XE | | FC707 | | FC818SL | | FC85720XR | | FC901 | | FCM12102SL | |
| FC5720XESL | 131 | FC708 | ∠Ub | FC82 | 1/2 | FC8572SL | 148 | FC901SL | 182 | FCM12102XCSL | 154 |

| FCM12102XESL | 15/ | FCM2000XJSL | 140 | FCM4813XC | 120 | FCM605XN | 202 | FCM65XCSL | 190 | FCM81652 | 151 |
|--------------|-------------------|--------------------------|------------|-----------|------------|----------------------|------------|------------------------|------------|----------------------------|------------|
| | | FCM2000XXSL | | | | | | | | FCM81652SL | |
| FCM12102XJSL | | | | FCM4813XE | | FCM605XR | | FCM65XE | | | |
| FCM12102XKSL | | FCM2000XNSL | | FCM4813XJ | | FCM606 | | FCM65XESL | | FCM81654 | |
| FCM12102XNSL | | FCM2000XRSL | | FCM4813XN | | FCM606XC | | FCM65XJ | | FCM81654SL | |
| FCM12102XRSL | | FCM2009SL | | FCM4813XR | | FCM606XE | | FCM65XJSL | | FCM816SL | |
| FCM1211 | | FCM205 | | FCM4814 | | FCM606XJ | | FCM65XK | | FCM817 | |
| FCM1212 | | FCM2050SL | | FCM4814XC | | FCM606XN | | FCM65XKSL | | FCM817SL | |
| FCM1283 | | FCM2050XCSL | | FCM4814XE | | FCM606XR | | FCM65XN | | FCM81800SL | |
| FCM1283XC | 155 | FCM2050XESL | 139 | FCM4814XJ | | FCM607 | 204 | FCM65XNSL | 189 | FCM81828 | |
| FCM1283XE | 155 | FCM2050XJSL | 139 | FCM4814XN | 139 | FCM6074 | 183 | FCM65XR | 189 | FCM81829 | 158 |
| FCM1283XJ | 155 | FCM2050XKSL | 139 | FCM4814XR | 139 | FCM6075 | 183 | FCM65XRSL | 189 | FCM818SL | 147 |
| FCM1283XK | 155 | FCM2050XNSL | | FCM4816 | 140 | FCM607XC | | FCM668 | 144 | FCM81900SL | |
| FCM1283XN | | FCM2050XRSL | | FCM4816XC | | FCM607XE | | FCM670 | | FCM81918SL | |
| FCM1283XR | | FCM2101SL | | FCM4816XE | | FCM607XJ | | FCM678 | | FCM81919SL | |
| FCM1284 | | FCM2106 | | FCM4816XJ | | FCM607XN | | FCM678SL | | FCM81921SL | |
| | | FCM2107 | | | | | | FCM6975 | | FCM81928SL | |
| FCM1284XC | | | | FCM4816XN | | FCM607XR | | | | | |
| FCM1284XE | | FCM2108 | | FCM4816XR | | FCM608 | | FCM704 | | FCM81944SL | |
| FCM1284XJ | | FCM220 | | FCM508 | | FCM608XC | | FCM707 | | FCM81947SL | |
| FCM1284XK | | FCM2213 | | FCM5425 | | FCM608XE | | FCM708 | | FCM81949SL | |
| FCM1284XN | | FCM2223 | | FCM5425SL | | FCM608XJ | | FCM7125SL | | FCM81968SL | |
| FCM1284XR | 154 | FCM2233 | 153 | FCM543 | 166 | FCM608XN | | FCM721 | | FCM81986SL | 146 |
| FCM1285 | 157 | FCM2382 | 152 | FCM545SL | 166 | FCM608XR | 203 | FCM735 | 206 | FCM82 | 172 |
| FCM1285XC | 154 | FCM2382SL | 152 | FCM571 | 148 | FCM609 | | FCM736 | 205 | FCM820 | 149 |
| FCM1285XE | 154 | FCM2385 | 153 | FCM572SL | 148 | FCM6093 | 146 | FCM745 | 206 | FCM821 | 147 |
| FCM1285XJ | | FCM2385SL | | FCM574 | | FCM6094 | | FCM752 | | FCM822 | |
| FCM1285XK | | FCM2389 | | FCM575 | | FCM6095 | | FCM755 | | FCM82213 | |
| FCM1285XN | | FCM2389SL | | FCM577 | | FCM61 | | FCM765 | | FCM82213SL | |
| FCM1285XR | | FCM241 | | FCM581 | | FCM6107 | | FCM765SL | | FCM82223 | |
| | | | | | | | | | | | |
| FCM1286 | | FCM31 | | FCM583SL | | FCM6108 | | FCM789 | | FCM82223SL | |
| FCM1286SL | | FCM310 | | FCM60 | | FCM6124SL | | FCM80 | | FCM82233SL | |
| FCM1289 | 158 | FCM32 | | FCM600 | 209 | FCM6124XCSL | 154 | FCM8000SL | 141 | FCM82382 | 152 |
| FCM1289SL | 158 | FCM32SL | 174 | FCM601 | 204 | FCM6124XESL | 154 | FCM8000XCSL | 140 | FCM82382SL | 152 |
| FCM131 | 164 | FCM32XC | 171 | FCM601XC | 204 | FCM6124XJSL | 154 | FCM8000XESL | 140 | FCM82385 | 153 |
| FCM131SL | | FCM32XCSL | | FCM601XE | | FCM6124XNSL | | FCM8000XJSL | | FCM82385SL | 153 |
| FCM138 | | FCM32XE | | FCM601XJ | | FCM6124XRSL | | FCM8000XKSL | | FCM82389 | |
| FCM138XC | | FCM32XESL | | FCM601XN | | FCM6125SL | | FCM8000XNSL | | FCM82389SL | |
| | | FCM32XJ | | FCM601XR | | FCM6125XCSL | | FCM8000XRSL | | FCM828 | |
| FCM138XE | | | | | | | | | | | |
| FCM138XJ | | FCM32XJSL | | FCM602 | | FCM6125XESL | | FCM808SL | | FCM82XC | |
| FCM138XK | | FCM32XK | | FCM6021 | | FCM6125XJSL | | FCM809SL | | FCM82XE | |
| FCM138XN | | FCM32XKSL | | FCM6021XC | | FCM6125XNSL | | FCM81000 | | FCM82XJ | |
| FCM138XR | | FCM32XN | | FCM6021XE | | FCM6125XRSL | | FCM8101SL | | FCM82XK | |
| FCM1400SL | 172 | FCM32XNSL | 171 | FCM6021XJ | 190 | FCM6126SL | 158 | FCM8101XCSL | 170 | FCM82XN | 170 |
| FCM1402 | 172 | FCM32XR | 171 | FCM6021XK | 190 | FCM6126XCSL | 154 | FCM8101XESL | 170 | FCM82XR | 170 |
| FCM1405 | 192 | FCM32XRSL | 171 | FCM6021XN | 190 | FCM6126XESL | 154 | FCM8101XJSL | 170 | FCM8310SL | 172 |
| FCM1405SL | | FCM3487SL | | FCM6021XR | | FCM6126XJSL | | FCM8101XKSL | | FCM8311SL | |
| FCM1406 | | FCM3487XCSL | | FCM6022 | | FCM6126XNSL | | FCM8101XNSL | | FCM8313SL | |
| FCM1408 | | FCM3487XESL | | FCM6022XC | | FCM6126XRSL | | FCM8101XRSL | | FCM8321 | |
| FCM141 | | FCM3487XJSL | | FCM6022XE | | FCM61XC | | FCM8103SL | | FCM8321XC | |
| FCM142 | | | | | | | | | | FCM8321XE | |
| | | FCM3487XKSL | | FCM6022XJ | | FCM61XE | | FCM8105SL | | | |
| FCM143 | | FCM3487XNSL | | FCM6022XK | | FCM61XJ | | FCM8107SL | | FCM8321XJ | |
| FCM143SL | | FCM3487XRSL | | FCM6022XN | | FCM61XK | | FCM8110SL | | FCM8321XK | |
| FCM144 | | FCM369 | | FCM6022XR | | FCM61XN | | FCM8114 | | FCM8321XN | |
| FCM1442SL | 167 | FCM38 | | FCM6025 | | FCM61XR | 208 | FCM8114SL | 144 | FCM8321XR | |
| FCM147 | 166 | FCM386 | 187 | FCM6026 | 185 | FCM62 | 194 | FCM8115 | 156 | FCM8322 | 192 |
| FCM147SL | 166 | FCM387 | 187 | FCM6029 | 182 | FCM6201SL | 139 | FCM8115SL | 156 | FCM8323 | 192 |
| FCM148 | 150 | FCM387SL | 187 | FCM6030 | 183 | FCM6240 | 139 | FCM81200 | 162 | FCM8324 | 192 |
| FCM149 | 185 | FCM389 | 169 | FCM6031 | | FCM6240SL | 139 | FCM81200SL | 162 | FCM8386 | |
| FCM149SL | | FCM38SL | | FCM6032 | | FCM626 | | FCM81200XC | | FCM8386SL | |
| FCM151 | | FCM394 | | FCM6035 | | FCM62SL | | FCM81200XCSL | | FCM84521SL | |
| FCM156 | | | | FCM6036 | | FCM62XC | | FCM81200XE | | FCM84525SL | |
| FCM16 | | FCM4521SL | | FCM604 | | FCM62XCSL | | | | FCM84527SL | |
| | | FCM4525SL | | | | | | FCM81200XESL | | | |
| FCM160 | | FCM476 | | FCM6041 | | FCM62XE | | FCM81200XJ | | FCM84810 | |
| FCM163 | | FCM4810 | | FCM6041XC | | FCM62XESL | | FCM81200XJSL | | FCM84810SL | |
| FCM164 | | FCM4810SL | | FCM6041XE | | FCM62XJ | | FCM81200XK | | FCM84810XC | |
| FCM1645 | | FCM4810XC | | FCM6041XJ | | FCM62XJSL | | FCM81200XKSL | | FCM84810XCSL | |
| FCM1646SL | | FCM4810XCSL | | FCM6041XK | | FCM62XK | | FCM81200XN | | FCM84810XE | |
| FCM1647 | 168 | FCM4810XE | 140 | FCM6041XN | 190 | FCM62XKSL | 190 | FCM81200XNSL | 156 | FCM84810XESL | 140 |
| FCM1650 | 203 | FCM4810XESL | 140 | FCM6041XR | 190 | FCM62XN | 190 | FCM81200XR | 155 | FCM84810XJ | 140 |
| FCM1651 | 151 | FCM4810XJ | 140 | FCM6042 | 192 | FCM62XNSL | 190 | FCM81200XRSL | 156 | FCM84810XJSL | 140 |
| FCM1651SL | | FCM4810XJSL | | FCM6042XC | | FCM62XR | | FCM81208P | | FCM84810XN | |
| FCM1652 | | FCM4810XN | | FCM6042XE | | FCM62XRSL | | FCM81208PSL | | FCM84810XNSL | |
| FCM1654 | | FCM4810XNSL | | FCM6042XJ | | FCM65 | | FCM81208SL | | FCM84810XR | |
| FCM1656 | | FCM4810XR | | FCM6042XK | | FCM6500 | | FCM81225 | | FCM84810XRSL | |
| FCM1656SL | | FCM4810XRSL | | FCM6042XN | | FCM6500SL | | FCM81225SL | | FCM84812 | |
| | | | | | | | | | | | |
| FCM1658 | | FCM4812 | | FCM6042XR | | FCM6520 | | FCM812SL | | FCM84812SL | |
| FCM18 | | FCM4812SL | | FCM6045 | | FCM6550 | | FCM813SL | | FCM84812XC | |
| FCM18101SL | | FCM4812XC | | FCM6046 | | FCM6560 | | FCM814 | | FCM84812XCSL | |
| FCM18XC | | FCM4812XCSL | | FCM6049 | | FCM6565 | | FCM8145 | | FCM84812XE | |
| FCM18XE | | FCM4812XE | 139 | FCM605 | 204 | FCM6565SL | | FCM8145SL | | FCM84812XESL | 140 |
| FCM18XJ | 154 | FCM4812XESL | 140 | FCM6050 | 183 | FCM6568 | 186 | FCM8149 | 185 | FCM84812XJ | |
| FCM18XK | 154 | FCM4812XJ | 139 | FCM6051 | 181 | FCM6570 | 207 | FCM814SL | 145 | FCM84812XJSL | 140 |
| FCM18XN | 154 | FCM4812XJSL | 140 | FCM6052 | 179 | FCM6575 | 177 | FCM815SL | 146 | FCM84812XN | 139 |
| FCM18XR | | FCM4812XN | | FCM6055 | | FCM6577 | | FCM816 | | FCM84812XNSL | |
| FCM198 | 134 | | | | | | - | | | | - |
| | | | 140 | FCM6056 | 185 | FCM6580SJ | 168 | FCM81645. | 207 | | 139 |
| | 158 | FCM4812XNSL | | FCM6056 | | FCM6580SL
FCM6582 | | FCM81645
FCM81646SI | | FCM84812XR | |
| FCM2000SL | 158
141 | FCM4812XNSL
FCM4812XR | 139 | FCM605XC | 203 | FCM6582 | 168 | FCM81646SL | 168 | FCM84812XR
FCM84812XRSL | 140 |
| | 158
141
140 | FCM4812XNSL | 139
140 | | 203
203 | | 168
192 | | 168
151 | FCM84812XR | 140
140 |

| FCM84813XE | . 139 | FCM870XJSL | . 156 | FC06186XNSL | 155 | S1205XK | 131 | S1655 | 200 | S2104 | 137 |
|--------------------------|-------|----------------------------|-------|----------------------------|-----|---------------------|-----|------------------------------|-----|----------------------|-----|
| FCM84813XJ | | FCM870XK | | FC06186XRSL | | S1205XN | | S1656 | | S2104SL | |
| FCM84813XN | | FCM870XKSL | | FC06188SL | | S1205XR | | S1656SL | | S2104XC | 136 |
| FCM84813XR | | FCM870XN | | FC06188XCSL | | S1206 | | S1658 | | S2104XCSL | |
| FCM84814 | | FCM870XNSL | | FC06188XESL | | S1206SL | | S1661 | | S2104XE | |
| FCM84814XC
FCM84814XE | | FCM870XR | | FC06188XJSL
FC06188XNSL | | \$1207
\$1207XC | | S198
S198SL | | S2104XESL | |
| FCM84814XJ | | FCM870XRSL
FCM871 | | FC06188XRSL | | S1207XE | | S200 | | S2104XJ
S2104XJSL | |
| FCM84814XN | | FCM871SL | | FC06189SL | | S1207XJ | | S2000 | | S2104XK | |
| FCM84814XR | | FCM872 | | FC06189XCSL | | S1207XK | | S2000SL | | S2104XKSL | |
| FCM84816 | . 140 | FCM8721 | | FC06189XESL | 155 | S1207XN | 131 | S2000SL | 141 | S2104XN | |
| FCM84816XC | | FCM872SL | | FC06189XJSL | | S1207XR | | S2000SL-2C | | S2104XNSL | |
| FCM84816XE | | FCM873 | | FC06189XNSL | | S1208 | | S2000SL-4C | | S2104XR | |
| FCM84816XJ | | FCM8735 | | FC06189XRSL | | S1208SL | | S2000XC | | S2104XRSL | |
| FCM84816XN
FCM84816XR | | FCM8736 | | FC06190SL
FC06190XCSL | | \$1209
\$1209\$L | | \$2000XCSL | | S2105 | |
| FCM84886SL | | FCM873SL
FCM874 | | FC06190XESL | | \$12095L | | S2000XCSL-2C
S2000XCSL-4C | | S2106
S2107 | |
| FCM84886XCSL | | FCM8745 | | FC06190XJSL | | S1211SL | | S2000XE | | S2107 | |
| FCM84886XESL | | FCM874SL | | FC06190XNSL | | S1212 | | S2000XESL | | S210SL | |
| FCM84886XJSL | . 139 | FCM8752 | | FC06190XRSL | 155 | S128 | 160 | S2000XESL-2C | | S210XCSL | |
| FCM84886XKSL | | FCM881SL | | FC06575 | | S128XC | | S2000XESL-4C | | S210XESL | 190 |
| FCM84886XNSL | | FCM881XCSL | | FWRT | | S128XE | | S2000XJ | | S210XJSL | |
| FCM84886XRSL | | FCM881XESL | | KNRT
LT30T | | S128XJ | | S2000XJSL
S2000XJSL-2C | | S210XKSL | |
| FCM8498
FCM8498SL | | FCM881XJSLFCM881XKSL | | LTRT | | S128XK
S128XN | | S2000XJSL-2C
S2000XJSL-4C | | S210XNSL
S210XRSL | |
| FCM8545SL | | FCM881XNSL | | PBRT | | S128XR | | S2000XJ3L-40 | | S210ARSL | |
| FCM8571 | | FCM881XRSL | | RSRT | | S130 | | S2000XKSL | | S213 | |
| FCM8572SL | | FCM882SL | | S100 | | S130SL | | S2000XN | | S214 | |
| FCM8573SL | . 148 | FCM883SL | | S1000 | 177 | S131 | 191 | S2000XNSL | | S2150 | |
| FCM8574 | . 148 | FCM884SL | 164 | S1001 | 177 | S132 | 191 | S2000XNSL-2C | 131 | S220 | 210 |
| FCM8581 | | FCM885SL | | S1006 | | S132SL | | S2000XNSL-4C | | S2200 | 137 |
| FCM8583SL | | FCM886 | | \$100\$L | | S1350 | | \$2000XR | | S2200XC | |
| FCM860FCM861 | | FCM886SL
FCM887SL | | \$100XCSL
\$100XESL | | \$137
\$139 | | \$2000XRSL | | S2200XCSL | |
| FCM861XC | | FCM888 | | \$100XESL | | \$139\$L | | S2000XRSL-2C
S2000XRSL-4C | | S2200XE | |
| FCM861XE | | FCM888SL | | S100XSSL | | S140 | | S2000XN3L-40 | | S2200XESL
S2200XJ | |
| FCM861XJ | | FCM889SL | | S100XNSL | | S1400 | | S2009 | | S2200XJSL | |
| FCM861XK | | FCM890 | | S100XRSL | | S1400SL | | S2009SL | | S2200XSL | |
| FCM861XN | | FCM890SL | | S1029 | | S1401 | | S2010 | | S2200XKSL | |
| FCM861XR | | FCM891 | | S104 | | S1401SL | 137 | S2010SL | | S2200XN | |
| FCM862 | . 194 | FCM891SL | | S104XC | | S1402 | | S2010SL | | S2200XNSL | |
| FCM86201SL | | FCM892SL | | S104XE | | S1404 | | S2010XC | | S2200XR | 136 |
| FCM86240 | | FCM893SL | | S104XJ | | S1405 | | S2010XCSL | | S2200XRSL | |
| FCM86240SL | | FCM898 | | S104XK | | S1405SL | | S2010XE | | S2213 | |
| FCM862SLFCM862XC | | FCM898SL | | S104XN
S104XR | | \$1406
\$1407 | | S2010XESL
S2010XJ | | S2213SL | |
| FCM862XCSL | | FCM899
FCM899SL | | \$104XK | | S1407 | | S2010XJ | | S2223
S2223SL | |
| FCM862XE | | FCM900 | | S108 | | S1409 | | S2010XK | | \$2233 | |
| FCM862XESL | | FCM901 | | S1089 | | S140STC | | S2010XKSL | | S2233SL | |
| FCM862XJ | . 190 | FCM901SL | | S1089SL | | S140XC | | S2010XN | | S2250 | |
| FCM862XJSL | . 190 | FCM902 | 165 | S108XC | | S140XE | 156 | S2010XNSL | 131 | S2250XC | |
| FCM862XK | | FCM902SL | | S108XE | | S140XJ | | S2010XR | | S2250XCSL | 136 |
| FCM862XKSL | | FCM905 | | \$108XJ | | S140XK | | S2010XRSL | | S2250XE | |
| FCM862XN | | FCM906 | | S108XK | | S140XN | | S205 | | S2250XESL | |
| FCM862XNSL | | FCM906SL
FCM907 | | S108XN
S108XR | | S140XR
S141 | | S2050
S2050XC | | S2250XJ | |
| FCM862XR
FCM862XRSL | 190 | FCM907SL | | S1100 | | S1411 | | S2050XE | | S2250XJSL
S2250XK | |
| FCM863 | | FCM910 | | S115 | | S141STC | | S2050XJ | | S2250XKSL | |
| FCM863SL | | FCM911 | | S1170SL | | S141XC | | S2050XK | | S2250XN | |
| FCM864 | | FCM911SL | | S1170XCSL | | S141XE | | S2050XN | 131 | S2250XNSL | |
| FCM864SL | | FCM912 | | S1170XESL | 155 | S141XJ | | S2050XR | | S2250XR | 136 |
| FCM865 | | FCM912SL | | S1170XJSL | | S141XK | | S206 | | S2250XRSL | |
| FCM86500 | | FCM915 | | \$1170XKSL | | \$141XN | | \$206XC | | S236 | |
| FCM86500SL | | FCM916 | | \$1170XNSL | | \$141XR | | \$206XE | | S237 | |
| FCM86550FCM86550SL | | FCM92SLFCM92XCSL | | S1170XRSL
S118 | | S1442SL
S154 | | S206XJ
S206XK | | \$2382 | |
| FCM86560 | | FCM92XESL | | S118XC | | S154SL | | S206XN | | S2382SL
S2385 | |
| FCM86560SL | | FCM92XJSL | | S118XE | | S155 | | S206XR | | S2385SL | |
| FCM86570 | | FCM92XKSL | | S118XJ | | S155SL | | S210 | | S2389 | |
| FCM86580SL | | FCM92XNSL | 170 | S118XK | | S156 | | S2100 | | S2389SL | |
| FCM865SL | | FCM92XRSL | | S118XN | | S160 | | S2101 | | S241 | 145 |
| FCM866 | | FC06184SL | | S118XR | | S160SL | | S2101SL | | S243 | |
| FCM866SL | | FC06184XCSL | | \$120 | | S161 | | S2102 | | S255 | |
| FCM8675SL | | FC06184XESL | | \$1200 | | S161SL | | \$2103 | | S256 | |
| FCM8678
FCM8678SL | | FC06184XJSL
FC06184XNSL | | S1200SL
S1201 | | \$162
\$163 | | S2103SL
S2103XC | | \$2600 | |
| FCM867SL | | FC06184XRSL | | \$1201
\$1201SL | | S1645 | | S2103XCSL | | S2610
S2610XC | |
| FCM870 | | FC06185SL | | S12013L | | S1646 | | S2103XE | | S2610XE | |
| FCM8704 | | FC06185XCSL | | S1202SL | | S1646SL | | S2103XESL | | S2610XJ | |
| FCM8707 | | FC06185XESL | | S1203 | | S1647 | | S2103XJ | | S2610XN | |
| FCM8708 | . 206 | FC06185XJSL | 155 | S1204 | 134 | S1650 | 203 | S2103XJSL | 136 | S2610XR | |
| FCM870SL | | FC06185XNSL | | S1204SL | | S1651 | | S2103XK | | S262 | 193 |
| FCM870XC | | FC06185XRSL | | S1205 | | S1651SL | | S2103XKSL | | S2620 | |
| FCM870XCSL | | FC06186SL | | S1205SL | | S1652 | | S2103XN | | S262XC | |
| FCM870XE | | FC06186XCSL | | \$1205XC | | S1652SL | | S2103XNSL | | S262XE | |
| FCM870XESL
FCM870XJ | | FC06186XESL
FC06186XJSL | | S1205XE
S1205XJ | | S1653
S1654 | | S2103XR
S2103XRSL | | S262XJ | |
| I OIVIO I UAJ | . 133 | 1 000 100AJJL | 133 | J 1 Z U J A J | 131 | J 1007 | 101 | 04 100ANOL | 130 | S262XK | 189 |

| S262XN | 189 | S4525SL | 169 | S5710XNSL | 132 | S6031 | 181 | S6082 | 177 | S685RXK | 132 |
|---|---|---|---|---|---|--|--|--|--|---|--|
| S262XR | | S454 | | S5710XR | | S6032 | | S6084 | | S685RXN | |
| S2630 | | S4570SL | | S5710XRSL | 132 | S6034 | 191 | S6085 | 176 | S685RXR | 132 |
| S263SL | | S476 | | S5715 | | S6035 | | S608XC | | S691 | |
| S263XCSL | | S4800 | | S5715XC | | S6036 | | S608XE | | S691XC | |
| S263XESL | | S4810 | | S5715XE | | S604 | | S608XJ | | S691XE | |
| S263XJSL | | S4810SL | | S5715XJ | | S6041 | | S608XN | | S691XJ | |
| S263XKSL | | S4810XC | | S5715XK | | S6041XC | | S608XR | | S691XK | |
| S263XNSL | | S4810XCSL | | S5715XN | | S6041XE | | S609 | | S691XN | |
| S263XRSL | | S4810XE | | S5715XR | | S6041XJ | | S6090 | | S691XR | |
| S2640 | | S4810XESL | | S5720 | | S6041XK | | S6091 | | S6975 | |
| S2650 | | S4810XJ | | S5720SL | | S6041XN | | S6091SL | | S704 | |
| S2660 | | S4810XJSL | | S5720XC | | S6041XR | | S6092 | | S707 | |
| | | | | | | | | S6092SL | | S708 | |
| S2670 | | S4810XN | | S5720XCSL | | S6042 | | | | \$709 | |
| S289 | | S4810XNSL | | S5720XE | | S6042XC | | S6093 | | | |
| S289XC | | S4810XR | | S5720XESL | | S6042XE | | S6094 | | S7125SL | |
| S289XE | | S4810XRSL | | S5720XJ | | S6042XJ | | S6095 | | S721 | |
| S289XJ | | S4812 | | S5720XJSL | | S6042XK | | S6100 | | S735 | |
| S289XK | | S4812SL | | S5720XK | | S6042XN | | S6100SL | | S736 | |
| S289XN | | S4812XC | | S5720XKSL | | S6042XR | | S6101 | | S745 | |
| S289XR | | S4812XCSL | | S5720XN | | S6045 | | S6101SL | | S751SL | |
| S291 | | S4812XE | | S5720XNSL | | S6046 | | S6102 | | S751XCSL | |
| S291SL | | S4812XESL | | S5720XR | | S6049 | | S6102SL | | S751XESL | |
| S292 | | S4812XJ | | S5720XRSL | | S604SL | | S6103 | | S751XJSL | |
| S292SL | | S4812XJSL | | S5725 | | S605 | | S6104 | | S751XKSL | |
| S294 | | S4812XN | | S5725XC | | S6050 | | S6106 | | S751XNSL | |
| S294SL | | S4812XNSL | | S5725XE | 131 | S6051 | 181 | S6107 | 182 | S751XRSL | 171 |
| S296 | | S4812XR | | S5725XJ | | S6052 | | S6108 | | S752 | |
| S296XC | | S4812XRSL | | S5725XK | 131 | S6054 | 191 | S6124SL | | S755 | 210 |
| S296XE | | S4813 | | S5725XN | 131 | S6055 | 191 | S6124XCSL | 155 | S757SL | |
| S296XJ | | S4813XC | | S5725XR | | S6056 | | S6124XESL | | S758SL | |
| S296XK | 208 | S4813XE | 140 | S572SL | 149 | S605SL | 161 | S6124XJSL | 155 | S770 | 178 |
| S296XN | | S4813XJ | | S573SL | | S605XC | | S6124XNSL | | S771 | |
| S296XR | | S4813XN | | S574 | 148 | S605XCSL | | S6124XRSL | | S773 | |
| S30 | | S4813XR | | S575 | | S605XE | | S6125SL | | S774 | |
| S308SL | | S4814 | | S577 | | S605XESL | | S6125XCSL | | S80 | |
| S308XCSL | | S4814XC | | S579 | | S605XJ | | S6125XESL | | S8000 | |
| S308XESL | | S4814XE | | S581 | | S605XJSL | | S6125XJSL | | S8000-12 | |
| S308XJSL | | S4814XJ | | S583SL | | S605XN | | S6125XNSL | | S8000-18 | |
| S308XKSL | | S4814XN | | S585 | | S605XNSL | | S6125XRSL | | S8000-10 | |
| S308XNSL | | S4814XR | | S5870SL | | S605XR | | S6126SL | | S8000SL | |
| S308XRSL | | S4816 | | S600 | | | | S6126XCSL | | S8000SL | |
| | | 04010 | 141 | | | S605XRSL | | | | | |
| S30XC | | S4816XC | | \$6000 | | S606 | | S6126XESL | | S8000XC | |
| S30XE | | S4816XE | | S6000SL | | S6061 | | S6126XJSL | | S8000XCSL | |
| \$30XJ | | S4816XJ | 140 | S6002 | | S6062 | | S6126XNSL | | S8000XE | |
| S30XK | | S4816XN | | S6002SL | | S6062SL | | S6126XRSL | | S8000XESL | |
| S30XN | | S4816XR | | S6006 | | S6063 | | S6128SL | | S8000XJ | |
| S30XR | | S507 | 199 | S6006SL | | S6063STC | | S6130SL | | S8000XJSL | |
| S31 | | S508 | | S6008 | | S6063XC | | S6131SL | | S8000XK | |
| S310 | | S529 | | S6008SL | 145 | S6063XE | | S6132SL | 150 | S8000XKSL | 132 |
| S32 | | S5425 | | S6009 | | S6063XJ | 155 | S6134SL | | S8000XN | |
| S32XC | 189 | S5425SL | 171 | S6009SL | | S6063XK | 155 | S6135SL | 147 | S8000XNSL | 132 |
| S32XE | 189 | S543 | 167 | S601 | 204 | S6063XN | 155 | S6201SL | 139 | S8000XR | 132 |
| S32XJ | 189 | S545SL | 167 | S6010 | 165 | S6063XR | 155 | S6240 | 139 | S8000XRSL | 132 |
| S32XK | 189 | S549 | 199 | S6013 | 196 | S606SL | 161 | S6240SL | 139 | S807 | 197 |
| S32XN | | S5700 | 135 | S6014 | 196 | S606XC | 203 | S626 | | S807XC | 197 |
| S32XR | 189 | S5700SL | | S601SL | | S606XCSL | | S6500 | | S807XE | |
| S3487SL | | S5700XC | | S601XC | | S606XE | | S6500SL | | S807XJ | |
| S3487XCSL | | S5700XCSL | | S601XCSL | | S606XESL | | S6520 | | S807XK | |
| S3487XESL | | S5700XE | | S601XE | | S606XJ | | S6534 | | S807XN | |
| S3487XJSL | | S5700XESL | | S601XESL | | S606XJSL | | | | | |
| S3487XKSL | | | | | | | 155 | S6536 | 187 | 58U/XH | |
| S3487XNSL | | 55/UUXJ | 131 | S601XJ | | | | S6536
S6550 | | S807XR
S808 | |
| | | S5700XJ
S5700XJSL | | S601XJ
S601XJSL | 204 | S606XN | 203 | S6550 | 151 | S808 | 161 |
| S3487XRSI | 189 | S5700XJSL | 132 | S601XJSL | 204
156 | S606XN
S606XNSL | 203
155 | S6550
S6550SL | 151
151 | S808
S808SL | 161
161 |
| S3487XRSL
S35 | 189
189 | S5700XJSL
S5700XK | 132
131 | S601XJSL
S601XKSL | 204
156
156 | S606XN
S606XNSL
S606XR | 203
155
203 | \$6550
\$6550\$L
\$6560 | 151
151
186 | \$808
\$808\$L
\$80XC | 161
161
171 |
| S35 | 189
189
181 | S5700XJSL
S5700XK
S5700XKSL | 132
131
132 | S601XJSL
S601XKSL
S601XN | 204
156
156
204 | \$606XN
\$606XNSL
\$606XR
\$606XRSL | 203
155
203
155 | \$6550
\$6550\$L
\$6560
\$6565 | 151
151
186
186 | \$808
\$808\$L
\$80XC
\$80XE | 161
161
171
171 |
| S35
S3540 | 189
189
181
203 | \$5700XJSL
\$5700XK
\$5700XKSL
\$5700XN | 132
131
132
131 | S601XJSL
S601XKSL
S601XN
S601XNSL | 204
156
156
204
156 | \$606XN
\$606XNSL
\$606XR
\$606XRSL
\$607 | | S6550 | 151
151
186
186
187 | \$808
\$808\$L
\$80XC
\$80XE
\$80XJ | 161
161
171
171 |
| S35
S3540
S369 | 189
189
181
203
145 | \$5700XJSL
\$5700XK
\$5700XKSL
\$5700XN
\$5700XNSL | 132
131
132
131
132 | \$601XJ\$L
\$601XK\$L
\$601XN
\$601XN\$L
\$601XR | 204
156
156
204
156
204 | \$606XN
\$606XNSL
\$606XR
\$606XRSL
\$607 | | S6550 | 151
151
186
186
187
186 | \$808
\$808\$L
\$80XC
\$80XE
\$80XJ
\$80XK | 161
161
171
171
171 |
| \$35
\$3540
\$369
\$37 | 189
189
181
203
145
185 | \$5700XJSL
\$5700XK
\$5700XKSL
\$5700XN
\$5700XNSL
\$5700XR | 132
131
132
131
132 | \$601XJSL
\$601XKSL
\$601XN
\$601XNSL
\$601XR
\$601XRSL | 204
156
156
204
156
204
156 | \$606XN
\$606XNSL
\$606XR
\$606XRSL
\$607
\$6070 | 203
155
203
155
204
147 | \$6550
\$6550\$L
\$6560
\$6565
\$6565\$L
\$6568
\$6570 | 151
151
186
186
187
186
207 | \$808
\$808\$L
\$80XC
\$80XE
\$80XJ
\$80XK
\$80XN | 161
161
171
171
171
171 |
| \$35
\$3540
\$369
\$37
\$386 | 189
189
181
203
145
185
188 | \$5700XJSL
\$5700XK
\$5700XKSL
\$5700XN
\$5700XNSL
\$5700XR | 132
131
132
131
132
131 | \$601XJSL
\$601XKSL
\$601XN
\$601XNSL
\$601XR
\$601XRSL
\$602 | 204
156
156
204
156
204
156
202 | \$606XN | 203
155
203
155
204
147
147 | \$6550 | 151
151
186
186
187
186
207
197 | \$808 | 161161171171171171171 |
| \$35
\$3540
\$369
\$37
\$386 | 189
189
181
203
145
185
188
188 | \$5700XJSL
\$5700XK
\$5700XKSL
\$5700XN
\$5700XNSL
\$5700XR
\$5700XRSL
\$5700XRSL | 132
131
132
131
132
131
132 | \$601XJSL
\$601XKSL \$601XN \$601XNSL \$601XNSL \$601XRSL \$601XRSL \$601XRSL \$6021 \$60 | 204
156
156
204
156
204
156
202
195 | \$606XN
\$606XNSL
\$606XR.
\$606XRSL
\$607
\$60700.
\$6070SL.
\$60711SL | 203
155
203
155
204
147
147
166 | \$6550 | 151
151
186
186
187
186
207
197 | \$808 | |
| \$35
\$3540
\$369
\$37
\$386
\$387 | 189
189
181
203
145
185
188
188 | \$5700XJSL
\$5700XK
\$5700XKSL
\$5700XN
\$5700XNSL
\$5700XR
\$5700XRSL
\$5705
\$5705XC | 132
131
132
131
132
131
134 | \$601XJSL
\$601XKSL
\$601XN
\$601XNSL
\$601XRSL
\$601XRSL
\$602
\$6021
\$6021XC | | \$606XN | | \$6550 | | \$808 | |
| \$35 | 189
189
181
203
145
185
188
188
188 | \$5700XJSL
\$5700XKS
\$5700XKSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC | | \$601XJSL
\$601XKSL
\$601XKSL
\$601XNSL
\$601XRSL
\$602
\$6021
\$6021XC
\$6021XC | | \$606XN | 203
155
203
155
204
204
147
147
166
166
166 | \$6550 | | \$808 | |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387S
\$387SL
\$389
\$392 | 189 189 181 203 145 185 188 188 188 188 | \$5700XJSL
\$5700XKSL
\$5700XKSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XJ | 132
131
132
131
132
131
131
132
134
131
131
131 | \$601XJSL
\$601XKSL
\$601XN
\$601XR
\$601XRSL
\$602
\$6021
\$6021XC
\$6021XC
\$6021XL | | \$606XN | 203
155
203
155
204
147
147
166
166
166
183 | \$6550 | | \$808 | 161161171171171171171171210210210210 |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387SL
\$389
\$389
\$392 | 189 189 181 203 145 185 188 188 188 169 188 200 | \$5700XJSL
\$5700XKSL
\$5700XNSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XE
\$5705XJ
\$5705XK | 132
131
132
131
132
131
132
131
134
131
131
131 | \$601XJSL
\$601XKSL
\$601XN
\$601XNSL
\$601XNSL
\$601XRSL
\$602
\$6021
\$6021XC
\$6021XC
\$6021XL
\$6021XL
\$6021XL | | \$606XN | 203
155
203
155
204
147
147
166
166
166
183
183 | \$6550 | | \$808 | |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387SL
\$389
\$392
\$393
\$394 | 189 189 181 203 145 185 188 188 188 169 188 188 188 | \$5700XJSL
\$5700XKSL
\$5700XNSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XL
\$5705XJ
\$5705XK
\$5705XK | 132
131
132
131
132
131
132
134
134
131
131
131
131 | \$601XJSL\$601XKSL\$601XMSL\$601XNSL\$601XR\$601XR\$602\$6021\$6021XC\$6021XC\$6021XC\$6021XE\$6021XL\$60 | | \$606XN | 203
155
203
155
204
147
147
166
166
183
183
183 | \$6550 | | \$808 | |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387SL
\$389
\$392
\$393
\$394
\$398 | 189 189 181 203 145 185 188 188 169 188 188 169 188 188 197 | \$5700XJSL
\$5700XKS
\$5700XKSL
\$5700XNSL
\$5700XNSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XL
\$5705XI
\$5705XK
\$5705XN
\$5705XN | 132
131
132
131
132
131
132
134
134
131
131
131
131
131 | \$601XJSL
\$601XKSL
\$601XKSL
\$601XMSL
\$601XRSL
\$601XRSL
\$602
\$6021
\$6021XC
\$6021XC
\$6021XL
\$6021XJ
\$6021XJ
\$6021XJ
\$6021XK | | \$606XN | 203
155
203
155
204
147
147
166
166
183
183
183
183 | \$6550 | | \$808 | 161171171171171171171171171162156156156 |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387SL
\$389
\$392
\$393
\$394
\$398
\$4070SL | | \$5700XJSL
\$5700XKSL
\$5700XKSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XJ
\$5705XK
\$5705XK
\$5705XN
\$5705XN
\$5705XR | 132
131
132
133
132
133
132
133
134
131
131
131
131
131
131 | \$601XJSL
\$601XKSL
\$601XKSL
\$601XNSL
\$601XRSL
\$601XRSL
\$602
\$6021
\$6021XC
\$6021XC
\$6021XL
\$6021XL
\$6021XK
\$6021XK
\$6021XK
\$6021XK
\$6021XN
\$6021XR | | \$606XN | 203
155
203
155
204
147
147
166
166
166
183
183
183
183
183
183 | \$6550 | | \$808 | 161161171171171171171171171175162156156156156 |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387SL
\$389
\$392
\$393
\$394
\$398
\$4070SL
\$41 | | \$5700XJSL
\$5700XKSL
\$5700XKSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XC
\$5705XL
\$5705XJ
\$5705XJ
\$5705XN
\$5705XN
\$5705XN
\$5705XN | 132
131
132
133
132
131
132
131
134
131
131
131
131
131
131 | \$601XJSL | | \$606XN | 203 155 203 155 204 147 147 166 166 183 183 183 183 183 184 185 185 185 185 | \$6550 | | \$808 | 161161171171171171210210156156156156156 |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387
\$387
\$392
\$392
\$393
\$394
\$398
\$4070SL
\$41
\$416SL | | \$5700XJSL
\$5700XKSL
\$5700XNSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XL
\$5705XL
\$5705XK
\$5705XN
\$5705XR
\$5705XR
\$5705XR
\$57105XR | 132
131
132
132
131
132
131
132
131
131 | \$601XJSL\$601XKSL\$601XKSL\$601XNSL\$601XNSL\$601XRSL\$602\$6021XC\$6021XC\$6021XC\$6021XC\$6021XK\$6021XM\$6021XM\$6021XM\$6021XR\$6021XR\$6021XR\$6021XR\$6021XR\$6021XR\$6021XR\$6021XR\$6021XR\$6022XE\$6022XC\$6022XE\$ | | \$606XN | 203 155 203 155 204 147 147 166 166 166 183 183 183 183 161 204 155 204 | \$6550 | | \$808 | |
| \$35 | | \$5700XJSL
\$5700XKSL
\$5700XKSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XC
\$5705XL
\$5705XJ
\$5705XJ
\$5705XN
\$5705XN
\$5705XN
\$5705XN | 132
131
132
132
131
132
131
132
131
131 | \$601XJSL | | \$606XN | 203 155 203 155 204 147 147 166 166 166 183 183 183 183 161 204 155 204 | \$6550 | | \$808 | |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387
\$387
\$392
\$392
\$393
\$394
\$398
\$4070SL
\$41
\$416SL | | \$5700XJSL
\$5700XKSL
\$5700XNSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XL
\$5705XL
\$5705XK
\$5705XN
\$5705XR
\$5705XR
\$5705XR
\$57105XR | 132
131
132
133
132
133
132
134
131
131
131
131
131
131
131 | \$601XJSL
\$601XKSL
\$601XKSL
\$601XN
\$601XRSL
\$601XRSL
\$602
\$6021
\$6021XC
\$6021XE
\$6021XL
\$6021XL
\$6021XK
\$6021XK
\$6021XR
\$6022XC
\$6022XC
\$6022XL
\$6022XL | | \$606XN | 203 155 203 155 204 147 147 166 166 183 183 183 183 183 204 155 204 204 204 | \$6550 | | \$808 | 161161171171171171210210210156156156156156156156156156 |
| \$35 | | \$5700XJSL
\$5700XKS
\$5700XKSL
\$5700XNSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XL
\$5705XJ
\$5705XJ
\$5705XJ
\$5705XR
\$5705XR
\$5710
\$5710
\$5710SL
\$5710SL | 132
131
132
133
132
131
132
132 | \$601XJSL
\$601XKSL
\$601XKSL
\$601XMSL
\$601XRSL
\$601XRSL
\$602
\$6021XC
\$6021XC
\$6021XL
\$6021XJ
\$6021XJ
\$6021XK
\$6021XK
\$6021XK
\$6021XR
\$6022XC
\$6022XC
\$6022XC | | \$606XN | 203 155 203 155 204 147 147 166 166 183 183 183 183 183 204 155 204 204 204 | \$6550 | | \$808 | |
| \$35 | | \$5700XJSL
\$5700XKSL
\$5700XKSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XL
\$5705XI
\$5705XI
\$5705XI
\$57105XI
\$5710SL
\$5710XC
\$5710XCC | 132
131
132
133
132
131
132
133
134
131
131
131
131
131
135
135
135 | \$601XJSL
\$601XKSL
\$601XKSL
\$601XN
\$601XRSL
\$601XRSL
\$602
\$6021
\$6021XC
\$6021XE
\$6021XL
\$6021XL
\$6021XK
\$6021XK
\$6021XR
\$6022XC
\$6022XC
\$6022XL
\$6022XL | | \$606XN | 203 155 203 155 204 147 147 146 166 166 183 183 183 183 183 184 204 155 204 | \$6550 | | \$808 | |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387SL
\$387SL
\$389
\$392
\$393
\$394
\$394
\$4070SL
\$41
\$416SL
\$42
\$42
\$42
\$42
\$43 | | \$5700XJSL
\$5700XKSL
\$5700XKSL
\$5700XNSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XL
\$5705XK
\$5705XN
\$5705XN
\$5710XR
\$5710SL
\$5710XC
\$5710XCSL
\$5710XCSL | 132
131
132
133
132
131
132
131
134
131
131
131
131
131
131 | \$601XJSL
\$601XKSL
\$601XKSL
\$601XRSL
\$601XRSL
\$602
\$6021XC
\$6021XC
\$6021XC
\$6021XK
\$6021XK
\$6021XK
\$6021XK
\$6021XN
\$6021XR
\$6022XC
\$6022XC
\$6022XE
\$6022XL
\$6022XL
\$6022XL | | \$606XN | 203 155 203 155 204 147 147 166 166 166 183 183 183 183 185 204 155 204 155 204 | \$6550 | | \$808 | |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387SL
\$389
\$392
\$393
\$394
\$398
\$4070SL
\$41
\$416SL
\$42
\$42
\$426
\$43
\$430 | | \$5700XJSL
\$5700XKSL
\$5700XKSL
\$5700XNSL
\$5700XNSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XC
\$5705XL
\$5705XK
\$5705XK
\$5705XN
\$5705XN
\$5710XC
\$5710XC
\$5710XCSL
\$5710XCSL
\$5710XE | 132
131
132
133
132
133
132
134
131
131
131
131
131
135
135
135 | \$601XJSL | | \$606XN | 203 155 203 155 204 147 147 146 166 166 183 183 183 183 161 204 155 204 155 204 | \$6550 | | \$808 | |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387SL
\$389
\$392
\$393
\$394
\$398
\$4070SL
\$41
\$416SL
\$42
\$426
\$43
\$430
\$430SL | | \$5700XJSL\$5700XKS\$5700XKSL\$5700XKSL\$5700XNSL\$5700XNSL\$5700XRSL\$5700XRSL\$5700XRSL\$5705XC\$5705XC\$5705XC\$5705XJ\$5705XJ\$5710XC\$5710XC\$5710XC\$5710XCS\$5710XES. | 132
131
132
133
132
131
132
133
134
131
131
131
131
131
131 | \$601XJSL | | \$606XN | 203 155 203 155 204 147 147 166 166 166 183 183 183 161 204 155 204 155 204 155 204 155 | \$6550 | | \$808 | |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387SL
\$389
\$392
\$393
\$394
\$398
\$4070SL
\$41
\$416SL
\$42
\$426
\$43
\$430
\$430SL
\$45
\$45
\$45
\$45
\$45
\$45
\$45
\$45 | | \$5700XJSL
\$5700XKSL
\$5700XKSL
\$5700XNSL
\$5700XRSL
\$5700XRSL
\$5700XRSL
\$5705XC
\$5705XC
\$5705XL
\$5705XL
\$5705XI
\$5705XI
\$5705XI
\$5710SL
\$5710SL
\$5710XC
\$5710XE
\$5710XE
\$5710XE
\$5710XE
\$5710XSL
\$5710XSL
\$5710XSL
\$5710XJSL
\$5710XJSL
\$5710XJSL | 132 131 131 132 133 133 132 133 134 131 131 131 131 131 131 131 131 | \$601XJSL \$601XKSL \$601XKSL \$601XKSL \$601XRSL \$601XRSL \$601XRSL \$602 \$6021XC \$6021XC \$6021XC \$6021XC \$6021XC \$6021XC \$6021XC \$6021XC \$6022XC \$6022XC \$6022XC \$6022XC \$6022XE \$6022XC | | \$606XN | 203 155 203 155 204 147 147 166 166 183 183 183 183 183 161 204 155 204 155 204 155 204 155 | \$6550 | | \$808 | |
| \$35
\$3540
\$369
\$37
\$386
\$387
\$387SL
\$389
\$392
\$393
\$394
\$398
\$4070SL
\$41
\$416SL
\$42
\$426
\$43
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$430
\$43 | | \$5700XJSL\$5700XKSL\$5700XKSL\$5700XKSL\$5700XNSL\$5700XNSL\$5700XRSL\$5700XRSL\$5705XC\$5705XC\$5705XK\$5705XK\$5705XK\$5705XR\$5710XC\$5710XC\$5710XC\$5710XC\$5710XC\$5710XSL\$5710XJSL\$5710XJSL\$5710XJSL\$5710XJSL\$5710XJSL\$5710XJSS | 132 131 132 131 132 1331 132 1331 131 13 | \$601XJSL
\$601XKSL
\$601XKSL
\$601XMSL
\$601XRSL
\$601XRSL
\$6021XC
\$6021XC
\$6021XC
\$6021XL
\$6021XL
\$6021XJ
\$6021XK
\$6021XK
\$6021XK
\$6022XK
\$6022XC
\$6022XC
\$6022XC
\$6022XC
\$6022XL
\$6022XN
\$6022XN
\$6022XN
\$6022XN
\$6022XN | | \$606XN | 203 155 203 155 204 147 147 166 166 166 183 183 183 183 185 204 155 204 155 204 155 204 155 204 | \$6550 | | \$808 | |

| S81405 | . 194 | S82107XJ | 136 | S83143 | . 198 | S84816XE | 140 | S8583SL | . 185 | S8605XR | 203 |
|------------------------|-------|-----------------------|-------|------------------------|-------|--------------------------|-----|--------------------------|----------------|------------------------|-------|
| S8140STC | | S82107XK | | S83147 | | S84816XJ | | S85892 | | S8606 | |
| S8140XC | | S82107XN | | S83149 | | S84816XN | | S85892SL | | S8606SL | |
| S8140XE | | S82107XR | | S83152 | | S84816XR | | S85893 | | S8606XC | |
| S8140XJ | | \$82200 | | S83153 | | S84886SL | | S85893SL | | \$8606XE | |
| S8140XK
S8140XN | | S82200XC
S82200XE | | S83154
S83155 | | S84886SL
S84886XCSL | | S85895
S85895SL | | \$8606XJ
\$8606XN | |
| S8140XR | | S82200XJ | | S8316 | | S84886XESL | | S85896 | | S8606XR | |
| S8141 | | S82200XK | | S8317 | | S84886XJSL | | S85896SL | | S8607 | |
| S8144 | | S82200XN | | S8318 | | S84886XKSL | 131 | S85897 | | S86074 | |
| S8145 | | S82200XR | | S8319 | | S84886XNSL | | S85898 | | S8607SL | |
| S8145SL | | S82213 | | S832 | | S84886XRSL | | S85898SL | | S8607XC | |
| S8149 | | S82213SL | | S8320 | | S8489 | | S85901 | | S8607XE | |
| S814SL
S815 | | \$82223
\$82223\$L | | S8321
S8321XC | | S8498
S8498SL | | \$85902
\$85902\$L | | \$8607XJ
\$8607XN | |
| S816 | | S82233 | | S8321XE | | S8508 | | S85905 | | S8607XR | |
| S81645 | | S82233SL | | S8321XJ | | S8529 | | S85907 | | S8608 | |
| S81646 | | S82250 | | S8321XK | | S8545SL | | S85908 | | S8608XC | |
| S81646SL | | S822XC | | S8321XN | | S85700 | | S85909 | | S8608XE | |
| S81649 | | S822XE | | S8321XR | | S85700SL | | S85910SL | | S8608XJ | |
| S81650 | . 203 | S822XJ | | S8322 | | S85700XC | | S85910XCSL | | S8608XN | |
| S81651 | | S822XK | | S8323 | | S85700XCSL | | S85910XESL | | S8608XR | |
| S81651SL | | S822XN | | S8324 | | \$85700XE | | S85910XJSL | | S8609 | |
| S81652 | | S822XR | | S8325 | | S85700XESL | | S85910XKSL | | S86107 | |
| S81652SL
S81653 | | S82382
S82382SL | | \$8326 | | \$85700XJ
\$85700XJSL | | S85910XNSL
S85910XRSL | | S86201SL
S86240 | |
| S81654 | | S82385 | | \$8327
\$8328 | | S85700XK | | S85912SL | | S86240SL | |
| S81654SL | | S82385SL | | S832XC | | S85700XKSL | | S85914SL | | S86500 | |
| S81656 | | S82389 | | S832XE | | S85700XN | | S85915SL | | S86500SL | |
| S817 | | S82389SL | | S832XJ | | S85700XNSL | | S85916SL | | S86520 | |
| S818 | | S82600 | | S832XK | | S85700XR | | S85917SL | | S86533 | 200 |
| S81828 | . 161 | S82610 | . 204 | S832XN | . 189 | S85700XRSL | 132 | S85918SL | . 182 | S86536 | 187 |
| S818XC | | S82610XC | | S832XR | | S85705 | | S85920SL | | S86550 | |
| S818XE | | S82610XE | | S833 | | S85705XC | | S85922SL | | S86550SL | |
| S818XJ | | S82610XJ | | S83540 | | S85705XE | | S85924SL | | S86560 | |
| S818XK | | S82610XN | | S837 | | \$85705XJ | | S85925SL | | S86560SL | |
| S818XN | | S82610XR | | \$8386 | | S85705XK
S85705XN | | S85926SL | | \$86565
\$86570 | |
| S818XR
S81929P | | \$82620
\$82630 | | S8386SL
S8387 | | S85705XR | | S85927SL
S85928SL | | \$86580 | |
| S81929PXC | | S82640 | | S8390 | | S8571 | | S85930SL | | S86580SL | |
| S81929PXE | | S82650 | | S8392 | | S85710 | | S85931SL | | S8675SL | |
| S81929PXJ | | S82660 | | S84521 | | S85710SL | | S85932SL | | S867SL | |
| S81929PXK | | S82670 | | S84521SL | | S85710XC | | S85934SL | | S8682 | |
| S81929PXN | . 190 | S828 | | S84525 | . 169 | S85710XCSL | 132 | S8600 | . 210 | S8682SL | |
| S81929PXR | | S829 | | S84525SL | | S85710XE | | S8600XC | | S8685L | |
| S81933P | | S829SL | | S84527 | | S85710XESL | | S8600XE | . 204 | S8685LXC | |
| S81935P | | S82SL | | S84527SL | | S85710XJ | | S8600XJ | . 204 | S8685LXE | |
| S81936P | | S82XC | | S84586SL | | S85710XJSL | | \$8600XN | | \$8685LXJ | |
| S81937P
S81938P | | S82XCSL
S82XE | | \$8467
\$84800 | | S85710XK
S85710XKSL | | S8600XR
S8601 | . 204
. 204 | \$8685LXK
\$8685LXN | |
| S81939P | | S82XESL | | S84810 | | S85710XN | | S8601SL | | S8685LXR | |
| S81940P | | S82XJ | | S84810SL | | S85710XNSL | | S8601XCSL | | S8685R | |
| S81941P | | S82XJSL | . 171 | S84810XC | | S85710XR | | S8601XESL | | S8685RXC | |
| S81942P | | S82XK | | S84810XCSL | | S85710XRSL | | S8601XJSL | | S8685RXE | . 132 |
| S81983 | . 183 | S82XKSL | | S84810XE | . 140 | S85715 | | S8601XKSL | . 156 | S8685RXJ | 132 |
| S82 | | S82XN | | S84810XESL | | S85715XC | | S8601XNSL | . 156 | S8685RXK | 132 |
| S820 | | S82XNSL | | S84810XJ | | S85715XE | | S8601XRSL | | S8685RXN | |
| S8200 | | S82XR | | S84810XJSL | | S85715XJ | | S8602 | . 202 | S8685RXR | |
| S8201 | | S82XRSL | | S84810XN | | S85715XK | | \$86021 | | S8691 | |
| \$8202\$L
\$8204\$L | | S830
S830XC | | S84810XNSL
S84810XR | | S85715XN
S85715XR | | S86021XC
S86021XE | | S8691XC
S8691XE | |
| S8207SL | | S830XE | | S84810XRSL | | S85720 | | S86021XJ | | S8691XJ | |
| S821 | | S830XJ | | S84812 | | S85720SL | | S86021XK | | S8691XK | |
| S82103 | | S830XK | | S84812SL | | S85720XC | | S86021XN | | S8691XN | |
| S82103XC | . 136 | S830XN | | S84812XC | . 140 | S85720XCSL | | S86021XR | . 190 | S8691XR | . 131 |
| S82103XE | | S830XR | | S84812XCSL | | S85720XE | | S86022XC | | S86975 | |
| S82103XJ | | S831 | | S84812XE | | S85720XESL | | S86022XE | | S8704 | |
| S82103XK | | S8310 | | S84812XESL | | \$85720XJ | | \$86022XJ | | \$8707 | |
| S82103XN
S82103XR | | S8310SL
S8311 | | S84812XJ
S84812XJSL | | S85720XJSL
S85720XK | | \$86022XK
\$86022XN | | \$8708
\$8721 | |
| S82104 | | S8311SL | | S84812XN | | S85720XKSL | | S86022XR | | S8735 | |
| S82105 | | S83120 | | S84812XNSL | | S85720XN | | S86025 | | S8736 | |
| S82105XC | | S831203 | | S84812XR | | S85720XNSL | | S86026 | | S8745 | |
| S82105XE | | S831203XC | | S84812XRSL | | S85720XR | | S86027 | | S8752 | |
| S82105XJ | . 136 | S831203XE | 200 | S84813 | . 141 | S85720XRSL | 132 | S86029 | | S880 | . 175 |
| S82105XK | | S831203XJ | | S84813XC | | S85725 | | S8602SL | | S880SL | |
| S82105XN | | S831203XK | | S84813XE | | S85725XC | | S86030 | | S880XC | 171 |
| S82105XR | | S831203XN | | S84813XJ | | S85725XE | | S86031 | | S880XCSL | 171 |
| \$82106 | | S831203XR | | S84813XN | | \$85725XJ | | \$86032 | | \$880XE | |
| S82106XC
S82106XE | | S83120XC
S83120XE | | S84813XR
S84814 | | S85725XK
S85725XN | | \$86035
\$86036 | | S880XESL
S880XJ | |
| S82106XJ | | S83120XJ | | S84814XC | | S85725XR | | S8604 | . 202 | S880XJSL | |
| S82106XK | | S83120XK | | S84814XE | | S8572SL | | S8605 | | S880XK | |
| S82106XN | | S83120XN | | S84814XJ | | S8573SL | | S8605SL | | S880XKSL | |
| S82106XR | | S83120XR | | S84814XN | | S8574 | | S8605XC | 203 | S880XN | |
| S82107 | . 137 | S8313 | 174 | S84814XR | | S8575 | 184 | S8605XE | . 203 | S880XNSL | . 171 |
| S82107XC | | S8313SL | | S84816 | | S8579 | | S8605XJ | | S880XR | |
| S82107XE | . 136 | S83142 | 200 | S84816XC | . 140 | S8581 | 184 | S8605XN | . 203 | S880XRSL | . 171 |

Fiber-Classic. & Smooth-Star.

| S881 174 | S9355 19 |
|--------------|----------|
| S881SL 174 | S95 16 |
| S881XC 170 | S960 21 |
| S881XCSL 171 | S97 16 |
| S881XE170 | S971 19 |
| S881XESL 171 | S972 17 |
| S881XJ 170 | S973 18 |
| S881XJSL171 | S975 16 |
| S881XK 170 | S975SL16 |
| S881XKSL 171 | S977 16 |
| S881XN 170 | S979 16 |
| S881XNSL 171 | S981 16 |
| S881XR 170 | S982 16 |
| S881XRSL 171 | S983 16 |
| S882 174 | S992 17 |
| S887 164 | S997 17 |
| S887SL 164 | S999 17 |
| S888 164 | SART 21 |
| S888SL 164 | |
| 2001 165 | |

S891SL......165 S892 166

S892SL......166

S893 181

S894 163

S894SL.....163

S895 165

S896XC 208

S896XJ......208

S896XN 208

S896XR 208 S897 210 S89701 186

S8971191

S8972 201 S898 174

S898SL......174

S90 175

S902SL..... 168

S90SL......137

S90XE......171

S90XR 171

S912 167

S916 144 S916SL......144

S91SL......164

S92 174

S92SL......137

S92XJ......170

S92XN 170

S92XR170

S93 210

\$9320 201

S93203 201

S93203XC 200

S93203XJ......200

S9320XC 201

S9320XN 201

S9342 200

S9343 198

S9347 199

S9349 199 S9352 198

S9353 198

S9354199

..... 201

S93203XK

S93203XR

200

S895SL.

S896XE..

S902

S90XC.

S925

S92XC

S92XE.

S93203XE.

S93203XN

S9320XE.

S9320XJ.

| Steel | |
|----------|-----|
| 100 | 235 |
| 104 | 231 |
| 105 | 231 |
| 108 | 225 |
| 118 | 225 |
| 128 | 225 |
| 130 | 225 |
| 131 | 231 |
| 137 | 231 |
| 139 | 223 |
| 198 | 225 |
| 310 | 223 |
| 369 | 223 |
| 571 | 223 |
| 310 | 223 |
| 320 | 223 |
| 626 | 224 |
| 300 | 240 |
| 308 | 236 |
| 310 | 240 |
| 318 | 237 |
| 328 | 236 |
| | 236 |
| 329 | 240 |
| 396 | |
| 916 | 223 |
| 1006 | 223 |
| 1028 | 224 |
| 1029 | 223 |
| 1200 | 225 |
| 1201 | 225 |
| 1202 | 225 |
| 1203 | 225 |
| 5425 | 227 |
| 3132 | 238 |
| 3145 | 238 |
| 3206 | 238 |
| 3317 | 240 |
| 3321 | 238 |
| 3322 | 238 |
| 3323 | 238 |
| 3324 | 238 |
| 3704 | 239 |
| 3708 | 239 |
| 3752 | 239 |
| 03142HD | 226 |
| 1001HD | 228 |
| 1002HD | 228 |
| 1004HD | 231 |
| 1005HD | 235 |
| 1006SL | 223 |
| 1007HD | 228 |
| 1007SLHD | 228 |
| 1008HD | 232 |
| 1009HD | 226 |
| 1009SLHD | |
| 100SL | 225 |
| 100SL | 237 |
| 100XCSL | |
| 100XCSL | 236 |
| 100XESL | 225 |
| 100XESL | |
| 100XJSL | 225 |
| 100X00L | 226 |

104XC 230

| 01001 | | | |
|------------------------|-------|---------------------|-----|
| 1002 | 235 1 | 04XE | 230 |
| 104 | | 04XJ | |
| 105 | | 04XK | |
| | | 04XN | |
| 1082 | | 04XR | |
| 1282 | | 089SLHD | |
| 1302 | | 08XC | |
| 1312 | | 08XE | |
| 1372 | | 08XJ | |
| 1392 | | 08XK | |
| 1982 | | 08XN | |
| 3102 | | 08XR | |
| 3692 | | 101HD | |
| | | 101XCHD | |
| 571 | | | |
| 6202 | | 101XEHD | |
| | | 101XJHD
 101XKHD | |
| 626 | | 101XNHD | |
| | | 101XRHD | |
| 808 | | 102HD | |
| 8182 | | 111HD | |
| 8282 | | 112HD | |
| 8292 | | 113HD | |
| 8962 | | 114HD | |
| 9162 | | 115HD | |
| 10062 | | 116HD | |
| 10282 | | 117HD | |
| 10292 | | 118HD | |
| 12002 | | 120HD | |
| 1201 | | 121HD | |
| 12022 | | 123HD | |
| 12032 | | 123HDXC | |
| 54252 | | 123HDXE | |
| 8132 | | 123HDXJ | |
| 8145 | | 123HDXK | |
| 8206 | | 123HDXN | |
| 83172 | | 123HDXR | |
| 83212 | | 15HD | |
| 83222 | | 18XC | |
| 83232 | | 18XE | |
| 8324 | | 18XJ | |
| 87042 | | 18XK | |
| 87082 | | 18XN | |
| 87522 | | 18XR | |
| 03142HD2 | | 200SL | |
| 1001HD2 | | 200SL | |
| 1002HD2 | 228 1 | 201SL | 225 |
| 1004HD2 | 231 1 | 201SL | 236 |
| 1005HD2 | 235 1 | 202SL | 225 |
| 1006SL | 223 1 | 202SL | 236 |
| 1007HD2 | 228 1 | 28XC | 224 |
| 1007SLHD 2 | | 28XE | |
| 1008HD 2 | | 28XJ | |
| 1009HD 2 | 226 1 | 28XK | 224 |
| 1009SLHD 2 | | 28XN | 224 |
| 100SL2 | | 28XR | 224 |
| 100SL | | 30SL | |
| 100XCSL2 | | 30SL | |
| 100XCSL | | 32HD | |
| 100XESL | | 32SLHD | |
| 100XESL | | 39SL | |
| 100XJSL | | 400SLHD | |
| 100XJSL | | 403HD | |
| 100XKSL | | 405HD | |
| 100XKSL | | 405SLHD | |
| 100XNSL 2 | | 406HD | |
| 100XNSL | | | |
| 100XRSL 2
100XRSL 2 | | 411HD | |
| | | | |
| 1011HD 2
1020HD 2 | | 643SLHD | |
| 1022HD 2 | | 644SLHD | |
| 1024HD2 | | 650HD | |
| 1025HD 2 | | 651HD | |
| 1029SL | | 1651SL | |
| 1032HD2 | | 657HD | |
| 1035HD2 | | 657SLHD | |
| 1037HD2 | | 659HD | |
| 1037SLHD2 | | 660HD | |
| 1039HD2 | | 662HD | |
| 1039SLHD2 | | 9020T | |
| 1040HD2 | | 9055T | |
| 1040SLHD2 | | 9200T | |
| 1041HD2 | | 9210T | |
| 1041SLHD2 | | 9220T | |
| 1042HD2 | | 9520T | |
| 104XC 2 | 220 1 | 9720T | 2/1 |

| 104XN | 230 |
|------------------------|------------|
| 104XR | 230 |
| 1089SLHD | 227 |
| 108XC | 224 |
| 108XJ | 224 |
| 108XK | 224 |
| 108XN | |
| 108XR
1101HD | 224
231 |
| 1101XCHD | 230 |
| 1101XEHD | 230 |
| I 101XJHD | 230 |
| I 101XKHD
I 101XNHD | 230
230 |
| 1101XRHD | 230 |
| 1102HD | |
| I111HD | 229 |
| I 112HD
I 113HD | 229
229 |
| I 114HD | 228 |
| 1115HD | 228 |
| I116HD | |
| 1117HD | 228 |
| I 118HD
I 120HD | 229 |
| 1121HD | 231 |
| I 123HD | 231 |
| 1123HDXC | |
| 1123HDXE
1123HDXJ | 230
230 |
| 1123HDXK | |
| 1123HDXN | 230 |
| 1123HDXR | 230 |
| 115HD | |
| 118XC
118XE | 225
225 |
| 118XJ | |
| 118XK | 225 |
| 118XN | 225 |
| 118XR
1200SL | 225 |
| 1200SL | 236 |
| 1201SL | 225 |
| 1201SL | 236 |
| 1202SL | 225 |
| 128XC | 224 |
| 128XE | 224 |
| 128XJ | |
| 128XK | 224 |
| 128XN
128XR | 224
224 |
| 130SL | 225 |
| 130SL | 236 |
| 132HD | 230 |
| 132SLHD
139SL | 231
223 |
| 1400SLHD | |
| 1403HD | 227 |
| 1405HD | 231 |
| 1405SLHD
1406HD | 231
231 |
| 1408HD | 231 |
| 1411HD | 233 |
| 1643HD | 235 |
| 1643SLHD
1644HD | 235 |
| 1644SLHD | 227
227 |
| 1650HD | 233 |
| 1651HD | 224 |
| 1651SL | 224 |
| 1657HD
1657SLHD | 230
230 |
| 1659HD | 230 |
| 1660HD | 230 |
| 1662HD | 232 |
| 19020T
19055T | 241
241 |
| 19200T | |
| 19210T | 241 |
| 19220T
19520T | 241 |
| | 241 |

| 19730T | | 074110 | |
|---|---|--|---|
| | 241 | 374HD | |
| 19740T | 241 | 391HD | 227 |
| 19750T | | 391SLHD | 227 |
| | | | |
| 198SL | 225 | 395HD | |
| 198SL | 237 | 395SLHD | 230 |
| 203HD | 235 | 396HD | 232 |
| | | | |
| 205HD | | 397HD | |
| 206HD | 231 | 416SL | 224 |
| 206HDXC | 230 | 426HD | 229 |
| 206HDXE | | 430HD | |
| | | | |
| 206HDXJ | 230 | 430SLHD | |
| 206HDXK | 230 | 454HD | 234 |
| 206HDXN | | 4572SLHD | |
| | | | |
| 206HDXR | 230 | 469HD | |
| 2109HD | 227 | 469SLHD | 227 |
| 210HD | | 508HD | |
| | | | |
| 210SLHD | 231 | 5425SL | 227 |
| 210SLHDXC | 230 | 544HD | 226 |
| 210SLHDXE | | 546SLHD | 226 |
| | | | |
| 210SLHDXJ | 230 | 576HD | |
| 210SLHDXK | 230 | 578HD | 229 |
| 210SLHDXN | | 582HD | 229 |
| | | 584SLHD | |
| 210SLHDXR | | | |
| 2110HD | 227 | 588HD | 232 |
| 2111HD | | 601HD | 234 |
| | | 601XCHD | |
| 211HD | | | |
| 236HD | 235 | 601XEHD | |
| 237HD | 235 | 601XJHD | 234 |
| 2382SL | | 601XNHD | |
| | | | |
| 2385HD | | 601XRHD | |
| 2385SL | 224 | 602HD | 233 |
| 2389HD | 224 | 604HD | 233 |
| | | 605HD | |
| 2389SL | | | |
| 243HD | 231 | 605HDXC | 233 |
| 255HD | 235 | 605HDXE | 233 |
| | | 605HDXJ | |
| 256HD | | | |
| 262HD | 231 | 605HDXN | |
| 262HDXC | 230 | 605HDXR | 233 |
| 262HDXE | 230 | 606HD | 234 |
| 262HDXJ | | 606HDXC | |
| | | | |
| 262HDXK | 230 | 606HDXE | |
| 262HDXN | 230 | 606HDXJ | 233 |
| 262HDXR | | 606HDXN | 233 |
| | | 606HDXR | |
| 263HD | | | |
| 263HDXC | 232 | 607HD | 234 |
| 263HDXE | 232 | 607HDXC | 233 |
| | | | |
| | | | |
| 263HDXJ | 232 | 607HDXE | 233 |
| 263HDXJ263HDXK | 232
232 | 607HDXE607HDXJ | 233
233 |
| 263HDXJ
263HDXK
263HDXN | 232
232
232 | 607HDXJ607HDXJ | 233
233
233 |
| 263HDXJ263HDXK | 232
232
232 | 607HDXE607HDXJ | 233
233
233 |
| 263HDXJ263HDXK263HDXN263HDXR | 232
232
232
232 | 607HDXJ
607HDXN
607HDXN | 233
233
233
233 |
| 263HDXJ | 232
232
232
232
231 | 607HDXE | 233
233
233
233
234 |
| 263HDXJ | 232
232
232
232
231
230 | 607HDXE | 233
233
233
233
234
233 |
| 263HDXJ
263HDXK
263HDXN
263HDXR
263SLHD
263SLHDXC
263SLHDXC | 232
232
232
232
231
230
230 | 607HDXE | 233
233
233
233
234
233
233 |
| 263HDXJ | 232
232
232
232
231
230
230 | 607HDXE | 233
233
233
233
234
233
233 |
| 263HDXJ | 232
232
232
232
231
230
230
230 | 607HDXE
607HDXJ
607HDXN
607HDXR
608HD
608HD
608HDXC
608HDXE | 233
233
233
234
233
233
233 |
| 263HDXJ | 232
232
232
232
231
230
230
230
230 | 607HDXE
607HDXJ
607HDXN
607HDXR
608HD
608HDXC
608HDXE
608HDXE
608HDXJ
608HDXJ | 233
233
233
234
233
233
233
233 |
| 263HDXJ
263HDXK
263HDXN
263HDXR
263SLHD
263SLHDXC
263SLHDXC
263SLHDXL
263SLHDXJ
263SLHDXX
263SLHDXX | 232
232
232
232
231
230
230
230
230
230 | 607HDXE | 233
233
233
234
233
233
233
233
233 |
| 263HDXJ | 232
232
232
232
231
230
230
230
230
230
230 | 607HDXE
607HDXJ
607HDXN
607HDXR
608HDXC
608HDXC
608HDXE
608HDXJ
608HDXJ
608HDXN
608HDXN
608HDXR | 233
233
233
234
233
233
233
233
233 |
| 263HDXJ
263HDXK
263HDXN
263HDXR
263SLHD
263SLHDXC
263SLHDXC
263SLHDXL
263SLHDXJ
263SLHDXX
263SLHDXX | 232
232
232
232
231
230
230
230
230
230
230 | 607HDXE | 233
233
233
234
233
233
233
233
233 |
| 263HDXJ | 232
232
232
232
231
230
230
230
230
230
230
230
230
230 | 607HDXE
607HDXJ
607HDXN
607HDXR
608HD
608HDXC
608HDXE
608HDXJ
608HDXJ
608HDXN
608HDXN
608HDXN
608HDXN
608HDXN | 233
233
233
234
233
233
233
233
233
233 |
| 263HDXJ | 232
232
232
232
231
230
230
230
230
230
230
230
230
230
230 | 607HDXE
607HDXJ
607HDXN
607HDXR
608HD
608HDXC
608HDXC
608HDXJ
608HDXJ
608HDXJ
608HDXN
608HDXN
608HDXN
608HDXR
609HD
610SL | 233
233
233
234
233
233
233
233
233
223
22 |
| 263HDXJ
263HDXK
263HDXN
263HDXN
263SLHD
263SLHDXC
263SLHDXC
263SLHDXL
263SLHDXX
263SLHDXX
263SLHDXX
263SLHDXN
263SLHDXN
263SLHDXN
263SLHDXN
263SLHDXC
289HD
289HDXC | 232
232
232
232
231
230
230
230
230
230
230
230
230
230
230 | 607HDXE
607HDXJ
607HDXN
607HDXN
607HDXR
608HD
608HDXC
608HDXL
608HDXJ
608HDXN
608HDXN
609HD
610SL
613HD | 233
233
233
234
233
233
233
233
233
223
22 |
| 263HDXJ | 232
232
232
232
231
230
230
230
230
230
230
230
230
230
230 | 607HDXE
607HDXJ
607HDXN
607HDXR
608HD
608HDXC
608HDXE
608HDXJ
608HDXN
608HDXN
608HDXN
608HDXN
608HDXN
6108HDXN
6109HD
6105L
613HD
615SLHD | 233
233
233
234
233
233
233
233
223
223 |
| 263HDXJ
263HDXK
263HDXN
263HDXN
263SLHD
263SLHDXC
263SLHDXC
263SLHDXL
263SLHDXX
263SLHDXX
263SLHDXX
263SLHDXN
263SLHDXN
263SLHDXN
263SLHDXN
263SLHDXC
289HD
289HDXC | 232
232
232
232
231
230
230
230
230
230
230
230
230
230
230 | 607HDXE
607HDXJ
607HDXN
607HDXN
607HDXR
608HD
608HDXC
608HDXL
608HDXJ
608HDXN
608HDXN
609HD
610SL
613HD | 233
233
233
234
233
233
233
233
223
223 |
| 263HDXJ | 232
232
232
232
231
230
230
230
230
230
230
230
232
232
232 | 607HDXE
607HDXJ
607HDXN
607HDXR
608HD
608HDXC
608HDXE
608HDXJ
608HDXN
608HDXN
608HDXN
608HDXN
608HDXN
6108HDXN
6109HD
6105L
613HD
615SLHD | 233
233
233
234
233
233
233
233
223
229
229
225 |
| 263HDXJ 263HDXK 263HDXN 263HDXN 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXN 263SLHDXN 263SLHDXN 289HDXC 289HDXC 289HDXL | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXJ 607HDXN 607HDXN 607HDXR 608HD 608HDXC 608HDXE 608HDXJ 608HDXJ 608HDXL 613HD 613HD 615HD 615SLHD 6184SL 6184SL | 233
233
233
234
233
233
233
233
223
229
229
225
237 |
| 263HDXJ
263HDXK
263HDXK
263HDXR
263SLHD
263SLHDXC
263SLHDXC
263SLHDXX
263SLHDXX
263SLHDXX
263SLHDXX
263SLHDXX
263SLHDXX
289HDXC
289HDXC
289HDXL
289HDXL
289HDXX
289HDXX
289HDXX
289HDXX | 232
232
232
232
231
230
230
230
230
230
230
230
230
232
232 | 607HDXE 607HDXJ 607HDXJ 607HDXN 607HDXN 607HDXR 608HD 608HDXC 608HDXL 608HDXJ 608HDXJ 608HDXJ 608HDXI 608HDXI 609HD 615SL 615HD 615SL 615HD 615SLHD 6184SL 6184SL | 233
233
233
234
233
233
233
233
223
229
229
225
237
224 |
| 263HDXJ 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXK 289HDXX 289HDXX 289HDXX 289HDXX 289HDXX | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXJ 607HDXJ 607HDXN 607HDXN 607HDXR 608HDXC 608HDXC 608HDXE 608HDXL 608HDXJ 608HDXN 608HDXN 6108HDXN 6108HDXN 615HD 615SL 613HD 615SL 6184SL 6184SL 6184SL 6184SCSL | 233
233
233
234
233
233
233
233
223
229
225
237
224
236 |
| 263HDXJ
263HDXK
263HDXK
263HDXR
263SLHD
263SLHDXC
263SLHDXC
263SLHDXX
263SLHDXX
263SLHDXX
263SLHDXX
263SLHDXX
263SLHDXX
289HDXC
289HDXC
289HDXL
289HDXL
289HDXX
289HDXX
289HDXX
289HDXX | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXJ 607HDXJ 607HDXN 607HDXN 607HDXR 608HD 608HDXC 608HDXL 608HDXJ 608HDXJ 608HDXJ 608HDXI 608HDXI 609HD 615SL 615HD 615SL 615HD 615SLHD 6184SL 6184SL | 233
233
233
234
233
233
233
233
223
229
225
237
224
236 |
| 263HDXJ 263HDXK 263HDXR 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXL 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 283HDXX 289HDXC 289HDXC 289HDXC 289HDXL 289HDXJ 289HDXJ 289HDXJ 289HDXJ 289HDXJ 289HDXN 289HDXN 294HD | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXJ 607HDXJ 607HDXN 607HDXN 607HDXR 608HDXC 608HDXC 608HDXE 608HDXL 608HDXJ 608HDXN 608HDXN 6108HDXN 6108HDXN 615HD 615SL 613HD 615SL 6184SL 6184SL 6184SL 6184SCSL | 233
233
233
234
233
233
233
233
223
229
225
227
224
236
224 |
| 263HDXJ 263HDXK 263HDXR 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXL 289HDXL 289HDXL 289HDXL 289HDXL 289HDXL 289HDXL 289HDXL | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXJ 607HDXJ 607HDXN 607HDXR 608HDXC 608HDXC 608HDXL 608HDXJ 608HDXN 608HDXN 6108HDXN 608HDXN 6108HDXN 6108HDXN 6108HDXR 61108L | 233
233
233
234
233
233
233
233
233
223
22 |
| 263HDXJ 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXZ 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXN 263SLHDXN 289HDXC 289HDXC 289HDXC 289HDXL 289HDXL 289HDXL 289HDXL 299HDXL | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXJ 607HDXJ 607HDXN 607HDXN 607HDXR 608HD 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 618HDXB 609HD 615SL 613HD 615SL 6184SL 6184XCSL 6184XCSL 6184XESL 6184XESL 6184XSL | 233
233
233
234
233
233
233
233
223
229
225
227
224
236
224
236
224 |
| 263HDXJ 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXX 289HDXC 289HDXC 289HDXC 289HDXK 289HDXK 289HDXK 289HDXX 289HDXK 289HDXK 289HDXK 289HDXK 294SLHD 294SLHD 294SLHD 294SLHD 296HD 296HDXC 296HDXC | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXJ 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXL 608HDXL 608HDXB 608HDXJ 608HDXB 608HDXJ 608HDXB 6184DXB 615HD 615SL 613HD 615HD 615SLH0 6184SL 6184XCSL 6184XCSL 6184XCSL 6184XESL 6184XESL 6184XSL | 233
233
233
234
233
233
233
233
223
229
225
224
236
224
236
224
236 |
| 263HDXJ 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXX 289HDXC 289HDXC 289HDXC 289HDXB 299HDXD 299HDXC 299HDXB 299HDXB 294SLHD 296HDXB 296HDXC 296HDXC 296HDXL | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXJ 607HDXJ 607HDXN 607HDXR 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 608HDXL 6108HDXL 608HDXL 608HDXL 6108HDXL 6108HXL 6108HX | 233
233
233
234
233
233
233
233
223
229
225
224
236
224
236
224
236
224 |
| 263HDXJ 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXX 289HDXC 289HDXC 289HDXC 289HDXK 289HDXK 289HDXK 289HDXX 289HDXK 289HDXK 289HDXK 289HDXK 294SLHD 294SLHD 294SLHD 294SLHD 296HD 296HDXC 296HDXC | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXJ 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXL 608HDXL 608HDXB 608HDXJ 608HDXB 608HDXJ 608HDXB 6184DXB 615HD 615SL 613HD 615HD 615SLH0 6184SL 6184XCSL 6184XCSL 6184XCSL 6184XESL 6184XESL 6184XSL | 233
233
233
234
233
233
233
233
223
229
225
224
236
224
236
224
236
224 |
| 263HDXJ 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXL 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXC 289HDXC 289HDXC 289HDXD 289HDXD 289HDXD 289HDXD 299HDXD 299HDXC | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXR 608HDXC 608HDXC 608HDXL 608HDXL 608HDXN 608HDXN 608HDXN 608HDXN 6108L 615HD 615SL 613HD 615SLHD 615SLHD 6184SL 6184XSL 6184XESL 6184XESL 6184XESL 6184XESL 6184XESL 6184XESL 6184XESL 6184XESL 6184XISL 6184XISL 6184XISL 6184XISL | 233
233
233
234
233
233
233
233
223
229
225
227
224
236
224
236
224
236 |
| 263HDXJ 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXN 263SLHDXN 289HDXC 289HDXC 289HDXC 289HDXL 289HDXL 289HDXL 299HDXC 299HDXC 299HDXC 294SLHD 296HDXC 296HDXC 296HDXC 296HDXL 296HDXL 296HDXX 296HDXX 296HDXX | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXR 608HD 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 608HDXL 618HDXL 609HD 615SLB 619SL 619SL 619SL 619SL 6184SL 6184XCSL 6184XCSL 6184XCSL 6184XSL 6184XJSL 6184XJSL 6184XJSL 6184XSL 6184XSL | 233
233
233
234
233
233
233
233
223
229
225
224
236
224
236
224
236
224 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXX 289HDXC 289HDXC 289HDXC 289HDXX 289HDXX 289HDXX 289HDXX 289HDXX 299HDXX 299HDXX 299HDXX 299HDXX 299HDXX 299HDXX 296HDXX 296HDXC 296HDXX | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXI 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXE 608HDXJ 608HDXI 615HD 615SL 613HD 615SL 613HD 615HD 615SLHD 6184SL 6184XSL 6184XCSL 6184XCSL 6184XCSL 6184XLSL 6184XLSL 6184XLSL 6184XLSL 6184XSL 6184XSL 6184XSL 6184XSL | 233
233
233
234
233
233
233
233
223
229
225
237
224
236
224
236
224
236 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXC 289HDXC 289HDXC 289HDXE 289HDXC 289HDXC 289HDXC 299HDXC 299HDXC 299HDXC 299HDXC 299HDXC 299HDXC 296HDXC | 232
232
232
231
230
230
230
230
230
230
230
232
232
232 | 607HDXE 607HDXI 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXE 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 609HD 615L 615HD 615HD 615HD 615HD 615SLHD 6184SL 6184XCSL 6184XCSL 6184XCSL 6184XCSL 6184XCSL 6184XCSL 6184XSL 6184XSL 6184XISL | 233
233
233
233
233
233
233
233
223
229
225
224
236
224
236
225 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXX 289HDXC 289HDXC 289HDXC 289HDXX 289HDXX 289HDXX 289HDXX 289HDXX 299HDXX 299HDXX 299HDXX 299HDXX 299HDXX 299HDXX 296HDXX 296HDXC 296HDXX | 232
232
232
231
230
230
230
230
230
230
230
232
232
232 | 607HDXE 607HDXI 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXE 608HDXJ 608HDXI 615HD 615SL 613HD 615SL 613HD 615HD 615SLHD 6184SL 6184XSL 6184XCSL 6184XCSL 6184XCSL 6184XLSL 6184XLSL 6184XLSL 6184XLSL 6184XSL 6184XSL 6184XSL 6184XSL | 233
233
233
233
233
233
233
233
223
229
225
224
236
224
236
225 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXX 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 299HDXC | 232
232
232
231
230
230
230
230
230
230
230
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXR 608HDXC 608HDXC 608HDXE 608HDXL 608HDXL 608HDXL 618HDXI 608HDXN 608HDXN 608HDXN 608HDXR 609HD 610SL 6118HD 615SLHD 615SLHD 615SLHD 6184SL 6184SL 6184XSL 6184XSL 6184XSL 6184XSL 6184XSL 6184XSL 6184XNSL 6185SL | 233
233
233
234
233
233
233
233
233
229
225
237
224
236
224
236
224
236
224
236
224
236
224
236
224
236
227
237
237
238
238
239
239
239
239
239
249
259
269
279
279
279
279
279
279
279
279
279
27 |
| 263HDXJ 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHD 263SLHDXC 263SLHDXL 263SLHDXJ 263SLHDXX 263SLHDXN 263SLHDXN 263SLHDXN 263SLHDXN 263SLHDXN 263SLHDXN 289HDXC 289HDXC 289HDXC 289HDXL 289HDXL 289HDXL 299HDXC 299HDXC 299HDXC 296HDXL 296SLHDXL 296SLHDXC 296SLHDXC | 232
232
232
231
230
230
230
230
230
230
230
230
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXR 608HD 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 618HDXB 609HD 615SLB 618SL 6184XCSL 6184XCSL 6184XCSL 6184XLSL 6184XLSL 6184XLSL 6184XLSL 6184XSL 6185SL | 233
233
233
234
233
233
233
233
233
233 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263SLHD 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXX 289HDXC 289HDXC 289HDXA 289HDXX 289HDXX 289HDXX 289HDXX 299HDXX 299HDXX 295HDXX 295HDX 296HDXX 296HDXC 296HDXC 296HDXX 296SLHDX 296SLHDXC 296SLHDXC 296SLHDXC | 232
232
232
232
231
230
230
230
230
230
230
230
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 608HDXL 618HDXL 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 618HDXL 615SL 6184XL 6184XCSL 6184XCSL 6184XCSL 6184XSL 6185SL 6185SL | 233
233
233
233
233
233
233
233
223
229
225
227
224
236
224
236
225
227
224
236
224
236
225
227
227
227
227
227
227
227
227
227 |
| 263HDXJ 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHD 263SLHDXC 263SLHDXL 263SLHDXJ 263SLHDXX 263SLHDXN 263SLHDXN 263SLHDXN 263SLHDXN 263SLHDXN 263SLHDXN 289HDXC 289HDXC 289HDXC 289HDXL 289HDXL 289HDXL 299HDXC 299HDXC 299HDXC 296HDXL 296SLHDXL 296SLHDXC 296SLHDXC | 232
232
232
232
231
230
230
230
230
230
230
230
232
232
232 | 607HDXE 607HDXI 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXE 608HDXJ 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 609HD 615L 615L 613HD 615HD 615HD 615SLH0 6184SL 6184XCSL 6184XCSL 6184XCSL 6184XCSL 6184XSL 6184XISL 6185SL 6185SL 6185SCSL 6185XCSL 6185XCSL 6185XCSL | 233
233
233
233
233
233
233
233
229
225
227
224
236
224
236
224
236
225
227
224
236
224
236
224
236
225
227
227
227
227
227
227
227
227
227 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263SLHD 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXX 289HDXC 289HDXC 289HDXA 289HDXX 289HDXX 289HDXX 289HDXX 299HDXX 299HDXX 295HDXX 295HDX 296HDXX 296HDXC 296HDXC 296HDXX 296SLHDX 296SLHDXC 296SLHDXC 296SLHDXC | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 608HDXL 618HDXL 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 618HDXL 615SL 6184XL 6184XCSL 6184XCSL 6184XCSL 6184XSL 6185SL 6185SL | 233
233
233
233
233
233
233
233
229
225
227
224
236
224
236
224
236
225
227
224
236
224
236
224
236
225
227
227
227
227
227
227
227
227
227 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 299HDXC 299HDXC 299HDXC 296HDXC 296SLHDXC 296SLHDXC 296SLHDXC 296SLHDXC | 232
232
232
231
230
230
230
230
230
230
230
232
232
232 | 607HDXE 607HDXI 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXE 608HDXL 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 615HD 615SLHD 615SLHD 615SLHD 6184SL 6184XESL 6184XESL 6184XESL 6184XESL 6184XESL 6184XESL 6184XISL 6185SL 6185XCSL 6185XCSL 6185XCSL 6185XCSL 6185XCSL 6185XCSL 6185XCSL | 233
233
233
234
233
233
233
233
223
229
225
237
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
237
237
237
237
237
237
237
237
237
237 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263HDXR 263SLHDXC 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXX 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXB 296HDXC 299HDXN 296HDXC 296SLHDXC | 232
232
232
232
231
230
230
230
230
230
230
233
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXE 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 615HD 615SLHD 615SLHD 615SLHD 6184SL 6184SL 6184XSL 6185XSL 6185XCSL | 233
233
233
233
233
233
233
233
223
229
225
227
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
237
237
237
237
237
237
237
237
237
237 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263SLHD 263SLHD 263SLHDXC 263SLHDXC 263SLHDXJ 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXN 283HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXX 289HDXX 299HDXX 299HDXX 295HDXX 295HDXX 295HDXX 295HDXX 295HDXC 296HDXC 296SLHDXC | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 615HD 615SL 618SL 6184XCSL 6184XCSL 6184XCSL 6184XSL 6185XSL 6185XSL 6185XSSL 6185XCSL 6185XCSL 6185XCSL 6185XCSL 6185XSSL | 233
233
233
233
233
233
233
233
233
239
229
22 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263HDXR 263SLHDXC 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXX 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXB 296HDXC 299HDXN 296HDXC 296SLHDXC | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXI 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXC 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 609HD 615L 615L 613HD 615HD 615HD 615SLH0 6184SL 6184XCSL 6184XCSL 6184XCSL 6184XCSL 6184XSL 6185SL 6185SL 6185XSL 6185XSL | 233
233
233
233
233
233
233
233
229
229 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263SLHD 263SLHD 263SLHDXC 263SLHDXC 263SLHDXJ 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXN 283HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXX 289HDXX 299HDXX 299HDXX 295HDXX 295HDXX 295HDXX 295HDXX 295HDXC 296HDXC 296SLHDXC | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 615HD 615SL 618SL 6184XCSL 6184XCSL 6184XCSL 6184XSL 6185XSL 6185XSL 6185XSSL 6185XCSL 6185XCSL 6185XCSL 6185XCSL 6185XSSL | 233
233
233
233
233
233
233
233
229
229 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXC 289HDXE 289HDXC 289HDXE 289HDXC 289HDXC 289HDXC 289HDXC 299HDXC 299HDXC 299HDXC 296HDXC 296SLHDXC 309HD 310SL 311HD | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXI 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXC 608HDXL 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXI 608HDXN 608HDXI 615HD 615HD 615HD 615HD 615HD 615HD 6184SL 6184XCSL 6184XCSL 6184XCSL 6184XCSL 6184XCSL 6184XCSL 6184XSL 6184XSL 6184XSL 6184XSL 6184XSL 6185XSL 6185XCSL 6185XCSL 6185XCSL 6185XCSL 6185XCSL 6185XCSL 6185XCSL 6185XSL 6185XSL 6185XSL | 233
233
233
233
233
233
233
223
229
225
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
237
237
237
237
237
237
237
237
237
237 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXX 289HDXX 289HDXX 289HDXX 289HDXX 299HDXX 299HDXX 295HDXX 296HDXX 296HDXD 296SLHDXC 296SLHDXC 296SLHDXC 296SLHDXC 296SLHDXX 309HD 311SLHD | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 608HDXN 608HDXN 608HDXN 608HDXN 608HDXN 608HDXR 609HD 615SLB 613HD 615SLB 613HD 615SLB 6184KSL 6185KSL 6185KSL 6185KSL 6185KSL 6185KSL 6185KSL 6185KSL | 233
233
233
233
233
233
233
233
229
225
227
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
237
237
237
237
237
237
237
237
237
237 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263SLHD 263SLHD 263SLHDXC 263SLHDXZ 263SLHDXJ 263SLHDXX 263SLHDXX 263SLHDXN 283HDXR 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXX 289HDXX 289HDXX 289HDXX 289HDXX 295HDXX 295HDXX 295HDXX 295HDXX 296HDXC 296HDXC 296HDXC 296HDXC 296HDXC 296HDXX 296SLHDXX 296SLHDXX 296SLHDXX 296SLHDXX 296SLHDXX 296SLHDXX 296SLHDXX 311HD 311SLHD 369SL | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXJ 607HDXN 607HDXN 608HDXC 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 608HDXL 608HDXL 615HD 615SL 6184XL 6184XCSL 6184XCSL 6184XSL 6185XSL 6185XSL 6185XSL 6185XSL 6185XSSL 6185XSSL 6185XSL 6185XSL | 233
233
233
233
233
233
233
223
229
225
227
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
237
237
237
237
237
237
237
237
237
237 |
| 263HDXJ 263HDXK 263HDXK 263HDXK 263HDXR 263HDXR 263SLHD 263SLHDXC 263SLHDXC 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 263SLHDXX 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXC 289HDXX 289HDXX 289HDXX 289HDXX 289HDXX 299HDXX 299HDXX 295HDXX 296HDXX 296HDXD 296SLHDXC 296SLHDXC 296SLHDXC 296SLHDXC 296SLHDXX 309HD 311SLHD | 232
232
232
232
231
230
230
230
230
230
230
232
232
232
232 | 607HDXE 607HDXL 607HDXJ 607HDXN 607HDXN 607HDXN 608HDXC 608HDXC 608HDXC 608HDXL 608HDXL 608HDXL 608HDXN 608HDXN 608HDXN 608HDXN 608HDXN 608HDXR 609HD 615SLB 613HD 615SLB 613HD 615SLB 6184KSL 6185KSL 6185KSL 6185KSL 6185KSL 6185KSL 6185KSL 6185KSL | 233
233
233
234
233
233
233
223
229
225
237
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
224
236
227
237
237
237
237
237
237
237
237
237 |

Pulse_®

| 6186XCSL | 224 | 8321XK | 237 | TS108 | 236 |
|---|--|--|---|--|---|
| 6186XCSL | 236 | 8321XN | 237 | TS108XC | 236 |
| 6186XESL | | 8321XR | 237 | TS108XE | 236 |
| 6186XESL | | 835HD | | TS108XJ | |
| | | | | | |
| 6186XJSL | | 86184SL | | TS108XK | |
| 6186XJSL | | 86185SL | 237 | TS108XN | 236 |
| 6186XNSL | 224 | 86186SL | 237 | TS108XR | 236 |
| 6186XNSL | 236 | 896XC | 240 | TS115 | 238 |
| 6186XRSL | | 896XE | | TS118 | |
| | | | | | |
| 6186XRSL | | 896XJ | | TS118XC | |
| 620SL | | 896XK | 240 | TS118XE | 236 |
| 623HD | 229 | 896XN | 240 | TS118XJ | 236 |
| 625HD | 232 | 896XR | 240 | TS118XK | 236 |
| 625SLHD | | 916SL | | TS118XN | |
| | | | | TS118XR | |
| 626SL | | 956SLHD | | | |
| 627HD | | 959HD | | TS1200 | |
| 628HD | 232 | 959HDXC | 227 | TS1201 | 236 |
| 628SLHD | 229 | 959HDXCSL | 227 | TS1202 | 236 |
| 630HD | | 959HDXE | | TS1203 | |
| | | | | | |
| 631HD | | 959HDXESL | | TS128 | |
| 632SL | 225 | 959HDXJ | 227 | TS128XC | 236 |
| 632SL | 237 | 959HDXJSL | 227 | TS128XE | 236 |
| 632XCSL | 224 | 959HDXK | 227 | TS128XJ | 236 |
| 632XCSL | | 959HDXKSL | | TS128XK | |
| 632XESL | | | | | |
| | | 959HDXN | | TS128XN | |
| 632XESL | | 959HDXNSL | 227 | TS128XR | 236 |
| 632XJSL | 224 | 959HDXR | 227 | TS130 | 236 |
| 632XJSL | 236 | 959HDXRSL | 227 | TS131 | 238 |
| 632XKSL | | 959SLHD | | TS132 | |
| | | | | | |
| 632XKSL | | 961HD | | TS132SL | |
| 632XNSL | 224 | 961HDXC | 227 | TS137 | 238 |
| 632XNSL | 236 | 961HDXE | 227 | TS1405SL | 238 |
| 632XRSL | 224 | 961HDXJ | | TS1408 | |
| 632XRSL | | 961HDXK | | TS1411 | |
| | | | | | |
| 6500HD | | 961HDXN | | TS198 | |
| 6500SL | 224 | 961HDXR | 227 | TS206 | 238 |
| 6520HD | 233 | 965HD | 226 | TS206XC | 237 |
| 6560HD | | 965SLHD | | TS206XE | |
| 6565HD | | | | | |
| | | 966SLHD | | TS206XJ | |
| 6565SLHD | | 967HD | | TS206XK | |
| 6568HD | 230 | 967SLHD | 226 | TS206XN | 237 |
| 6570HD | 235 | 968HD | 226 | TS206XR | 237 |
| 6570SLHD | | 969HD | | TS210 | |
| | | | | | |
| 6572HD | | 971SLHD | 226 | TS210SL | |
| | | | | | |
| 6578HD | 228 | 978HD | 235 | TS210XCSL | 237 |
| | | | | | |
| 6580SLHD | 226 | 980HD | 231 | TS210XESL | 237 |
| 6580SLHD6582HD | 226
226 | 980HD
980HDXC | 231
230 | TS210XESL
TS210XJSL | 237
237 |
| 6580SLHD
6582HD
6720HDXCSL | 226
226
227 | 980HD
980HDXC980HDXE | 231
230
230 | TS210XESL
TS210XJSL
TS210XKSL | 237
237
237 |
| 6580SLHD
6582HD
6720HDXCSL
6720HDXESL | 226
226
227
227 | 980HD
980HDXC
980HDXE
980HDXJ | 231
230
230
230 | TS210XESL
TS210XJSL
TS210XKSL
TS210XNSL | 237
237
237
237 |
| 6580SLHD | 226
226
227
227
227 | 980HD
980HDXC980HDXE | 231
230
230
230 | TS210XESL
TS210XJSL
TS210XKSL | 237
237
237
237 |
| 6580SLHD | 226
226
227
227
227 | 980HD
980HDXC
980HDXE
980HDXJ | 231
230
230
230
230 | TS210XESLTS210XJSLTS210XKSLTS210XKSLTS210XKSLTS210XRSL | 237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227 | 980HD | 231
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
237
237
240 |
| 6580SLHD | 226
226
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
237
240
240 |
| 6580SLHD | 226
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
230
231 | TS210XESL | 237
237
237
237
237
240
240
224 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
231
230 | TS210XESL | 237
237
237
237
237
240
240
224
238 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
231
230 | TS210XESL | 237
237
237
237
237
240
240
224
238 |
| 6580SLHD | 226
227
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
231
230
230
231 | TS210XESL | 237
237
237
237
237
240
240
224
238
239 |
| 6580SLHD | 226
227
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
231
230
230
230
230 | TS210XESL | 237
237
237
237
237
240
240
224
238
239
239 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
231
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
237
240
240
224
238
239
239
238 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
237
240
240
224
238
239
239
238
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
237
240
240
224
238
239
239
238
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
239
238
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
239
238
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
239
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
231
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
239
238
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
239
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
239
237
237
237
237
237
237
239 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
238 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
239
238
239
239
239
239
239
239
239
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
239
238
239
239
239
239
239
239
239
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXJ 980HDXN 980HDXN 980HDXN 980HDXR 982HDXC 982HDXC 982HDXL 982HDXJ 982HDXJ 982HDXJ 982HDXJ 982HDXJ 982HDXN 982HDXN 982HDXN 982HDXN 982HDXR 982HDXN 982HDXR 987 | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
233
234
234
234
234
234
234
234
234
234 | 980HD | 231
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
240
241
241
241
241 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
239
238
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
233
234
234
234
234
234
234
234
234
234 | 980HD | 231
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
239
238
239
237
237
237
237
239
238
239
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
233
234
234
234
234
234
234
234
234
234 | 980HD | 231
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
239
238
239
237
237
237
237
239
238
239
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
239
239
237
237
237
237
237
237
237
239
238
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXJ 980HDXI 980HDXN 980HDXN 980HDXR 982HDXC 982HDXC 982HDXL 982HDXJ 982HDXJ 982HDXJ 982HDXJ 982HDXI 982HDXI 982HDXI 982HDXR 982HDXN 982HDXR 982HDXR 982HDXR 982HDXR 982HDXR 982HDXR 982HDXR 984HD 988HD 988HD 988HD 988HD CONTRICTOR OF CONTRICT | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
237
239
238
239
238
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXE 980HDXI 980HDXI 980HDXI 980HDXN 980HDXN 980HDXN 982HDXC 982HDXE 982HDXI CONSTRUCTION 982HDXI 982HDXI 982HDXI 982HDXI 982HDXI 982HDXI 983HD 983HD 983HD 989HD AXRT BSRT CCXGT CXRT CX30T CXRT EC30T ECCRT FWRT | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
224
238
239
238
237
237
237
237
237
239
238
239
237
237
237
239
238
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
233
234
234
234
234
234
234
234
234
236
236
236
236
236
236
236
236
236
236 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXL 980HDXN 980HDXN 980HDXN 980HDXN 982HDXC 982HDXC 982HDXE 982HDXL 982HDXK 982HDXN 982HDXN 982HDXN 982HDXK 982HDXK 982HDXK 982HDXK 982HDXK 982HDXK 982HDXK 982HDXR 988HD 989HD CXRT EC30T ECRT EC30T ECRT FWRT KNRT LT30T | 231
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
241
241
241
241
241
241
241
241
241
241 | TS210XESL | 237
237
237
237
237
240
240
224
238
239
239
237
237
237
237
237
239
237
239
237
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
233
234
234
234
234
234
234
234
234
236
236
236
236
236
236
236
236
236
236 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXL 980HDXN 980HDXN 980HDXN 982HDXC 982HDXE 982HDXL 982HDXL 982HDXJ 982HDXJ 982HDXJ 982HDXN 988HD 999HD AXRT ECRT ECRT FWRT KNRT LT30T LTRT | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
239
237
239
237
239
237
239
237
239
239
239
239
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
233
234
234
234
234
234
234
234
234
236
236
236
236
236
236
236
236
236
236 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXL 980HDXN 980HDXN 980HDXN 980HDXN 982HDXC 982HDXC 982HDXE 982HDXL 982HDXK 982HDXN 982HDXN 982HDXN 982HDXK 982HDXK 982HDXK 982HDXK 982HDXK 982HDXK 982HDXK 982HDXR 988HD 989HD CXRT EC30T ECRT EC30T ECRT FWRT KNRT LT30T | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
239
237
239
237
239
237
239
237
239
239
239
239
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXL 980HDXN 980HDXN 980HDXN 982HDXC 982HDXE 982HDXL 982HDXL 982HDXJ 982HDXJ 982HDXJ 982HDXN 988HD 999HD AXRT ECRT ECRT FWRT KNRT LT30T LTRT | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
237
237
237 |
| 6580SLHD 6582HD 6582HD 6582HD 6720HDXCSL 6720HDXCSL 6720HDXSL 6720HDXSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720SLHD 6975HD 704HD 704HD 707HD 708HD 735HD 735HD 735HD 818SL 818XC 818XSL 818XL 818XL 818XL 818XLSL 818XLSL 818XLSL 818XNSL | 226
226
227
227
227
227
227
227
227
227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXE 980HDXI 980HDXI 980HDXI 980HDXN 980HDXN 980HDXR 982HDXC 982HDXC 982HDXL 982HDXI 984HD 978HD 978H | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
239
237
239
237
239
237
239
237
239
237
239
237
239
237
239
237
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD 6582HD 6582HD 6582HD 6720HDXCSL 6720HDXCSL 6720HDXSL 6720HDXSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720SLHD 6975HD 704HD 707HD 708HD 735HD 735HD 735HD 735HD 735HD 818SL 818XC 818XCSL 818XSL 818XSL 818XSL 818XSL 818XSL 818XSL 818XSL 818XSL 818XSL 818XNSL | 226
226
227
227
227
227
227
227
227
233
234
234
234
234
234
234
234
236
236
236
236
236
236
236
236
236
236 | 980HD 980HDXC 980HDXC 980HDXC 980HDXE 980HDXI 980HDXI 980HDXI 980HDXN 980HDXN 980HDXN 982HDXC 982HDXC 982HDXI 982HDXI 982HDXI 982HDXI 982HDXI 982HDXI 982HDXI 982HDXI 982HDXI 782HDXI | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
239
237
239
237
239
237
239
237
239
237
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
233
234
234
234
234
234
234
234
236
236
236
236
236
236
236
236
236
236 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXL 980HDXN 980HDXN 980HDXN 980HDXN 982HDXC 982HDXC 982HDXE 982HDXX 984HD 989HD 989HD 4XRT ESSRT CNRT CXSOT CXRT EC30T ECRT FFWRT KNRT LT30T LTRT PBRT RSRT SART SART | 231
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
241
241
241
241
241
241
241
241
241
241 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
239
238
237
237
239
237
239
237
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD 6582HD 6582HD 65720HDXCSL 6720HDXCSL 6720HDXSSL 6720HDXSL 6720HDXSL 6720HDXSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDMNSL 6720HDMNSL 6720HD 704HD 704HD 707HD 708HD 735HD 735HD 735HD 735HD 735HD 818SL 818XC 818XC 818XC 818XC 818XSL 818XSL 818XSL 818XSL 818XSL 818XSL 818XN 818XNSL 818XNSL 818XNSL 818XNSL 818XNSL 818XRSL 8206XC 8206XL | 226
226
227
227
227
227
227
227
227
227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXL 980HDXJ 980HDXN 980HDXN 980HDXR 982HDXC 982HDXC 982HDXL 982HDXJ 982HDXJ 982HDXJ 982HDXI 982HDXX 984HD 998HD AXRT ESST ECRT FWRT KNRT LT30T LTTT PBRT RSRT SART TS100. TS104 | 231
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
241
241
241
241
241
241
241
241
241
241 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
239
237
239
237
239
237
239
237
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD | 226
226
227
227
227
227
227
227
227
227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXL 980HDXN 980HDXN 980HDXN 980HDXN 982HDXC 982HDXC 982HDXE 982HDXX 984HD 989HD 989HD 4XRT ESSRT CNRT CXSOT CXRT EC30T ECRT FFWRT KNRT LT30T LTRT PBRT RSRT SART SART | 231
230
230
230
230
230
230
230
231
230
230
230
230
230
230
230
230
241
241
241
241
241
241
241
241
241
241 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
239
237
239
237
239
237
239
237
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD 6582HD 6582HD 65720HDXCSL 6720HDXCSL 6720HDXSSL 6720HDXSL 6720HDXSL 6720HDXSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDMNSL 6720HDMNSL 6720HD 704HD 704HD 707HD 708HD 735HD 735HD 735HD 735HD 735HD 818SL 818XC 818XC 818XC 818XC 818XSL 818XSL 818XSL 818XSL 818XSL 818XSL 818XN 818XNSL 818XNSL 818XNSL 818XNSL 818XNSL 818XRSL 8206XC 8206XL | 226
226
227
227
227
227
227
227
227
227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXL 980HDXJ 980HDXN 980HDXN 980HDXR 982HDXC 982HDXC 982HDXL 982HDXJ 982HDXJ 982HDXJ 982HDXI 982HDXX 984HD 998HD AXRT ESST ECRT FWRT KNRT LT30T LTTT PBRT RSRT SART TS100. TS104 | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
239
237
237
237
237
237
237
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD 6582HD 6582HD 6582HD 65720HDXCSL 6720HDXCSL 6720HDXSL 6720HDXSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720SLHD 6975HD 704HD 707HD 705HD 735HD 735HD 735HD 735HD 735HD 735HD 818SL 818XC 818XC 818XC 818XCS 818XCS 818XSL 818XL 818XSL 818XL 818XSL 818XL 818XSL 818XL 818XSL 818XNSL 8206XC 8206XL | 226
226
227
227
227
227
227
227
227
233
234
234
234
234
234
234
234
236
236
236
236
236
236
236
236
236
236 | 980HD 980HDXE 980HDXC 980HDXE 980HDXI 980HDXI 980HDXI 980HDXI 980HDXI 980HDXN 980HDXN 980HDXN 982HDXC 982HDXE 982HDXI 983HD 983HD 989HD AXRT EST CX30T CXRT EC30T ECRT FWRT KNRT LT30T LTRT PBRT RSRT SART TS100 TS104 T | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
239
238
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD 6582HD 6582HD 6582HD 65720HDXCSL 6720HDXCSL 6720HDXSL 6720HDXSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720SLHD 6975HD 704HD 704HD 707HD 708HD 735HD 735HD 735HD 735HD 735HD 818SL 818XC 818XCSL 818XSL 818XCSL 818XSL 818XNSL | 226
226
227
227
227
227
227
227
227
233
234
234
234
234
234
234
234
236
236
236
236
236
236
236
236
236
236 | 980HD 980HDXC 980HDXC 980HDXC 980HDXE 980HDXI 980HDXI 980HDXI 980HDXN 980HDXN 980HDXN 980HDXN 982HDXC 982HDXE 982HDXI 983HD 989HD ———————————————————————————————————— | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
238
237
237
237
237
237
237
239
238
239
237
239
237
239
237
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD 6582HD 6582HD 65720HDXCSL 6720HDXCSL 6720HDXSSL 6720HDXSL 6720HDXSL 6720HDXSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDD 704HD 704HD 707HD 708HD 735HD 735HD 735HD 735HD 735HD 818SL 818XC 818XC 818XC 818XC 818XSL 818XL 818XSL 818XL 818XSL 818XL 818XN 818XSL 818XN | 226 226 227 227 227 227 227 227 227 227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXE 980HDXJ 980HDXI 980HDXN 980HDXN 980HDXN 980HDXR 982HDXC 982HDXC 982HDXI 982HDXJ 982HDXJ 982HDXN 983HD 998HD LITER TO SART TO SAR | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
238
239
239
237
237
237
237
237
237
237
239
237
239
237
239
237
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD 6582HD 6582HD 6582HD 6720HDXCSL 6720HDXCSL 6720HDXSSL 6720HDXSSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 7074HD 704HD 7074HD 705HD 735HD 735HD 735HD 735HD 735HD 735HD 735HD 735HD 818SL 818XC 818XSL 818XN 818XNSL 818XN 818XNSL 818XN 818XNSL 818XN 818XNSL 818XNSL 818XN 818XNSL 818XN 818XNSL | 226 226 227 227 227 227 227 227 227 227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXL 980HDXL 980HDXJ 980HDXN 980HDXN 980HDXN 980HDXR 982HDXC 982HDXC 982HDXL 982HDXJ 982HDXJ 982HDXJ 982HDXN 982HDXN 982HDXN 982HDXN 982HDXR 982HDXN 982HDXR 982HDXN 982HDXR 984HD 988HD 988HD 988HD 998HD AXRT ECRT ECRT ECRT FWRT KNRT LT30T LTTT PBRT RSRT SART TS104 TS104 TS104XC TS104XE TS104XK TS104XK | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
238
239
239
237
237
237
237
237
237
237
239
239
239
239
239
239
239
239
239
239 |
| 6580SLHD 6582HD 6582HD 65720HDXCSL 6720HDXCSL 6720HDXSSL 6720HDXSL 6720HDXSL 6720HDXSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDXNSL 6720HDD 704HD 704HD 707HD 708HD 735HD 735HD 735HD 735HD 735HD 818SL 818XC 818XC 818XC 818XC 818XSL 818XL 818XSL 818XL 818XSL 818XL 818XN 818XSL 818XN | 226 226 227 227 227 227 227 227 227 227 | 980HD 980HDXC 980HDXC 980HDXC 980HDXE 980HDXJ 980HDXI 980HDXN 980HDXN 980HDXN 980HDXR 982HDXC 982HDXC 982HDXI 982HDXJ 982HDXJ 982HDXN 983HD 998HD LITER TO SART TO SAR | 231
230
230
230
230
230
230
230
230
230
230 | TS210XESL | 237
237
237
237
240
240
224
238
239
237
237
237
237
237
237
237
239
238
239
239
239
239
239
239
239
239
239
239 |

| TS296XCSL 2 | 40 |
|-------------|-----|
| TS296XE2 | 40 |
| TS296XESL 2 | 40 |
| TS296XJ2 | 40 |
| TS296XJSL2 | 40 |
| TS296XK 2 | 40 |
| TS296XKSL 2 | 40 |
| TS296XN 2 | |
| TS296XNSL 2 | 40 |
| TS296XR 2 | 40 |
| TS296XRSL 2 | 40 |
| TS572SL2 | 23 |
| TS704 2 | 39 |
| TS7082 | |
| TS752 2 | 39 |
| | |
| Fire | |
| 1002 | 245 |
| 1005HD2 | |
| 203HD2 | |

| Fire |
|-------------|
| 100245 |
| 1005HD 245 |
| 203HD245 |
| 205HD245 |
| 210HD245 |
| 969HD245 |
| 978HD245 |
| SSF100245 |
| SSF1100244 |
| SSF120244 |
| SSF160245 |
| SSF200244 |
| SSF205244 |
| SSF220244 |
| SSF31244 |
| SSF45244 |
| SSF4800244 |
| SSF600245 |
| SSF755244 |
| SSF8100245 |
| SSF81100244 |
| SSF8120244 |
| SSF8160245 |
| SSF8200244 |
| SSF8205244 |
| SSF8220244 |
| SSF831244 |
| SSF84800244 |
| SSF8600245 |
| SSF93244 |
| SSF960244 |
| TS100245 |
| TS210245 |

| DRS2131SL257 | S4LAX254 |
|---|--|
| DRS82131SL 257 | S4LCL255 |
| S10AXSL 258 | S4LPB 253 |
| S10CLSL258 | S4LXC 255 |
| S10PBSL257 | S4LXE255 |
| S10XCSL258 | S4LXJ255 |
| S10XESL258 | S4LXK255 |
| S10XJSL258 | S4LXN 255 |
| S10XKSL 258 | S4LXR255 |
| S10XNSL 258 | S4PB 253 |
| S10XRSL 258 | S4PBSL 257 |
| S1651SL257 | S4RAX 254 |
| S1AX252 | S4RCL 255 |
| S1BL250 | S4RPB 253 |
| S1BS 250 | S4RXC 255 |
| S1CL 252 | S4RXE 255 |
| S1CX 252 | S4RXJ255 |
| S1EC252 | S4RXK 255 |
| S1LAX252 | S4RXN255 |
| S1LBL250 | S4RXR 255 |
| S1LBS250 | S4XC 255 |
| S1LCL252 | S4XCSL 258 |
| S1LCX 252 | S4XE255 |
| S1LEC252 | S4XESL258 |
| S1LLT 252 | S4XJ255 |
| S1LPB 251 | S4XJSL258 |
| S1LRS 251 | S4XK 255 |
| S1LSA 251 | S4XKSL 258 |
| S1LSG 251 | S4XN 255 |
| S1LSN 251 | S4XNSL 258 |
| S1LT252 | S4XR 255 |
| S1LXC 252 | S4XRSL 258 |
| S1LXE252 | S572SL257 |
| S1LXJ252 | S5AX 254 |
| S1LXK | S5AXSL |
| S1LXN 252 | S5CL 256 |
| S1LXR 252 | S5CLSL |
| S1PB 251
S1RAX 252 | S5LAX |
| | S5LCL |
| S1RBL | S5LPB |
| S1RBS250
S1RCL252 | S5LXC |
| S1RCX252 | S5LXE255
S5LXJ255 |
| S1REC 252 | S5LXK255 |
| S1RLT252 | S5LXN 255 |
| S1RPB251 | S5LXR |
| S1RRS251 | S5PB |
| S1RS251 | S5PBSL257 |
| S1RSA | S5RAX |
| S1RSG251 | S5RCL |
| S1RSN251 | S5RPB253 |
| S1RXC252 | S5RXC256 |
| S1RXE 252 | S5RXE |
| S1RXJ252 | S5RXJ256 |
| S1RXK 252 | S5RXK 256 |
| S1RXN252 | S5RXN256 |
| S1RXR252 | S5RXR256 |
| S1SA251 | S5XC 256 |
| S1SG251 | S5XCSL 258 |
| S1SN251 | S5XE256 |
| S1XC252 | S5XESL258 |
| S1XE252 | S5XJ256 |
| S1XJ252 | S5XJSL258 |
| S1XK252 | S5XK 256 |
| S1XN252 | S5XKSL 258 |
| S1XR252 | S5XN 256 |
| S2382SL257 | S5XNSL 258 |
| S2385SL257 | S5XR 256 |
| S2389SL257 | S5XRSL 258 |
| S2AX 250 | S601SL257 |
| S2CL250 | S601XCSL 257 |
| S2CX 250 | S601XESL257 |
| S2EC 250 | S601XJSL257 |
| S2PB 250 | S601XKSL257 |
| S2RS 250 | S601XNSL 257 |
| S2SG 250 | S601XRSL257 |
| S2SN250 | S602SL257 |
| | |
| S2XC 250 | S604SL257 |
| S2XC | \$604\$L257
\$6130\$L257 |
| | |
| S2XE250 | \$6130\$L |
| S2XE 250 S2XJ 250 S2XK 250 S2XN 250 | \$6130\$L 257 \$6134\$L 257 \$6500\$SL 257 \$81086\$SL 257 |
| S2XE | \$6130\$L |

S81086XESL......257 S81086XJSL.......257 S81086XKSL......257 S81086XRSL 257 S81086XRSL 257

| S810AX | | S81LPB | . 251 | S84XK25 | 5 |
|----------|-------|----------|-------|------------|----|
| S810AXSL | . 258 | S81LRS | | S84XKSL25 | 8 |
| S810CL | | S81LSA | . 251 | S84XN 25 | |
| S810CLSL | | S81LSG | | S84XNSL 25 | |
| S810LAX | | S81LT | | S84XR 25 | |
| S810LCL | | S81LXC | | S84XRSL 25 | |
| S810LPB | | S81LXE | | S8572SL25 | |
| S810LXC | | S81LXJ | | S85927SL25 | |
| S810LXE | | S81LXK | | S85931SL25 | |
| S810LXJ | | S81LXN | | S85932SL25 | |
| S810LXK | | S81LXR | | S85AX 25 | |
| S810LXN | | S81PB | | S85AXSL 25 | |
| S810LXR | | S81RAX | | S85CL25 | |
| S810PB | | S81RBL | | S85CLSL25 | |
| S810PBSL | | S81RBS | | S85LAX25 | |
| S810RAX | | S81RCL | | S85LCL25 | |
| S810RCL | | S81RCX | | S85LPB25 | |
| S810RPB | | S81REC | | S85LXC25 | |
| S810RXC | | S81RLT | | S85LXE25 | |
| S810RXE | | S81RPB | | S85LXJ25 | |
| S810RXJ | | S81RRS | | S85LXK25 | |
| S810RXK | | S81RS | | S85LXN 25 | |
| S810RXN | | S81RSA | | S85LXR 25 | |
| S810RXR | | S81RSG | | S85PB25 | |
| S810XC | | S81RXC | | S85PBSL 25 | |
| S810XCSL | | S81RXE | | S85RAX 25 | |
| S810XE | | S81RXJ | | S85RCL 25 | |
| S810XESL | | S81RXK | | S85RPB 25 | |
| S810XJ | | S81RXN | | S85RXC 25 | |
| S810XJSL | | S81RXR | | S85RXE 25 | |
| S810XK | | S81SA | | S85RXJ25 | |
| S810XKSL | . 258 | S81SG | . 251 | S85RXK 25 | - |
| S810XN | . 256 | S81XC | . 252 | S85RXN25 | |
| S810XNSL | . 258 | S81XE | . 252 | S85RXR 25 | 6 |
| S810XR | . 256 | S81XJ | . 252 | S85XC25 | 6 |
| S810XRSL | . 258 | S81XK | . 252 | S85XCSL25 | 8 |
| S811AX | . 255 | S81XN | . 252 | S85XE25 | 6 |
| S811AXSL | . 258 | S81XR | . 252 | S85XESL25 | 8 |
| S811CL | . 256 | S82382SL | . 257 | S85XJ25 | 6 |
| S811CLSL | . 258 | S82385SL | . 257 | S85XJSL25 | 8 |
| S811LAX | . 255 | S82389SL | . 257 | S85XK 25 | 6 |
| S811LCL | . 256 | S83AX | . 250 | S85XKSL 25 | 8 |
| S811LPB | . 254 | S83CL | . 250 | S85XN 25 | 6 |
| S811LXC | . 256 | S83CX | . 250 | S85XNSL 25 | 8 |
| S811LXE | . 256 | S83EC | . 250 | S85XR25 | 6 |
| S811LXJ | . 256 | S83PB | . 250 | S85XRSL25 | 8 |
| S811LXK | . 256 | S83RS | . 250 | S86500SL25 | 57 |
| S811LXN | . 256 | S83SG | . 250 | S86AX25 | 54 |
| S811LXR | . 256 | S83SN | . 250 | S86AXSL25 | 8 |
| S811PB | . 254 | S83XC | . 250 | S86CL25 | 6 |
| S811PBSL | . 257 | S83XE | . 250 | S86CLSL25 | 8 |
| S811RAX | . 255 | S83XJ | . 250 | S86LAX25 | 54 |
| S811RCL | . 256 | S83XK | . 250 | S86LCL25 | 6 |
| S811RPB | . 254 | S83XN | . 250 | S86LPB25 | 3 |
| S811RXC | . 256 | S83XR | . 250 | S86LXC25 | 6 |
| S811RXE | . 256 | S84586SL | . 257 | S86LXE25 | 6 |
| S811RXJ | . 256 | S84AX | . 254 | S86LXJ25 | 6 |
| S811RXK | . 256 | S84AXSL | . 258 | S86LXK25 | 6 |
| S811RXN | . 256 | S84CL | . 255 | S86LXN 25 | 6 |
| S811RXR | . 256 | S84CLSL | | S86LXR 25 | 6 |
| S811XC | . 256 | S84LAX | . 254 | S86PB25 | 3 |
| S811XCSL | . 258 | S84LCL | | S86PBSL25 | 7 |
| S811XE | . 256 | S84LPB | . 253 | S86RAX 25 | 54 |
| S811XESL | . 258 | S84LXC | . 255 | S86RCL 25 | 6 |
| S811XJ | . 256 | S84LXE | . 255 | S86RPB25 | 3 |
| S811XJSL | . 258 | S84LXJ | . 255 | S86RXC25 | 6 |
| S811XK | . 256 | S84LXK | . 255 | S86RXE25 | 6 |
| S811XKSL | . 258 | S84LXN | . 255 | S86RXJ25 | 6 |
| S811XN | . 256 | S84LXR | . 255 | S86RXK 25 | 6 |
| S811XNSL | . 258 | S84PB | . 253 | S86RXN25 | 6 |
| S811XR | . 256 | S84PBSL | . 257 | S86RXR25 | 6 |
| S811XRSL | . 258 | S84RAX | . 254 | S86XC 25 | 6 |
| S81651SL | . 257 | S84RCL | . 255 | S86XCSL 25 | 8 |
| S81AX | . 252 | S84RPB | | S86XE25 | 6 |
| S81BL | | S84RXC | . 255 | S86XESL25 | 8 |
| S81BS | | S84RXE | | S86XJ25 | |
| S81CL | | S84RXJ | | S86XJSL25 | |
| S81CX | | S84RXK | | S86XK25 | |
| S81EC | | S84RXN | | S86XKSL25 | |
| S81LAX | . 252 | S84RXR | | S86XN25 | 6 |
| S81LBL | | S84XC | . 255 | S86XNSL 25 | 8 |
| S81LBS | | S84XCSL | | S86XR25 | |
| S81LCL | . 252 | S84XE | | S86XRSL25 | |
| S81LCX | . 252 | S84XESL | | S8AX 25 | 5 |
| S81LEC | | S84XJ | | S8CL 25 | |
| S81LLT | . 252 | S84XJSL | . 258 | S8LAX25 | 55 |
| | | | | | |

| S8LCL | 256 |
|------------|-----|
| S8LPB | 253 |
| S8LXC | 256 |
| S8LXE | |
| S8LXJ | 256 |
| S8LXK | |
| S8LXN | 256 |
| S8LXR | 256 |
| S8PB | 253 |
| S8RAX | 255 |
| S8RCL | 256 |
| S8RPB | 253 |
| S8RXC | 256 |
| S8RXE | 256 |
| S8RXJ | 256 |
| S8RXK | |
| S8RXN | 256 |
| S8RXR | 256 |
| S8XC | 256 |
| S8XE | |
| S8XJ | |
| S8XK | 256 |
| S8XN | |
| S8XR | 256 |
| S9AX | |
| S9AXSL | |
| S9CL | 256 |
| S9CLSL | |
| S9LAX | 255 |
| S9LCL | |
| S9LPB | 253 |
| S9LXC | |
| S9LXE | |
| S9LXJ | 256 |
| S9LXK | |
| S9LXN | 256 |
| S9LXR | 256 |
| S9PB | |
| S9PBSL | |
| S9RAX | |
| S9RCL | 256 |
| S9RPB | |
| S9RXC | 256 |
| S9RXE | |
| S9RXJ | |
| S9RXK | 256 |
| S9RXN | 256 |
| S9RXR | 256 |
| S9XC | |
| S9XCSL | |
| | 256 |
| S9XES9XESL | |
| S9XJ | 256 |
| S9XJSL | |
| S9XK | |
| S9XKSL | |
| S9XN | 256 |
| S9XNSL | 258 |
| S9XR | |
| S9XRSL | |
| 00/110L | 200 |
| | |

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at **thermatru.com/inspiration.**



Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at **brainshark.com/thermatru.**



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at **thermatru.com/installer.**



Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.



Trade Professionals Online

Find everything from selling tools and training materials to technical information at thermatru.com/professionals.



Design Your Door

Homeowners can research and design a door with their own personal touch – all from the convenience of home. To get started, visit thermatru.com/design-your-door.







COLLECTION




The Veris_m collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.













Where Home Begins...

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle Maumee, OH 43537





#thermatru



