THERMA-TRU® DOORS

2024 FIBERGLASS & STEEL CATALOG

DOORS ▪ SYSTEMS ▪ FINISHING ▪ DECORATIVE GLASS ▪ HANDLESETS

MANIFEST YOUR OUTER HOME

Therma-Tru. Manifest your outer home.

We reinvented the door, so you can reinvent your first impression.

Thanks to decades of material science expertise, Therma-Tru® doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn
Right Page: Smooth-Star, Calix Glass, Door – S4521, Finish – Estuary

Uncompromising quality, inside and out.

FIND YOUR FAVORITE DOORS

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Table of Contents

Introduction 2–27
- NEW Products 4–9
- Therma-Tru® Thrive 10–11
- Curb Appeal 12
- Door Selections 13–15
- Door System Components 16–17
- Tru-Defense® 18–19
- Safety & Security 20–21
- Decorative & Specialty Glass 22–25
- Impact-Rated Products 26–27

Patio, Storm & Vent 28–33
- Hinged Patio Door Systems 28–29
- Retractable Screen Doors 30–31
- Impressions™ Integrated Storm & Entry Door System 32–33

Veris Collection Overview 34–43

Classic Craft® 44–107
- Decorative & Specialty Glass 52–59
- Accessories 60–61
- Hinged Patio Doors 104–107

Fiber-Classic® & Smooth-Star® 108–215
- Decorative & Specialty Glass 114–121
- Accessories 122
- Hinged Patio Doors 210–215

Steel 216–239
- Profiles™ 218, 221–233
- Traditions 218, 234–239
- Decorative & Specialty Glass 219–220

Fire Doors 240–243

Pulse® 244–257

Finish Options 258–264
- PrismaGuard® Stain & Paint 258–263
- Same-Day® Stain Kit 264

Door System Components 265–279

Special Quote Program 280

3'6" Width Options Chart 281

7'0" & 6'6" Height Options Charts 282–283

Product Details 284–285

Index 286–298

Trade Resources 299

NEW Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites for Smooth-Star® Doors

Classic Shaker-style charm.

Capture the beautiful simplicity of Shaker style with half-lite 1-panel Shaker doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

Available in Smooth-Star, starting on page 133.

7'0" sizes available Q3 2024.

LIFETIME LIMITED WARRANTY
Residential

3 YEAR LIMITED WARRANTY
Multi-Family / Commercial

ENERGY STAR PARTNER

EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with SDLs, Door – S84200, Finish – Golden Wheat

NEW Door Divider Bar (DDB) & Simulated Divided Lite (SDL) Styles for Smooth-Star® Doors



On-trend design, timeless style.

Discover new ways to bring popular Shaker charm to the entry. New DDB and SDL styles for flush-glazed full-lite and solid-panel Shaker-style doors blend on-trend contours with purposeful Shaker design to complete the look of Contemporary and Modern home styles.

Available in Smooth-Star, starting on page 126.

LIFETIME LIMITED WARRANTY
Residential

3 YEAR LIMITED WARRANTY
Multi-Family / Commercial

ENERGY STAR PARTNER

EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Smooth-Star Door – S5701; Satin Etch Glass, Sidelite – S2000XESL, Finish – Elk

NEW Impact-Rated Full-Lite Flush-Glazed Glass Designs for Smooth-Star® Doors

More light along the coast.

Enjoy the clean style and increased daylight opening of full-lite EnLiten™ flush-glazed glass, now engineered to withstand extreme weather conditions.* Available with privacy and textured, energy-efficient Low-E glass and a wide selection of simulated divided lite styles.

Available in Smooth-Star, starting on page 128.

Available Q3 2024.

LIFETIME LIMITED WARRANTY
Residential

3 YEAR LIMITED WARRANTY
Multi-Family / Commercial

ENERGY STAR PARTNER

6
WBDR Options**

EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.
**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval.
Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions, details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Top: Smooth-Star, Clear Glass with SDLs, Doors – S1205, Finish – Arctic Ice

Advanta® Lite Frame***

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®

The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Four-piece design includes two interchangeable frame covers and a two-piece base frame.

A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 139; Profiles and Traditions, starting on page 221; and Pulse, starting on page 248.

AVAILABLE LITE FRAME SIZES

Fiber-Classic® / Smooth-Star® / Profiles™ / Traditions / Pulse®

AVAILABLE GLASS OPTIONS

Glass options vary by size.

Decorative Glass
Privacy & Textured
Internal Blinds
Divided Lites
Clear / Low-E

LIFETIME LIMITED WARRANTY
Fiber-Classic, Smooth-Star, Pulse Fiberglass

10 YEAR LIMITED WARRANTY
Profiles, Traditions, Pulse Steel

ENERGY STAR PARTNER

***See your Therma-Tru seller for details on product availability.
Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, and limited warranties and exclusions.

NEW 8'0" Smooth-Star® Doors & Sidelites
with Elevated Bottom Rail

Classic style – elevated.

Our assortment of popular Smooth-Star doors and sidelites expands to include new elevated bottom rail options. The new flush-glazed full-lite sidelite features a 10" bottom rail to match doors with elevated bottom rails for a consistent look across the door system. The new 8'0" 2-panel square top Shaker-style door offers new ways to bring transitional style to tall entries.

Available in Smooth-Star, starting on page 207.

Door available Q3 2024.

Minimum 10" Bottom Rail

8'0" 2-Panel Square Top Shaker Door

8'0" Flush-Glazed Full-Lite Sidelite

LIFETIME LIMITED WARRANTY
Residential

3 YEAR LIMITED WARRANTY
Multi-Family / Commercial

ENERGY STAR PARTNER

Fire-Rated Options

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Smooth-Star Door – S8120; Low-E Glass, Sidelite – S85225SL, Finish – Granite

NEW 8'0" Smooth-Star® Flush-Glazed Doors
with Internal Blinds & Elevated Bottom Rail

More natural light. No compromises.

A durable, on-trend solution for multi-family dwellings, the 8'0" Smooth-Star flush-glazed full-lite door with internal blinds delivers privacy and convenience. Now with an elevated bottom rail to meet ADA applications**, this door is ideal for the patio and back of the home.

Available in Smooth-Star, starting on page 126.

8'0" Flush-Glazed Full-Lite Door

Elevated Bottom Rail
U1: 10-¼"
Book / Hybrid: 10-15/32"

LIFETIME LIMITED WARRANTY
Residential

3 YEAR LIMITED WARRANTY
Multi-Family / Commercial

EnLiten™ Flush-Glazed Riders
for Construction & Installation, and Homeowners

**For ADA compliance, door must be 3'0" wide.
Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Smooth-Star, Internal Blinds, Doors – S82600, Finish – Alpine

Together, let's make a world of difference.

We're doing our part to build a better world, every chance we get. Therma-Tru® Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

THERMA TRU
THRIVE™

Making life better at home.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

Fiberglass doors have up to four times the insulating R-Value of wood*. Ours feature a polyurethane foam core, an **energy-efficient insulating material.**

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard® paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance.** (AAMA 1304)

Helping take care of our planet.

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2023 Brand Leader**** by *Green Builder* magazine for offering durable, well-insulated products.

More than 50% of our fiberglass and steel door end rails are made from **over 90% recycled or scrap material.**



Being a good neighbor.

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.

Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.

*Comparison of fiberglass to wood doors (both without glass).
**Brand Index, 2023 *Green Builder* magazine.

Make a Smart Investment



Make a great first impression.

A front door is nearly impossible to ignore when walking into a home, and for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, **44% of homeowners said they were more likely to purchase a home with an enhanced entry**, and one in three homeowners said they were willing to pay a premium for one.*

One in three homeowners said they were willing to pay a premium for an enhanced entry.*

*Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.
**Manufacturer's Test Facility Quality Assurance Validation Program, Architectural Testing, Inc.
Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions.

The Beauty of Choice

The architectural beauty of a Therma-Tru® door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.

DOOR SELECTIONS

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 14–15.

FINISH OPTIONS

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® stain on pages 258–264.

DECORATIVE & SPECIALTY GLASS

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 22–25.

DOOR SYSTEM COMPONENTS

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 16–21.

Designed for peace of mind.

LIFETIME LIMITED WARRANTIES

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by our comprehensive lifetime limited warranties.

LIFETIME LIMITED WARRANTY TRANSFERABLE Classic Craft

LIFETIME LIMITED WARRANTY

QUALITY TESTING

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab – approved to perform specific test methods with a third-party witness** – as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.

Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft® Series Pages 44–107

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

LIFETIME LIMITED WARRANTY TRANSFERABLE

Fir Grain
Formerly Classic-Craft American Style

Walnut Grain

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Bottom: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Driftwood

Fiber-Classic® Collections Pages 108–215

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.

LIFETIME LIMITED WARRANTY



Smooth-Star® Pages 108–215

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.

LIFETIME LIMITED WARRANTY

Steel Pages 216–239

Bring style and affordability together to create very attractive results with our steel doors.

Pulse® Pages 244–257

A contemporary series of door styles and glass designs that can be combined to make a bold statement.

LIFETIME LIMITED WARRANTY Fiberglass

10 YEAR LIMITED WARRANTY Steel



Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.

*See your Therma-Tru seller for details on product availability.



❶ **Weatherstrip** is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free Therma-Tru **composite door frame*** delivers extra protection from the damaging effects of moisture.



❷ **Sill** and **bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.



❸ **Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.



❹ **Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



❺ **Multi-point locking system** (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the **weatherstrip's** seal even under wind pressure.



❻ **Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.



Composite Door Frame*

featuring Tru-Guard™ Composite Technology

Therma-Tru® composite door frame featuring Tru-Guard composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

TRU GUARD™
COMPOSITE TECHNOLOGY

Tru-Defense® Warranty Rider

A Therma-Tru® door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.

Tru-Defense: The Ultimate Protection

More than beautiful doors and glass, a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the (✤) icon.

CERTIFIED DOOR SYSTEM INSTALLER
THERMA-TRU® DOORS

*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.
**Latch and deadbolt must meet Therma-Tru specifications.
Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Top: Classic Craft Canvas, Provincial Glass, Door – CCV10028, Sidelites – CCV108SL, Transom – CC420T, Finish – Chestnut

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components

DOOR FRAME

Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame

COMPOSITE ADJUSTABLE SILL

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.

BOTTOM SWEEP
(Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.

HINGES

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.

CORNER SEAL PADS
(Inswing Only)

Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



WEATHERSTRIP

Features a resilient design to help deliver a precise seal between the door and frame.

ASTRAGAL
(Double Doors)

Covers the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.

RAIN GUARD
(Outswing Only)

Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components

MULTI-POINT LOCKING SYSTEM (MPLS)

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



SILL PAN

Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement

System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	$250	$500
Latch & Deadbolt with Sill Pan**	$500	$1,000
MPLS (No Sill Pan)	$1,000	$2,000
MPLS with Sill Pan	$1,250	$2,500

Baseline components required to qualify for the Tru-Defense Warranty Rider.

Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.

Did you know?

On average, a home is burglarized in the U.S. every 45 seconds.[1]



More than half of home burglaries occur during the daytime.[2]



How do burglars enter the home?

34% Front Door[3]
22% Back Door[3]

THERMA-TRU® COMPOSITE DOOR FRAME

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.

Scan to see our products put to the test.

Therma-Tru Wood Jamb

Therma-Tru Composite Jamb

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
**Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.
[1]Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."
[2]Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.
[3]Source: asecurelife.com

Pendulum Impact Test

THERMA-TRU FIBERGLASS DOOR SLAB

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

THERMA-TRU GLASS

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.

Decorative & Specialty Glass

A Therma-Tru® door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit thermatru.com for details on ENERGY STAR qualified products.



ENERGY STAR PARTNER Contributes to an energy-efficient home.

TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten™ flush-glazed designs and Impact-rated options.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.

Right Page: Smooth-Star, Clear Glass with SDLs, Door – S6042, Finish – Alpine

Privacy & Textured Glass

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.

Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀) icon.

Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.

- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions.

EnLiten™ Flush-Glazed Designs

for Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the ( ) icons.



STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.
**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing.
Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven
Left Page Bottom Left: Smooth-Star, Chinchilla Glass with SDLs, Door – S2104XJ, Finish – Granite
Left Page Bottom Right: Smooth-Star, Internal Blinds, Doors – S2600
Right Page: Smooth-Star, Granite Glass with SDLs, Door – S83400XN, Sidelites – S85225XNSL, Finish – Peregrine

DURABLE BY DESIGN

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.

Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.

11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*

Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

EnLiten™ Flush-Glazed Warranty Riders
for Construction & Installation, and Homeowners. See page 123 for details.

Tough when you need it. Beautiful always.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



IMPACT-RATED PRODUCTS

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

❶ Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*

❷ Use the icons to find available Therma-Tru® product options in this catalog.

+

= **WBDR Option**

Designed to withstand wind forces up to 167 mph (DP-50). (ASTM E 1886 / ASTM E 1996)

Structural Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = WBDR Option

+

= **HVHZ Option**

Designed to withstand wind forces up to 175 mph (DP-55). (TAS 201 / TAS 203)

Impact Steel-Plate Reinforced Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = HVHZ Option

WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

❸ Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

❹ Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.
Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*

IMPACT DOORS

Feature a built-in 24-gauge steel plate lining.

NEW IMPACT FLUSH-GLAZED GLASS

Offers clean style and an increased daylight opening.

IMPACT GLASS

Features special laminated glass construction.

IMPACT INTERNAL BLINDS

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.

IMPACT LIP-LITE FRAME

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



OTHER CONSIDERATIONS

Fire Doors
See pages 240–243.

Noise Reduction Doors
See page 205.

E Elevated 10" Bottom Rail
Look for the (**E**) symbol.

Hinged Patio Door Systems

Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 285 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood
Bottom: Smooth-Star, Clear Glass, Doors – S2000

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.

1. Multi-Point Locking System (Recommended)
2. Bottom Sweep
3. Sill
4. Hinges
5. Corner Seal Pads (Inswing Only)
6. Sill Pan (Recommended)
7. Frame Components
8. Multi-Point Locking System (Included)
9. Removable Screens

VENTED SIDELITES

Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations

Single Door with Vented Sidelites (Inswing Only)

Double Doors with Vented Sidelites (Inswing Only)

PATIO TRANSOMS

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T



19050T

Classic Craft, starting on page 104.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 210.

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru® entry door systems.



Face mount installation allows for an easier install while providing a full pass-through space without an intrusive cassette or track.

E-Z Glide System enables smooth screen retraction and extension without slamming.

Fiberglass screen mesh fully retracts when not in use.

One-hand operation with a secure and ergonomic latch / lock handle.

Rust-proof aluminum housing and track for strength and beauty.

Quick-Snap Track adjusts to required length in seconds – no cutting required.*

Universal sill plate designed for simple and secure fit.

*Adjusts quickly for 32"–36" doors. If less than 32", a hacksaw is required for one cut to each track.
**Based on average DIY skills and standard door application, widths 32"–36".
***Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.
Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Right Page: Classic Craft Fir Grain Door – CCA81166, Finish – Rustic Clay, Retractable Screen – Black

AVAILABLE SIZES

(Available for most inswing units.)



Single Door System
Widths: 32"–36"
Heights: 6'6", 6'8", 8'0"



French Door System
Widths: 68"–73"
Heights: 6'6", 6'8", 8'0"

Installation is quick and easy, taking approximately 30 minutes.**

AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.***

White | Brown | Black

AVAILABLE CONFIGURATIONS



See your Therma-Tru seller for details on product availability and ordering.

WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

LIFETIME LIMITED WARRANTY TRANSFERABLE
Classic Craft

LIFETIME LIMITED WARRANTY
Fiber-Classic, Smooth-Star, Pulse Fiberglass

10 YEAR LIMITED WARRANTY
Profiles, Traditions, Pulse Steel

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.

LIFETIME LIMITED WARRANTY

Impressions™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.

1 Choose a **Therma-Tru® entry door** to create an entry that complements your home's architectural style.

2 The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a **composite frame featuring Tru-Guard™ composite technology.**

3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's **flat-profile composite brickmould.**

*Patent pending.
**The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.
***Not suitable for use with Therma-Tru grip-style handlesets.
Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

THE STORM DOOR IS EASY TO INSTALL AT THE JOBSITE

The concealed hinges featuring retractable pins ❹ and the revolutionary hidden closer with Click&Hold™ technology ❺ enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job.
Scan the QR code to learn more about storm door panel installation.

Place the bottom pin hinge in the hinge cup.

Retract the top pin and insert into the top hinge cup to install the storm door panel.

Secure and adjust the hidden closer featuring Click&Hold technology.

❻ ALUMINUM STORM DOOR OPTIONS

Available Sizes & Configurations
Choose Low-E or clear glass.
Interchangeable screen panel included.



IM100	IM8100
3'0" x 6'8"	3'0" x 8'0"
2'8" x 6'8"	2'8" x 8'0"

Single | Single with 1 Sidelite** | Single with 2 Sidelites**

Color Options
Features a maintenance-free finish.

White
Color matched to PrismaGuard Alpine.

Gray
Color matched to PrismaGuard Granite.

Brown
Color matched to PrismaGuard Elk and complements most stain options.

Black
Color matched to PrismaGuard Onyx.

❼ QuickFit™ Handlesets***

Straight

- Brushed Nickel
- Aged Bronze
- Matte Black (Complements Black Nickel)

Curved

- Brushed Nickel
- Aged Bronze
- Antique Brass
- Brass

Home, unbound.

The feeling of home extends beyond four walls as homeowners focus on connecting with nature. Blur the lines between indoor and outdoor living spaces with entry doors designed as beautiful connection points.

THERMA-TRU® DOORS

Veris™

COLLECTION

Explore an expansive portfolio of glass-forward aluminum door systems from the entry door brand building professionals choose most.* Redefine indoor and outdoor living with the Veris Collection.

*Brand Use Study, 2023 *Builder* magazine.

Open to possibilities.

The Veris™ Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS COLLECTION

Folding Doors

Sliding Doors

Hinged Doors

Pivot Doors

These contemporary glass door systems bring together high-end style and unique functionality to create a bright and airy experience. Blending beauty and versatility, the Veris Collection offers a seamless transition from indoors to out.

Expand their horizon.

Blend indoor and outdoor living spaces with wide views, contemporary framing and innovative options designed for convenience and ease.

Contemporary connections.

Create statement-making entrances with sleek and subtle designs perfect for homes with contemporary styling.

THERMA-TRU® DOORS

Experience the Veris™ Collection.

Scan the QR code to view the complete Veris Collection catalog.

Print copies are available — contact your Therma-Tru® representative for ordering information.



Explore options and see it in your home with our visualizer at **veriscollection.com**.

Veris™
COLLECTION

Classic Craft®

An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM82804, Finish – Driftwood
Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn
Right Page Bottom: Classic Craft Walnut Grain Door – CCW8906R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Lynx

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

Artíssa Collection

CASUAL | RELAXED | SIMPLE

Founders Collection

TRADITIONAL | TIME-HONORED | DECORATIVE

Visionary Collection

MODERN | CONFIDENT | MINIMAL

Comprehensive warranties for peace of mind.

LIFETIME LIMITED WARRANTY TRANSFERABLE

Uniquely designed by Therma-Tru, Classic Craft® complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.

10 YEAR LIMITED WARRANTY TRANSFERABLE

In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at **thermatru.com/warranty**.

Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

*Brand Use Study, 2023 *Builder* magazine.

Left Page: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCM81519

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.

Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.

Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.

Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.

Therma-Tru® Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.

*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit thermatru.com for details.
**Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn
Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley
Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo

Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.

Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.

Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*

Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**

True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain®
TECHNOLOGY

Bottom: Classic Craft Walnut Grain,
Door – CCW900L, Finish – Shale

Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.

Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Decorative & Specialty Glass Designs

Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.

GLASS SHAPES

GLASS PRIVACY RATING

1 — 4 — 10

Black Nickel

Brushed Nickel

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines 1 narrow reeded glass, 2 M seedy glass, 3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and 6 clear bevels.

GLASS SHAPES

GLASS PRIVACY RATING

1 — 6 — 10

Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 60 to see an example on a home.

Black Nickel

Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Augustine®

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

GLASS SHAPES

Corresponding sidelites feature
Granite glass without wrought iron.

GLASS PRIVACY RATING



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 77 to see an example on a home.

Borrassa®

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

GLASS SHAPES

Corresponding sidelites feature
Hammered glass without wrought iron.

GLASS PRIVACY RATING



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 46 to see an example on a home.

Decorative & Specialty Glass Designs

Provincial™

A unique diamond-based motif features 1 double waterglass, 2 clear bevels and caming surrounded by a 3 gray baroque glass border. Provincial captivates with stunning clarity.

GLASS SHAPES

GLASS PRIVACY RATING

Black Nickel

Brushed Nickel

Longford™

The traditional design of Longford integrates a hint of a Celtic knot with 1 seeded glass, 2 clear bevels, 3 granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

GLASS SHAPES

GLASS PRIVACY RATING



Black Nickel

Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 1 curved, 2 diamond and 3 rectangular bevels surrounded by smooth, swirling 4 barn wood and heavily textured 5 diamond border glass.

GLASS SHAPES

GLASS PRIVACY RATING

1 — 7 — 10

Black Nickel

Brushed Nickel

Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

GLASS SHAPES

GLASS PRIVACY RATING

1 — 3 — 10



Black Nickel

Brushed Nickel

Privacy & Textured Glass

Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

GLASS PRIVACY RATING

1 — 7 — 10

Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

GLASS PRIVACY RATING

1 — 10

Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.

GLASS PRIVACY RATING

1 — 10

Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.

GLASS PRIVACY RATING

1 — 10

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Right Page: Classic Craft Fir Grain, Rainglass, Door – CCA210XR, Finish – New Earth

Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

GLASS PRIVACY RATING

1 — 8 — 10

Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.

GLASS PRIVACY RATING

1 — 10

Also Available:
Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the ( ) icon.



(40.64 mm / 1.6 in.)
Look for the ( ) icon.

4-¼" and 5-½" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the ( ) icon.

(107.95 mm / 4.25 in.)
Look for the (3) and (3) icons.

(139.70 mm / 5.5 in.)
Look for the (4) and (4) icons.

Note: Some door styles use a combination of 4-¼" and 5-½" divider bars. Look for the (5) and (5) icons.

Fir Grain

(40.64 mm / 1.6 in.)
Look for the (6) icon.

Mahogany Grain



(40.64 mm / 1.6 in.)
Look for the ( ) icon.

Canvas

Flush-Glazed Sticking Profiles

EnLiten™ flush-glazed designs feature a seamless look with simple profile around the glass.

Look for the (🔥) and (💧) icons.

Detailed Sticking
Look for the (🔥) icon.

Square Sticking
Look for the (💧) icon.

EnLiten™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 123 for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page: Classic Craft Canvas, Low-E Glass with SDLs, Door – CCV960, Sidelites – CCV9020SL, Transom – 19220T, Finish – Cypress
Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Doors – CCA82350, Finish – Raven

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Classic Craft® Fir Grain 4-Block Dentil Shelf

Classic Craft® Fir Grain 4-Block Dentil Shelf*

Classic Craft® Fir Grain 16-Block Dentil Shelf

Classic Craft® Canvas 4-Block Dentil Shelf

4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.

4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

*Pairs with 3'6" wide doors.

Bottom: Classic Craft Fir Grain, Arborwatch Glass, Door – CCA9100, Sidelites – CCA1423SL, Finish – Autumn Harvest; Dentil Shelf
Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs Sidelites – S1170SL, Clear Glass Transom – 19220T; Clavos
Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Finish – Lynx; Strap Hinges

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.

1-½" 1-¼" 1" 1-¾" 1-¼" 1"

18"

Full Lites

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)

HOMEWARD™

Mahogany
CCR9925
3'0" x 6'8"

Mahogany
CCR9925SL
12" x 6'8"
14" x 6'8"

Canvas
CCV9925
3'0" x 6'8"

Canvas
CCV911SL
12" x 6'8"
14" x 6'8"

ARBORWATCH®

Mahogany
CCR1423
3'0" x 6'8"

Mahogany
CCR1423SL
12" x 6'8"
14" x 6'8"

Canvas
CCV1423
3'0" x 6'8"

Canvas
CCV1423SL
12" x 6'8"
14" x 6'8"

AUGUSTINE®

Mahogany
CCR30027
3'0" x 6'8"



Mahogany
CCR3400XNSL
12" x 6'8"
14" x 6'8"

Canvas
CCV10027
3'0" x 6'8"



Canvas
CCV100XNSL
12" x 6'8"
14" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

BORRASSA®

Mahogany

CCR1528
3'0" x 6'8"

Mahogany

CCR3400XHSL
12" x 6'8"
14" x 6'8"

Canvas

CCV1528
3'0" x 6'8"

Canvas

CCV100XHSL
12" x 6'8"
14" x 6'8"

PROVINCIAL™

Mahogany

CCR30028
3'0" x 6'8"

Mahogany

CCR3408SL
12" x 6'8"
14" x 6'8"

Canvas

CCV10028
3'0" x 6'8"

Canvas

CCV108SL
12" x 6'8"
14" x 6'8"

LONGFORD™

Mahogany

CCR30023
3'0" x 6'8"

Mahogany

CCR3407SL
12" x 6'8"
14" x 6'8"

Canvas

CCV10023
3'0" x 6'8"

Canvas

CCV103SL
12" x 6'8"
14" x 6'8"

LUCERNA®

Mahogany

CCR10022
3'0" x 6'8"

Mahogany

CCR3412SL
12" x 6'8"
14" x 6'8"

Canvas

CCV10022
3'0" x 6'8"

Canvas

CCV3412SL
12" x 6'8"
14" x 6'8"

Full Lites

continued

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 56-57.

XK = Reeded	XJ = Chinchilla
XE = Satin Etch	XR = Rainglass
XC = Chord	XN = Granite

For transoms, see page 102.

Note: Product images show exterior side of door.

ZAHA®

Mahogany
CCR1851
3'0" x 6'8"

Mahogany
CCR1851SL
12" x 6'8"
14" x 6'8"

Canvas
CCV1851
3'0" x 6'8"

Canvas
CCV1851SL
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED



Fir

CCA2300__ 4 3'0" x 6'8"	CCA82300__ 4 E 3'0" x 8'0"

Fir

CCA2310__ 4 3'0" x 6'8"	CCA82310__ 4 E 3'0" x 8'0"



Fir

CCA2320__ 3 3'0" x 6'8"	CCA82320__ 3 E 3'0" x 8'0"

Fir

CCA2330__ 3 3'0" x 6'8"	CCA82330__ 3 E 3'0" x 8'0"



Fir

CCA2340__ 3 3'0" x 6'8"	CCA82340__ 3 E 3'0" x 8'0"

Fir

CCA2380__ 5 3'0" x 6'8"	CCA82380__ 5 E 3'0" x 8'0"

*Not available with Reeded (XK) glass.
Note: See page 285 for important product details that may help with your purchase decision.



Fir

CCA2350__* 5 3'0" x 6'8"

CCA82350__* 5 E 3'0" x 8'0"

Fir

CCA2360__* 5 3'0" x 6'8"

CCA82360__* 5 E 3'0" x 8'0"

Fir

CCA2370__* 4 3'0" x 6'8"

CCA82370__* 4 E 3'0" x 8'0"

Fir

CCA4900__* 3 3'0" x 6'8"

CCA84900__* 3 E 3'0" x 8'0"



Fir

CCA4910L__* 3 3'0" x 6'8"

CCA4910R__* 3 3'0" x 6'8"



Fir

CCA84910L__* 3 E 3'0" x 8'0"

CCA84910R__* 3 E 3'0" x 8'0"

Fir

CCA4920L__* 5 3'0" x 6'8"

CCA4920R__* 5 3'0" x 6'8"



Fir

CCA84920L__* 5 E 3'0" x 8'0"

CCA84920R__* 5 E 3'0" x 8'0"

Fir

CCA4930__* 5 3'0" x 6'8"

CCA84930__* 5 E 3'0" x 8'0"

Fir

CCA4940__* 5 3'0" x 6'8"

CCA84940__* 5 E 3'0" x 8'0"



Fir

CCA2400__ 3'0" x 6'8"

CCA82400__ E 3'0" x 8'0"

 Continues on next page.

Full Lites

continued

Fir Grain
Formerly Classic-Craft
American Style

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XK = Reeded	XJ = Chinchilla
XE = Satin Etch	XR = Rainglass
XC = Chord	XN = Granite

For transoms, see page 102.

Note: Product images show exterior side of door.

PRIVACY & TEXTURED

Fir

CCA2300__SL	CCA82300__SL
4	4
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Fir

CCA2310__SL	CCA82310__SL
4	4
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Fir

CCA2320__SL	CCA82320__SL
3	3
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Fir

CCA2330__SL	CCA82330__SL
3	3
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Fir

CCA2340__SL	CCA82340__SL
3	3
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2400__SL	CCA82400__SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

LOW-E



Fir

CCA2300	CCA82300
4	4 E
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2310	CCA82310
4	4 E
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2320	CCA82320
3	3 E
3'0" x 6'8"	3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Fir

CCA2330 3 3'0" x 6'8"

CCA82330 3 E 3'0" x 8'0"



Fir

CCA2340 3 3'0" x 6'8"

CCA82340 3 E 3'0" x 8'0"

Fir

CCA2380 5 3'0" x 6'8"

CCA82380 5 E 3'0" x 8'0"

Fir

CCA2350 5 3'0" x 6'8"

CCA82350 5 E 3'0" x 8'0"

Fir

CCA2360 5 3'0" x 6'8"

CCA82360 5 E 3'0" x 8'0"

Fir

CCA2370 4 3'0" x 6'8"

CCA82370 4 E 3'0" x 8'0"

Fir

CCA4900 3 3'0" x 6'8"

CCA84900 3 E 3'0" x 8'0"

Fir

CCA4910L 3 3'0" x 6'8"

CCA4910R 3 3'0" x 6'8"



Fir

CCA84910L 3 E 3'0" x 8'0"

CCA84910R 3 E 3'0" x 8'0"



Fir

CCA4920L 5 3'0" x 6'8"

CCA4920R 5 3'0" x 6'8"

 Continues on next page.

Full Lites

continued

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- 6 Simulated Divided Lites (SDLF6)
- E Elevated 10" Bottom Rail Options

LOW-E



Fir

CCA84920L — 5 E — 3'0" x 8'0"
CCA84920R — 5 E — 3'0" x 8'0"



Fir

CCA4930 — 5 — 3'0" x 6'8"
CCA84930 — 5 E — 3'0" x 8'0"

Fir

CCA4940 — 5 — 3'0" x 6'8"
CCA84940 — 5 E — 3'0" x 8'0"

Fir

CCA2400 — 3'0" x 6'8"
CCA82400 — E — 3'0" x 8'0"

Fir

CCA2300SL — 4 — 12" x 6'8", 14" x 6'8"
CCA82300SL — 4 — 12" x 8'0", 14" x 8'0"

Fir

CCA2310SL — 4 — 12" x 6'8", 14" x 6'8"
CCA82310SL — 4 — 12" x 8'0", 14" x 8'0"

Fir

CCA2320SL — 3 — 12" x 6'8", 14" x 6'8"
CCA82320SL — 3 — 12" x 8'0", 14" x 8'0"



Fir

CCA2330SL — 3 — 12" x 6'8", 14" x 6'8"
CCA82330SL — 3 — 12" x 8'0", 14" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay
Right Page Bottom: Classic Craft American Style Collection, Low-E Glass with SDLs, Doors – CCA4940

Fir

CCA2340SL
3
12" x 6'8"
14" x 6'8"

CCA82340SL
3
12" x 8'0"
14" x 8'0"



Fir

CCA2400SL
12" x 6'8"
14" x 6'8"

CCA82400SL
12" x 8'0"
14" x 8'0"

Mahogany

CCR30020
3'0" x 6'8"

Mahogany

CCR2025SL
6
12" x 6'8"
14" x 6'8"

Mahogany

CCR3400SL
12" x 6'8"
14" x 6'8"

Canvas

CCV10020
3'0" x 6'8"

Canvas

CCV950SL
12" x 6'8"
14" x 6'8"

Canvas

CCV100SL
12" x 6'8"
14" x 6'8"

3/4 Lites

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)

HOMEWARD™

Mahogany

CCM2801
3'0" x 6'8"

CCM82801
3'0" x 8'0"



Mahogany

CCM9923
3'0" x 6'8"

Mahogany

CCR9925SL
12" x 6'8"
14" x 6'8"

CCR89925SL
12" x 8'0"
14" x 8'0"

Canvas

CCV9922
3'0" x 6'8"

CCV89922
3'0" x 8'0"

Canvas

CCV911SL
12" x 6'8"
14" x 6'8"

CCV8111SL
12" x 8'0"
14" x 8'0"

ARBORWATCH®

Mahogany

CCM81418
3'0" x 8'0"

Mahogany

CCM1419
3'0" x 6'8"

Mahogany

CCR1423SL
12" x 6'8"
14" x 6'8"

CCR81423SL
12" x 8'0"
14" x 8'0"

Canvas

CCV1418
3'0" x 6'8"

CCV81418
3'0" x 8'0"

Canvas

CCV1423SL
12" x 6'8"
14" x 6'8"

CCV81423SL
12" x 8'0"
14" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

AUGUSTINE®

Mahogany
CCM805027
3'0" x 8'0"

Mahogany
CCM1485
3'0" x 6'8"

Mahogany
CCM1495
3'0" x 6'8"

Mahogany
CCR3400XNSL
12" x 6'8"
14" x 6'8"

CCR8000XNSL
12" x 8'0"
14" x 8'0"

Canvas
CCV05027
3'0" x 6'8"

CCV805027
3'0" x 8'0"

Canvas
CCV100XNSL
12" x 6'8"
14" x 6'8"

CCV8100XNSL
12" x 8'0"
14" x 8'0"

BORRASSA®

Mahogany
CCM81519
3'0" x 8'0"

Mahogany
CCM1475
3'0" x 6'8"

Mahogany
CCM1465
3'0" x 6'8"

Mahogany
CCR3400XHSL
12" x 6'8"
14" x 6'8"

CCR8000XHSL
12" x 8'0"
14" x 8'0"

Canvas
CCV1519
3'0" x 6'8"

CCV81519
3'0" x 8'0"

Canvas
CCV100XHSL
12" x 6'8"
14" x 6'8"

CCV8100XHSL
12" x 8'0"
14" x 8'0"

LONGFORD™

Mahogany
CCM892
3'0" x 8'0"

Mahogany
CCM203
3'0" x 6'8"

Mahogany
CCM303
3'0" x 6'8"

LONGFORD *Continues on next page.*

3/4 Lites

continued

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XK = Reeded	XJ = Chinchilla
XE = Satin Etch	XR = Rainglass
XC = Chord	XN = Granite

For transoms, see page 102.

Note: Product images show exterior side of door.

LONGFORD™

Mahogany

CCM3303SL
12"x 6'8"
14"x 6'8"



Mahogany

CCR3407SL
12" x 6'8"
14" x 6'8"

CCR8007SL
12" x 8'0"
14" x 8'0"

Canvas

CCV05023
3'0" x 6'8"

CCV805023
3'0" x 8'0"



Canvas

CCV103SL
12" x 6'8"
14" x 6'8"

CCV8103SL
12" x 8'0"
14" x 8'0"

LUCERNA®

Mahogany

CCM2802
3'0" x 6'8"

CCM82802
3'0" x 8'0"

Mahogany

CCR3412SL
12" x 6'8"
14" x 6'8"

CCR8102SL
12" x 8'0"
14" x 8'0"

Mahogany

CCM204
3'0"x 6'8"

Mahogany

CCM302
3'0"x 6'8"

Mahogany

CCM3302SL
12"x 6'8"
14"x 6'8"

Canvas

CCV05022
3'0" x 6'8"

CCV805022
3'0" x 8'0"

Canvas

CCV3412SL
12" x 6'8"
14" x 6'8"

CCV8102SL
12" x 8'0"
14" x 8'0"

*Not available with Chinchilla (XJ) glass.
Note: See page 285 for important product details that may help with your purchase decision.

PROVINCIAL™

Mahogany

CCR3408SL
12" x 6'8"
14" x 6'8"

CCR8008SL
12" x 8'0"
14" x 8'0"

Canvas

CCV05028
3'0" x 6'8"

CCV805028
3'0" x 8'0"

Canvas

CCV108SL
12" x 6'8"
14" x 6'8"

CCV8108SL
12" x 8'0"
14" x 8'0"

ZAHA®

Mahogany

CCM2803
3'0" x 6'8"

CCM82803
3'0" x 8'0"

Mahogany

CCR1851SL
12" x 6'8"
14" x 6'8"

CCR81851SL
12" x 8'0"
14" x 8'0"

Mahogany

CCM1844
3'0"x 6'8"

Mahogany

CCM1842
3'0"x 6'8"

Mahogany

CCM1843SL
12"x 6'8"
14"x 6'8"

Canvas

CCV1843
3'0" x 6'8"

CCV81843
3'0" x 8'0"



Canvas

CCV1851SL
12" x 6'8"
14" x 6'8"

CCV81851SL
12" x 8'0"
14" x 8'0"

PRIVACY & TEXTURED

Mahogany

CCM2804__*
6
3'0" x 6'8"

CCM82804__*
6
3'0" x 8'0"

Mahogany

CCM2806__*
6
3'0" x 6'8"

CCM82806__*
6
3'0" x 8'0"

Mahogany

CCM2812__*
6
3'0" x 6'8"

CCM82815__*
6
3'0" x 8'0"

Mahogany

CCM2800__*
3'0" x 6'8"

CCM82800__*
3'0" x 8'0"

 Continues on next page.

3/4 Lites

continued

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch
XR = Rainglass
XC = Chord
XN = Granite
XJ = Chinchilla

For transoms, see page 102.

Note: Product images show exterior side of door.

PRIVACY & TEXTURED

Mahogany

CCM200XC
CCM200XN
3'0" x 6'8"

Mahogany

CCM300XC
CCM300XN
3'0" x 6'8"

Mahogany

CCR2025__SL	CCR82035__SL
6	6
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Mahogany

CCR3400__SL	CCR8000__SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Canvas

CCV05020XC
CCV05020XN
3'0"x 6'8"

Canvas

CCV950__SL	CCV8950__SL*
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Canvas

CCV100__SL	CCV8100__SL*
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

LOW-E

Mahogany

CCM2804	CCM82804
6	6
3'0" x 6'8"	3'0" x 8'0"

Mahogany

CCM2806	CCM82806
6	6
3'0" x 6'8"	3'0" x 8'0"

*Not available with Satin Etch (XE) glass.
Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door – CCM2806, Finish – Acorn

Mahogany

CCM2812 | CCM82815
3'0" x 6'8" | 3'0" x 8'0"

Mahogany

CCM2800 | CCM82800
3'0" x 6'8" | 3'0" x 8'0"

Mahogany

CCR2025SL | CCR82035SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Mahogany

CCR3400SL | CCR8000SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Mahogany

CCM200
3'0" x 6'8"

Mahogany

CCM300
3'0" x 6'8"

Mahogany

CCM3300SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

Canvas

CCV05020
3'0" x 6'8"

CCV805020
3'0" x 8'0"

Canvas

CCV950SL | CCV8950SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Canvas

CCV100SL | CCV8100SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

2/3 Lites

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)

Optional Accessories

Clavos

Strap Hinge

HOMEWARD™

Mahogany

CCR9921 3'0" x 6'8" | CCR89921 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR9919 3'0" x 6'8" | CCR89919 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR9918 3'0" x 6'8" | CCR89918 3'0" x 8'0"

Mahogany

CCR822218 3'0" x 8'0" 3'6" x 8'0"

Canvas

CCV9919 3'0" x 6'8" | CCV89919 3'0" x 8'0"

Canvas

CCV9918 3'0" x 6'8" | CCV89918 3'0" x 8'0"

ARBORWATCH®

Mahogany

CCR1417 3'0" x 6'8" | CCR81417 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR1415 3'0" x 6'8" | CCR81415 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR1414 3'0" x 6'8" | CCR81414 3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527, Finish – New Earth

Mahogany

CCR822214
3'0" x 8'0"
3'6" x 8'0"

Canvas

CCV1415
3'0" x 6'8"

CCV81415
3'0" x 8'0"

Canvas

CCV1414
3'0" x 6'8"

CCV81414
3'0" x 8'0"

AUGUSTINE®

Mahogany

CCR04027
3'0" x 6'8"

CCR804027
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR20527
3'0" x 6'8"

CCR820527
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR20027
3'0" x 6'8"

CCR820027
3'0" x 8'0"

Mahogany

CCR822227
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR04037
3'0" x 6'8"

CCR804037
3'0" x 8'0"
3'6" x 8'0"

AUGUSTINE *Continues on next page.*

2/3 Lites

continued

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (W)

Optional Accessories

Clavos

Strap Hinge

AUGUSTINE®

Mahogany

CCR20537 3'0" x 6'8"	CCR820537 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR20037 3'0" x 6'8"	CCR820037 3'0" x 8'0"

Mahogany

CCR20537A 3'0" x 6'8"	CCR820537A 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR20037A 3'0" x 6'8"	CCR820037A 3'0" x 8'0"

Canvas

CCV20527 3'0" x 6'8"	CCV820527 3'0" x 8'0"

Canvas

CCV22027 3'0" x 6'8"	CCV822027 3'0" x 8'0"

Canvas

CCV20537 3'0" x 6'8"	CCV820537 3'0" x 8'0"

BORRASSA®

Mahogany

CCR1518 3'0" x 6'8"	CCR81518 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR1516 3'0" x 6'8"	CCR81516 3'0" x 8'0" 3'6" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Mahogany

CCR1515 3'0" x 6'8" | CCR81515 3'0" x 8'0"

Mahogany

CCR822215 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR1514 3'0" x 6'8" | CCR81514 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR1512 3'0" x 6'8" | CCR81512 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR1511 3'0" x 6'8" | CCR81511 3'0" x 8'0"

Mahogany

CCR1512A 3'0" x 6'8" | CCR81512A 3'0" x 8'0" 3'6" x 8'0"

Mahogany

CCR1511A 3'0" x 6'8" | CCR81511A 3'0" x 8'0"

Canvas

CCV1516 3'0" x 6'8" | CCV81516 3'0" x 8'0"

Canvas

CCV1515 3'0" x 6'8" | CCV81515 3'0" x 8'0"

Canvas

CCV1512 3'0" x 6'8" | CCV81512 3'0" x 8'0"

PROVINCIAL™

Mahogany

CCR804028 3'0" x 8'0"

Mahogany

CCR820528 3'0" x 8'0"

2/3 Lites

continued

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Optional Accessories

Clavos

Strap Hinge

PROVINCIAL™

Mahogany
CCR820028
3'0" x 8'0"

Mahogany
CCR822228
3'0" x 8'0"

Canvas
CCV820528
3'0" x 8'0"

Canvas
CCV822028
3'0" x 8'0"

LONGFORD™

Mahogany
CCR04023 3'0" x 6'8" | CCR804023 3'0" x 8'0"

Mahogany
CCR20523 3'0" x 6'8" | CCR820523 3'0" x 8'0"

Mahogany
CCR20023 3'0" x 6'8" | CCR820023 3'0" x 8'0"

Mahogany
CCR822223
3'0" x 8'0"

Canvas
CCV20523 3'0" x 6'8" | CCV820523 3'0" x 8'0"

Canvas
CCV22023 3'0" x 6'8" | CCV822023 3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

LUCERNA®

Mahogany

CCR04022
3'0" x 6'8"

CCR804022
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR20522
3'0" x 6'8"

CCR820522
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR20022
3'0" x 6'8"

CCR820022
3'0" x 8'0"

Mahogany

CCR822222
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR804032
3'0" x 8'0"

Mahogany

CCR820532
3'0" x 8'0"

Mahogany

CCR820032
3'0" x 8'0"

Mahogany

CCR820532A
3'0" x 8'0"



Mahogany

CCR820032A
3'0" x 8'0"

Canvas

CCV20522
3'0" x 6'8"

CCV820522
3'0" x 8'0"

Canvas

CCV22022
3'0" x 6'8"

CCV822022
3'0" x 8'0"

Canvas

CCV820532
3'0" x 8'0"

ZAHA®

Mahogany

CCR1841
3'0" x 6'8"

CCR81841
3'0" x 8'0"

ZAHA *Continues on next page.*

2/3 Lites

continued

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch | XR = Rainglass
XC = Chord | XN = Granite

Optional Accessories

Clavos

Strap Hinge

ZAHA®

Mahogany

CCR1839 3'0" x 6'8" | CCR81839 3'0" x 8'0"

Mahogany

CCR1838 3'0" x 6'8" | CCR81838 3'0" x 8'0"

Mahogany

CCR822238 3'0" x 8'0"

Mahogany

CCR81847 3'0" x 8'0"

Mahogany

CCR81846 3'0" x 8'0"

Mahogany

CCR81845 3'0" x 8'0"

Mahogany

CCR81846A 3'0" x 8'0"

Mahogany

CCR81845A 3'0" x 8'0"

Canvas

CCV1839 3'0" x 6'8" | CCV81839 3'0" x 8'0"

Canvas

CCV1838 3'0" x 6'8" | CCV81838 3'0" x 8'0"

Canvas

CCV81846 3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

*Not available with Satin Etch (XE) or Rainglass (XR) glass.
Note: See page 285 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED

Mahogany

CCR04020__* 3'0" x 6'8" | CCR804020__* 3'0" x 8'0"

Mahogany

CCR20520__* 3'0" x 6'8" | CCR820520__* 3'0" x 8'0"

Mahogany

CCR20020__* 3'0" x 6'8" | CCR820020__* 3'0" x 8'0"

Mahogany

CCR822220__* 3'0" x 8'0"

Mahogany

CCR804030__* 3'0" x 8'0"

Mahogany

CCR820530__* 3'0" x 8'0"

Mahogany

CCR820030__* 3'0" x 8'0"

Mahogany

CCR820530A__* 3'0" x 8'0"

Canvas

CCV20520__* 3'0" x 6'8" | CCV820520__* 3'0" x 8'0"

Canvas

CCV22020__* 3'0" x 6'8" | CCV822020__* 3'0" x 8'0"

Canvas

CCV820530__* 3'0" x 8'0"

Mahogany

CCM302L__ 3'0" x 6'8" | CCM302R__ 3'0" x 6'8"

Mahogany

CCM8302L__ 3'0" x 8'0" | CCM8302R__ 3'0" x 8'0"

 Continues on next page.

2/3 Lites

continued

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch **XR = Rainglass**
XC = Chord **XN = Granite**

PRIVACY & TEXTURED

Mahogany

CCM304L__	CCM304R__
6	6
3'0" x 6'8"	3'0" x 6'8"

Mahogany

CCM8304L__	CCM8304R__
6	6
3'0" x 8'0"	3'0" x 8'0"

Mahogany

CCM303L__	CCM303R__
6	6
3'0" x 6'8"	3'0" x 6'8"

Mahogany

CCM8303L__	CCM8303R__
6	6
3'0" x 8'0"	3'0" x 8'0"

Mahogany

CCM301CAL__	CCM301CAR__
3'0" x 6'8"	3'0" x 6'8"

Mahogany

CCM8301CAL__	CCM8301CAR__
3'0" x 8'0"	3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Mahogany

CCM305CAL__ 6
3'0" x 6'8"

CCM305CAR__ 6
3'0" x 6'8"

Mahogany

CCM8305CAL__ 6
3'0" x 8'0"

CCM8305CAR__ 6
3'0" x 8'0"

Mahogany

CCM306CAL__ 6
3'0" x 6'8"

CCM306CAR__ 6
3'0" x 6'8"

Mahogany

CCM8306CAL__ 6
3'0" x 8'0"

CCM8306CAR__ 6
3'0" x 8'0"

LOW-E

Mahogany

CCR04020
3'0" x 6'8"

CCR804020
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR20520
3'0" x 6'8"

CCR820520
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR20020
3'0" x 6'8"

CCR820020
3'0" x 8'0"

Mahogany

CCR822220
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR804030
3'0" x 8'0"

Mahogany

CCR820530
3'0" x 8'0"

Mahogany

CCR820030
3'0" x 8'0"

 Continues on next page.

2/3 Lites

continued

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)

Optional Accessories

Clavos

Strap Hinge

LOW-E

Mahogany

CCR820530A
3'0" x 8'0"

Mahogany

CCR820030A
3'0" x 8'0"

Canvas

CCV20520
3'0" x 6'8"

CCV820520
3'0" x 8'0"

Canvas

CCV22020
3'0" x 6'8"

CCV822020
3'0" x 8'0"

Canvas

CCV820530
3'0" x 8'0"

Mahogany

CCM302L
3'0" x 6'8"

CCM302R
3'0" x 6'8"

Mahogany

CCM8302L
3'0" x 8'0"

CCM8302R
3'0" x 8'0"

Mahogany

CCM304L
3'0" x 6'8"

CCM304R
3'0" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Mahogany

CCM8304L
3'0" x 8'0"

CCM8304R
3'0" x 8'0"

Mahogany

CCM303L
3'0" x 6'8"

CCM303R
3'0" x 6'8"

Mahogany

CCM8303L
3'0" x 8'0"

CCM8303R
3'0" x 8'0"

Mahogany

CCM301CAL
3'0" x 6'8"

CCM301CAR
3'0" x 6'8"

Mahogany

CCM8301CAL
3'0" x 8'0"

CCM8301CAR
3'0" x 8'0"

Mahogany

CCM305CAL
3'0" x 6'8"

CCM305CAR
3'0" x 6'8"

Mahogany

CCM8305CAL
3'0" x 8'0"

CCM8305CAR
3'0" x 8'0"

Mahogany

CCM306CAL
3'0" x 6'8"

CCM306CAR
3'0" x 6'8"

Mahogany

CCM8306CAL
3'0" x 8'0"

CCM8306CAR
3'0" x 8'0"

1/2 Lites

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch

HOMEWARD™

Mahogany
CCM9926
3'0" x 6'8"

Canvas
CCV9926
3'0" x 6'8"

ARBORWATCH®



Mahogany
CCM1424
3'0" x 6'8"

Canvas
CCV1424
3'0" x 6'8"

PROVINCIAL™

Canvas
CCV06028
3'0" x 6'8"

LONGFORD™

Mahogany
CCM603
3'0" x 6'8"

Canvas
CCV06023
3'0" x 6'8"

LUCERNA®

Mahogany
CCM612
3'0" x 6'8"

Canvas
CCV06022
3'0" x 6'8"

PRIVACY & TEXTURED

Mahogany
CCM600XE
3'0" x 6'8"

Canvas
CCV06020XE
3'0" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Sidelites – CCV911SL, Finish – Cabernet

LOW-E

Mahogany

CCM600

3'0" x 6'8"

Canvas

CCV06020

3'0" x 6'8"

Craftsman Lites

Fir Grain
Formerly Classic-Craft American Style

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XC = Chord
XR = Rainglass
XJ = Chinchilla
XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

16-Block Dentil Shelf

4-Block Dentil Shelf

4-Block Dentil Shelf
Pairs with 3'6" wide doors.

4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.

HOMEWARD™

Fir

CCA231 — 3'0" x 6'8"
CCA8231 — 3'0" x 8'0"

Fir

CCA87132 — 3'6" x 8'0"

Fir

CCA211 — 3'0" x 6'8"
CCA8211 — 3'0" x 8'0"

Fir

CCA87112 — 3'6" x 8'0"

Fir

CCA3401SL — 12" x 6'8", 14" x 6'8"
CCA3501SL — 12" x 8'0", 14" x 8'0"

Fir

CCA211SL — 12" x 6'8", 14" x 6'8"

Canvas

CCV931 — 3'0" x 6'8"

Canvas

CCV911 — 3'0" x 6'8"

Canvas

CCV911SL — 12" x 6'8", 14" x 6'8"

Canvas

CCV9011SL — 12" x 6'8", 14" x 6'8"

ARBORWATCH®

Fir

CCA9300 — 3'0" x 6'8"
CCA89300 — 3'0" x 8'0"

Fir

CCA87131 — 3'6" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Fir

CCA9100
3'0" x 6'8"

CCA89100
3'0" x 8'0"

Fir

CCA87111
3'6" x 8'0"

Fir

CCA1423SL
12" x 6'8"
14" x 6'8"

CCA81423SL
12" x 8'0"
14" x 8'0"

Fir

CCA9100SL
12" x 6'8"
14" x 6'8"

Canvas

CCV4300
3'0" x 6'8"

Canvas

CCV4100
3'0" x 6'8"

Canvas

CCV1423SL
12" x 6'8"
14" x 6'8"

Canvas

CCV4100SL
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED

Fir

CCA220__
3'0" x 6'8"

CCA8220__
3'0" x 8'0"

Fir

CCA87200XR
3'6" x 8'0"

Fir

CCA230__
3'0" x 6'8"

CCA8230__
3'0" x 8'0"

Fir

CCA87300XR
3'6" x 8'0"

Fir

CCA240__
3'0" x 6'8"

CCA8240__
3'0" x 8'0"

Fir

CCA87400XR
3'6" x 8'0"

Fir

CCA260__
3'0" x 6'8"

CCA8260__
3'0" x 8'0"

 Continues on next page.

Craftsman Lites

continued

Fir Grain
Formerly Classic-Craft American Style

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch **XR = Rainglass**
XC = Chord **XN = Granite**
XJ = Chinchilla

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

16-Block Dentil Shelf

4-Block Dentil Shelf

4-Block Dentil Shelf
Pairs with 3'6" wide doors.

4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.

PRIVACY & TEXTURED

Fir
CCA87600XR
3'6" x 8'0"

Fir
CCA210__*
3'0" x 6'8"
CCA8210__*
3'0" x 8'0"

Fir
CCA87100XR
3'6" x 8'0"

Fir
CCA3450__SL*
12" x 6'8"
14" x 6'8"
CCA3560__SL*
12" x 8'0"
14" x 8'0"



Fir
CCA3400__SL*
12" x 6'8"
14" x 6'8"
CCA3500__SL*
12" x 8'0"
14" x 8'0"

Fir
CCA220__SL*
12" x 6'8"
14" x 6'8"

Fir
CCA210__SL*
12" x 6'8"
14" x 6'8"

Canvas
CCV920__*
3'0" x 6'8"

Canvas
CCV930__*
3'0" x 6'8"

Canvas
CCV940__*
3'0" x 6'8"

Canvas
CCV960__*
3'0" x 6'8"

*Not available with Satin Etch (XE) glass.
Note: See page 285 for important product details that may help with your purchase decision.

Canvas

CCV910__*
3'0" x 6'8"

Canvas

CCV950__SL
12" x 6'8"
14" x 6'8"

CCV8950__SL*
12" x 8'0"
14" x 8'0"

Canvas

CCV100__SL
12" x 6'8"
14" x 6'8"

CCV8100__SL*
12" x 8'0"
14" x 8'0"

Canvas

CCV920__SL*
12" x 6'8"
14" x 6'8"

Canvas

CCV910__SL*
12" x 6'8"
14" x 6'8"

LOW-E

Fir

CCA220
3'0" x 6'8"

CCA8220
3'0" x 8'0"

Fir

CCA87200
3'6" x 8'0"

Fir

CCA230
3'0" x 6'8"

CCA8230
3'0" x 8'0"

Fir

CCA87300
3'6" x 8'0"

Fir

CCA240
3'0" x 6'8"

CCA8240
3'0" x 8'0"

Fir

CCA87400
3'6" x 8'0"

Fir

CCA260
3'0" x 6'8"

CCA8260
3'0" x 8'0"

Fir

CCA87600
3'6" x 8'0"

LOW-E GLASS *Continues on next page.*

Craftsman Lites

continued

Fir Grain
Formerly Classic-Craft
American Style

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

16-Block Dentil Shelf

4-Block Dentil Shelf

4-Block Dentil Shelf
Pairs with 3'6" wide doors.

4-Block Dentil Shelf

LOW-E

Fir

CCA210
3'0" x 6'8"

CCA8210
3'0" x 8'0"

Fir

CCA87100
3'6" x 8'0"

Fir

CCA3450SL
12" x 6'8"
14" x 6'8"

CCA3560SL
12" x 8'0"
14" x 8'0"



Fir

CCA3400SL
12" x 6'8"
14" x 6'8"

CCA3500SL
12" x 8'0"
14" x 8'0"

Fir

CCA220SL
12" x 6'8"
14" x 6'8"

Fir

CCA210SL
12" x 6'8"
14" x 6'8"

Canvas

CCV920
3'0" x 6'8"

Canvas

CCV930
3'0" x 6'8"

Canvas

CCV940
3'0" x 6'8"

Canvas

CCV960
3'0" x 6'8"

Canvas

CCV910
3'0" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Finish – Raven

Canvas

CCV950SL
12" x 6'8"
14" x 6'8"

CCV8950SL
12" x 8'0"
14" x 8'0"

Canvas

CCV100SL
12" x 6'8"
14" x 6'8"

CCV8100SL
12" x 8'0"
14" x 8'0"

Canvas

CCV9020SL
12" x 6'8"
14" x 6'8"

Canvas

CCV9010SL
12" x 6'8"
14" x 6'8"

Solid Panels

Fir Grain
Formerly Classic-Craft
American Style

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Door Divider Bars (DDBF3)
- 4 Door Divider Bars (DDBF4)
- 5 Door Divider Bars (DDBF5)
- WBDR Options
- E Elevated 10" Bottom Rail Options

Fir

CCA1125 5 WBDR 3'0" x 6'8"	CCA81125 5 WBDR E 3'0" x 8'0"

Fir

CCA1149 5 WBDR 3'0" x 6'8"	CCA81149 5 WBDR E 3'0" x 8'0"

Fir

CCA1127 4 WBDR 3'0" x 6'8"	CCA81127 4 WBDR E 3'0" x 8'0"

Fir

CCA4905 3 WBDR 3'0" x 6'8"	CCA84905 3 WBDR E 3'0" x 8'0"

Fir

CCA4915L 3 WBDR 3'0" x 6'8"	CCA4915R 3 WBDR 3'0" x 6'8"

Fir

CCA84915L 3 WBDR E 3'0" x 8'0"	CCA84915R 3 WBDR E 3'0" x 8'0"

Fir

CCA4925L 5 WBDR 3'0" x 6'8"	CCA4925R 5 WBDR 3'0" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Fir

CCA84925L	CCA84925R
5 E	5 E
3'0" x 8'0"	3'0" x 8'0"

Fir

CCA4935	CCA84935
5	5 E
3'0" x 6'8"	3'0" x 8'0"

Fir

CCA4945	CCA84945
5	5 E
3'0" x 6'8"	3'0" x 8'0"

Fir

CCA1166	CCA81166
5	5 E
3'0" x 6'8"	3'0" x 8'0"

Fir

CCA1158	CCA81158
3	3 E
3'0" x 6'8"	3'0" x 8'0"

Fir

CCA1147	CCA81147
5	5 E
3'0" x 6'8"	3'0" x 8'0"

HOMEWARD™



Fir

CCA2420SL	CCA82420SL
12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

ARBORWATCH®

Fir

CCA2410SL	CCA82410SL
12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.

Fir

CCA1100	CCA81100
	E
3'0" x 6'8"	3'0" x 8'0"

Fir

CCA1133	CCA81133
4	4 E
3'0" x 6'8"	3'0" x 8'0"

Fir

CCA1145	CCA81145
4	4 E
3'0" x 6'8"	3'0" x 8'0"

Fir

CCA1150	CCA81150
3	3 E
3'0" x 6'8"	3'0" x 8'0"

Solid Panels

Key

- Low-E Glass (LE)
- WBDR Options
- E Elevated 10" Bottom Rail Options



Walnut

CCW1000	CCW81000
E	E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW900L	CCW8900L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW900R	CCW8900R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW901L	CCW8901L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW901R	CCW8901R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW902L	CCW8902L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS2131SL, Transoms – 19200T, 19210T, Finish – Shale
Right Page: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelites – DRS82131SL, Finish – Tumbleweed

Walnut

CCW902R	CCW8902R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW903	CCW8903
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW904L	CCW8904L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW904R	CCW8904R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW905	CCW8905
E	E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW906L	CCW8906L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW906R	CCW8906R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW907L	CCW8907L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Walnut

CCW907R	CCW8907R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

LOW-E

Direct Set

DRS2131SL	DRS82131SL
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

Solid Panels

Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)
- WBDR Options
- WBDR / HVHZ Options

Optional Accessories

Clavos

Strap Hinge

Mahogany

CCR100
3'0" x 6'8"
3'6" x 6'8"

CCR8100
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCM890
3'0" x 8'0"

Mahogany

CCR8222
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR100R
3'0" x 6'8"
3'6" x 6'8"

CCR8100R
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR8005A
3'0" x 8'0"

Mahogany

CCR205A
3'0" x 6'8"

CCR8205A
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR200A
3'0"x 6'8"

CCR8200A
3'0" x 8'0"

Mahogany

CCR8225
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR8005
3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Mahogany

CCR040
3'0" x 6'8"

CCR8040
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR205
3'0" x 6'8"

CCR8205
3'0" x 8'0"
3'6" x 8'0"

Mahogany

CCR200
3'0" x 6'8"

CCR8200
3'0" x 8'0"

Mahogany

CCM60
3'0" x 6'8"

HAMMERED

Mahogany

CCR2025XHSL
6
12" x 6'8"
14" x 6'8"

CCR82035XHSL
6
12" x 8'0"
14" x 8'0"



Canvas

CCV200
3'0" x 6'8"

Canvas

CCV205
3'0" x 6'8"

CCV8205
3'0" x 8'0"

Canvas

CCV220
3'0" x 6'8"

CCV8220
3'0" x 8'0"

Canvas

CCV831
3'0" x 8'0"

Canvas

CCV060
3'0" x 6'8"

Canvas

CCV050
3'0" x 6'8"

HAMMERED

Canvas

CCV950XHSL
12" x 6'8"
14" x 6'8"

CCV8950XHSL
12" x 8'0"
14" x 8'0"

Transoms

Transoms can be stained or painted to match Classic Craft® door systems.

HOMEWARD™

HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

HW30T
3'0" Door Only

ARBORWATCH®

ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

AB30T
3'0" Door Only

LONGFORD™

LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LF30T
3'0" Door Only

PROVINCIAL™

CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

CC400T
3'0" Door Only

LUCERNA®

LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LC30T
3'0" Door Only

ZAHA®

ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LOW-E

Grille Sticks Applied

Grille Sticks Applied

Grille Sticks Applied

19020T
✷
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19220T
✷
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

19200T
✷
3'0" Door Only

19210T
✷
12" & 14"
Sidelite Only

Key

- ✷ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ⁞⁞ Brushed Nickel Caming (1C)

Note: See page 285 for important product details that may help with your purchase decision.
Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT

Classic Craft® Hinged Patio Doors

A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Classic Craft Mahogany Grain, Low-E Glass, Doors – CCM82800, Sidelites – CCR8000SL, Finish – Lynx

GRAIN & TEXTURE OPTIONS

Fir Grain
Formerly Classic-Craft American Style

Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic

Canvas

GLASS OPTIONS

Low-E Glass

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available	Classic Craft
Door Selections	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
Flush-Glazed Glass Selections	
Low-E Glass with and without Divided Lites	■
Privacy & Textured Glass with and without Divided Lites	■
Lip-Lite Glass Selections	
Low-E Glass with and without Divided Lites	■
Privacy & Textured Glass with and without Divided Lites	■
Available Sizes	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
Additional Options	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
Impact-Rated Options	
Tru-Defense Eligible	■

AVAILABLE CONFIGURATIONS



EnLiten™ Flush-Glazed Low-E Glass

AVAILABLE COLLECTIONS

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



EnLiten™ Flush-Glazed Low-E Glass with Divided Lites

AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Note: See page 287 for important product details that may help with your purchase decision.
Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White

Low-E Glass

AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain
- Classic Craft® Canvas

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Fiber-Classic® & Smooth-Star®
Fiberglass Doors

Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM86240, Sidelites – FCM86201SL, Finish – Acorn
Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door – FC678, Finish – Barley
Right Page: Smooth-Star Door – S3501, Finish – Golden Wheat

Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.

Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.

Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

SEE THE DIFFERENCE COLOR CAN MAKE.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 258–264.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 114.
- Lite frame options include Advanta™ lite frame with no screw plugs and a standard Lip-lite frame, starting on page 139. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass, starting on page 124.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.

Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.

❶ WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

❷ SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.* Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-¼" engineered lumber lock stile which increases rigidity and stability.

❸ DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

❹ R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood**, Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.

*Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.
**Comparison of fiberglass to wood doors (both without glass).

Additional Options

WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

Fire-Rated Options: Available on solid-panel doors. See pages 240–243.

Flush-Glazed Options: Look for these icons ( ) to find doors styles with flush-glazed glass. See pages 124–137.

Warranties

LIFETIME LIMITED WARRANTY

Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 285 for more information.

Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 123 for more information.

Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru® specified system components, in accordance with the Rider. See page 18–19 for details.

■ = Available
▪ = Not Applicable
S = Stain
P = Paint

	Fiber-Classic® Mahogany Collection™	Fiber-Classic® Oak Collection™	Smooth-Star®
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	▪	▪	■
Door Heights			
6'6"	▪	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	▪	▪	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 210–215.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140
Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL

Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

AVAILABLE SIZES

	Width	
Height	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■

AVAILABLE CONFIGURATIONS

Single Door with Vented Sidelites (Inswing Only)

Double Doors with Vented Sidelites (Inswing Only)

Note: Impact-rated options not available for vented sidelites. Advanta lite frame only available with 14" vented sidelites.

Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets ❶ clear curved bevels, ❷ rainglass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.

1 7 10

Glass Privacy Rating



Black Nickel

Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with ❶ glue chip glass, ❷ glue chip bevels, ❸ clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.

1 7 10

Glass Privacy Rating

Black Nickel

Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with ❶ slump glass, ❷ clear bevels, ❸ clear artique glass and caming.

1 7 10

Glass Privacy Rating

Black Nickel

Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Salinas®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

1 — 10
Glass Privacy Rating

Wrought Iron

Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.

1 — 6 — 10
Glass Privacy Rating

Black Nickel



Brushed Nickel

Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.

1 — 7 — 10
Glass Privacy Rating

Black Nickel



Brushed Nickel

Texas Star

Beautifully crafted with 1 clear bevels, 2 curved bevels, 3 clear waterglass, 4 granite glass, 5 glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

1 5 10
Glass Privacy Rating

Black Nickel

Brushed Nickel

Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses 1 clear baroque glass, 2 clear curved bevels, 3 waterglass, 4 granite glass and caming to add beauty to any entry.

1 6 10
Glass Privacy Rating



Black Nickel

Brushed Nickel

Brass

Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

1 10
Glass Privacy Rating



Wrought Iron

*Brass caming not available for Impact-rated products.
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Concorde™

There's just something friendly about Concorde's cheery four-leaf design. 1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.

1 8 10

Glass Privacy Rating

Black Nickel

Brushed Nickel

Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its 1 clear bevels, 2 glue chip glass, 3 granite glass and caming.

1 8 10

Glass Privacy Rating

Black Nickel

Brushed Nickel

Pembridge™

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.

1 7 10

Glass Privacy Rating

Note: The use of gray baroque glass varies based on glass size.



Black Nickel

Brushed Nickel

Brass*

Axis®

Simple and smart, Axis combines 1 narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of 2 clear glass bevels completes this linear design, ideal for Modern home styles.

1 7 10

Glass Privacy Rating



Black Nickel

Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.

Available with Advanta™ lite frame* or Impact-rated lite frame only.

1 10

Glass Privacy Rating

Black Nickel

Brushed Nickel

Brass

Latitude

Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.

Available with Advanta™ lite frame* or Impact-rated lite frame only.

1 2 10

Glass Privacy Rating

Black Nickel

Brushed Nickel

Brass

*See your Therma-Tru seller for details on product availability.
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Echelon

Echelon provides 1 clear glass accented with eased angles and and clean edges infused with elements of diamonds and triangles.

Available with Advanta™ lite frame* or Impact-rated lite frame only.

1 — 10
Glass Privacy Rating

Black Nickel

Brushed Nickel

Brass

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

1 Single-Hand Operator
2 Privacy Bar



Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.

Privacy & Textured Glass

REEDED

1 — 7 — 10
Glass Privacy Rating

SATIN ETCH

1 — 10
Glass Privacy Rating

CHORD

1 — 10
Glass Privacy Rating

CHINCHILLA

1 — 10
Glass Privacy Rating

RAINGLASS

1 — 8 — 10
Glass Privacy Rating

GRANITE

1 — 10
Glass Privacy Rating

Also Available: **Low-E & Clear Glass**

Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.

Shown with flat bronze GBGs (recommended).

SIMULATED DIVIDED LITES (SDLS) WITH GRILLES BETWEEN GLASS (GBGS)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the ( ) icons.

SIMULATED DIVIDED LITES (SDLS)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (1 2) icons.

*Almond and Bronze GBGs available in flat bars only.
**Available in Special Quote Program.
Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL

GRILLES BETWEEN GLASS (GBGS)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (♦ ♦ ♦ ♦) icons.

FIXED GRILLES

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home's décor.

Look for the (◆) icon.

SDL BAR OPTIONS

Grained



Smooth



(28.6 mm / 1.125 in.)
Look for the ( ) icon.

Grained

Smooth

(28.6 mm / 1.125 in.)
Look for the (1) icon.

Smooth SDL bars are color matched to PrismaGuard® Alpine.

Grained

Smooth

(88.9 mm / 3.5 in.)
Look for the (2) icon.

GBG BAR OPTIONS

Flat



(20 mm / 0.787 in.)

Contour



(18 mm / 0.708 in.)

GBG Color Options

White	Almond*	Bronze*
Black	Tan**	Stone**

Key

- Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.

Fiber-Classic® 4-Block Dentil Shelf*

Smooth-Star® 4-Block Dentil Shelf*

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties, exclusions and Riders.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf

EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. In addition, EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames to welcome more natural light into the home.

Flush-Glazed Glass



Lip-Lite Frame

SEE THE DIFFERENCE

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.

Flush-Glazed Glass with Detailed Sticking
Look for the ( ) symbol.

Flush-Glazed Glass with Square Sticking
Look for the ( ) symbol.

Lip-Lite Frame

WARRANTY RIDERS FOR PEACE OF MIND

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish $300 toward installation and replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Full Lites

TRANSOMS

For transoms, see page 209.

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Oak

FC1205_
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC1207_
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Oak

2010_
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Oak

2050_
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Oak

2050_SL
12" x 6'8"
14" x 6'8"

Oak

FC5700_
2
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85700_
2
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC5710_
2
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85710_
2
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC5720_
2
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85720_
2
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC691_
2
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8691_
2
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC685L_
2
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685L_
2
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC685R_
2
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685R_
2
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Reeded (XK) glass.
Note: See page 285 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5700, Sidelite – FC5700SL, Finish – Wildflower Honey

Oak

FC5700_SL
2
12" x 6'8"
14" x 6'8"

Oak

FC5710_SL
2
12" x 6'8"
14" x 6'8"

Oak

FC5720_SL
2
12" x 6'8"
14" x 6'8"

Smooth

S1205_
1 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1207_
E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2010_
E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2050_
E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S5705_
1 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85705_
1 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5715_
1 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85715_
1 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5725_
1 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85725_
1 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

NEW

Smooth

S2010__SL
1
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85226_SL
1 E
12" x 8'0"
14" x 8'0"

Smooth

S2000__SL-2C*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S2000__SL-4C*
10" x 6'8"
12" x 6'8"
14" x 6'8"

Smooth

S5700_
2 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85700_
2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5710_
2 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85710_
2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5720_
2 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85720_
2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S691_
2 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8691_
2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- Vented Sidelite Options
- WBDR Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continued*

Smooth

S3400_
2 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83400_
2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S3300_
2 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83300_
2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S3500_
2 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83500_
2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S685L_
2 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8685L_
2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S685R_
2 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8685R_
2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S3600_
2 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83600_
2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5700_SL
2
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85227_SL
2 E
12" x 8'0"
14" x 8'0"

Smooth

S5710_SL
2
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85228_SL
2 E
12" x 8'0"
14" x 8'0"

Smooth

S5720_SL
2
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85229_SL
2 E
12" x 8'0"
14" x 8'0"

PRIVACY & TEXTURED GLASS

Oak

2000_
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

8000_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

2000_SL
12" x 6'8"
14" x 6'8"

Smooth

S2000_
E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8000_
E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2000_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85225_SL
E
12" x 8'0"
14" x 8'0"

INTERNAL BLINDS

Smooth

S2600
E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82600
E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES

Mahogany

FCM1205SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM1206SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM1204SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM2009SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC1205
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC1206
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Oak

FC1207
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Oak

2010
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC1204
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Oak

2050
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

8000-12
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

8000-18
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC1205SL
12" x 6'8"
14" x 6'8"

Oak

FC1206SL
12" x 6'8"
14" x 6'8"

Oak

FC1204SL
12" x 6'8"
14" x 6'8"

Oak

2050SL
12" x 6'8"
14" x 6'8"

Oak

2009
2'0" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

8000-9
2'0" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

2009SL
12" x 6'8"
14" x 6'8"

Oak

FC5700
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85700
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC5710
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85710
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- WBDR Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*

Oak

FC5720
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85720
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC691
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8691
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC685L
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685L
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC685R
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685R
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC5700SL
12" x 6'8"
14" x 6'8"

Oak

FC5710SL
12" x 6'8"
14" x 6'8"

Oak

FC5720SL
12" x 6'8"
14" x 6'8"

Smooth

S1205
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1206
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1207
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2010
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1204
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2050
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8000-12
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8000-18
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5705
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85705
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5715
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85715
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Smooth

S5725
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85725
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1205SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S1206SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S1204SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

NEW

Smooth

S2010SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85226SL
12" x 8'0"
14" x 8'0"

Smooth

S2000SL-2C
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S2000SL-4C
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S2009
2'0" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8000-9
2'0" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2009SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S5700
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85700
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5710
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85710
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5720
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85720
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S691
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8691
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

NEW

NEW

Smooth

S3400
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83400
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

NEW

NEW

Smooth

S3300
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83300
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

NEW

NEW

Smooth

S3500
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83500
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S685L
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8685L
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES

Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- WBDR Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*

Smooth

S685R
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8685R
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S3600
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83600
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5700SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85227SL
12" x 8'0"
14" x 8'0"

Smooth

S5710SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85228SL
12" x 8'0"
14" x 8'0"

Smooth

S5720SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85229SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS

Oak

2000
2'0" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

8000
2'0" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

2000SL
12" x 6'8"
14" x 6'8"

Smooth

S2000
2'0" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8000
2'0" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2000SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85225SL
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.

Right Page, Top: Smooth-Star, Chinchilla Glass with SDLs, Door – S2104XJ, Finish – Granite

EnLiten™ Flush-Glazed 3/4 Lites

TRANSOMS

For transoms, see page 209.

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Smooth

S2103_
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82103_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2104_
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S82105_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S82106_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2250_
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S82107_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S84886_SL
12" x 8'0"
14" x 8'0"

Smooth

S2103_SL
12" x 6'8"
14" x 6'8"

Smooth

S2104_SL
12" x 6'8"
14" x 6'8"

Smooth

S2250_SL
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED GLASS

Smooth

S2200_
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82200_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8000_SL
12" x 8'0"
14" x 8'0"

Smooth

S2200_SL
12" x 6'8"
14" x 6'8"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Vented Sidelite Options
- WBDR Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES

Smooth

S2103
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82103
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2104
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82104
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2105
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82105
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2250
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82250
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S82106
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S82107
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S84886SL
12" x 8'0"
14" x 8'0"

Smooth

S2103SL
12" x 6'8"
14" x 6'8"

Smooth

S2104SL
12" x 6'8"
14" x 6'8"

Smooth

S92SL
12" x 6'8"
14" x 6'8"

Smooth

S1401
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81401
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1401SL
12" x 6'8"
14" x 6'8"

CLEAR GLASS

Smooth

S2200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82200
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8000SL
12" x 8'0"
14" x 8'0"

Smooth

S90SL
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch **XJ = Chinchilla** **XN = Granite**
XC = Chord **XR = Rainglass**

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Impressions Storm & Entry Door System – IM100, Finish – Brown; Smooth-Star, Clear Glass with SDLs, Door – S2150, Finish – Elk

EnLiten™ Flush-Glazed 1/2 Lites

TRANSOMS

For transoms, see page 209.

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth

S4200_ E
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(7'0")

S84200_ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6200_ E
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(7'0")

S86200_ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S9200_ E
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(7'0")

S89200_ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4200_SL E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S84200_SL E
12" x 8'0"
14" x 8'0"

Smooth

S6200_SL E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S86200_SL E
12" x 8'0"
14" x 8'0"

PRIVACY & TEXTURED GLASS



Smooth

S3200_ E
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(7'0")

S83200_ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S3200_SL E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S83200_SL E
12" x 8'0"
14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES

Smooth

S1350
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Smooth

S2150
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Smooth

S1409
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- E Elevated 10" Bottom Rail Options

CLEAR GLASS WITH DIVIDED LITES *Continued*

Smooth

S4200
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84200
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6200
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86200
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S9200
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S89200
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4200SL
E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S84200SL
E
12" x 8'0"
14" x 8'0"

Smooth

S6200SL
E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S86200SL
E
12" x 8'0"
14" x 8'0"

CLEAR GLASS

Smooth

S2100
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Smooth

S3200
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S83200
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S3200SL
E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S83200SL
E
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Reeded (XK) glass.
**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Low-E Glass with SDLs, Door – S4200, Sidelite – S3200SL, Finish – Canyon
Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM6240, Sidelites – FCM6201SL, Transom – 19750T, Finish – Sweet Date

EnLiten™ Flush-Glazed Craftsman Lites

TRANSOMS

For transoms, see page 209.

OPTIONAL DENTIL SHELVES**



4-Block Dentil Shelf
Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf
Available for all Craftsman-lite Smooth-Star doors.

SARATOGA™

Mahogany

FCM6240	FCM86240
E	
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

FCM6201SL	FCM86201SL
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

Mahogany

FCM6240SL	FCM86240SL
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

Smooth

S6240	S86240
E	
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S6201SL	S86201SL
10"x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	

Smooth

S6240SL	S86240SL
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Mahogany

FCM4812_*	FCM84812_*
1 E	1
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8"(7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Mahogany

FCM4813_*	FCM84813_*
1 E	1
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Mahogany

FCM4814_*	FCM84814_*
1 E	1
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8"(7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Mahogany

FCM4816_*	FCM84816_*
1 E	1
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Mahogany

FCM2050_SL	FCM84886_SL
1	1
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continued*

Mahogany

FCM4812_SL*	FCM84812_SL*
12" x 6'8"(7'0")	12" x 8'0"
14" x 6'8"(7'0")	14" x 8'0"

Smooth

S4812_*	S84812_*
E	
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Smooth

S4813_*	S84813_*
E	
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Smooth

S4814_*	S84814_*
E	
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Smooth

S4816_*	S84816_*
E	
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Smooth

S2010_SL	S84886_SL
10"x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	

Smooth

S4812_SL*	S84812_SL*
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

PRIVACY & TEXTURED GLASS

Mahogany

FCM4810_*	FCM84810_*
E	
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

FCM2000_SL	FCM8000_SL
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

Mahogany

FCM4810_SL*	FCM84810_SL*
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

Smooth

S4810_*	S84810_*
E	
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Smooth

S2000_SL	S8000_SL
10"x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	

Smooth

S4810_SL*	S84810_SL*
12" x 6'8"(7'0")	12" x 8'0"
14" x 6'8"(7'0")	14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES

Mahogany

FCM4812	FCM84812
E	
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Mahogany

FCM4813	FCM84813
E	
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8"(7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded	XC = Chord	XR = Rainglass
XE = Satin Etch	XJ = Chinchilla	XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 285 for important product details that may help with your purchase decision.

Mahogany

FCM4814
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM84814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM4816
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM84816
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2050SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

FCM84886SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM4812SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM84812SL
12" x 8'0"
14" x 8'0"

Smooth

S4812
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84812
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4813
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84813
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4814
E
2'8" x 6'8" (7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8" (7'0")

S84814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4816
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84816
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2010SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S84886SL
12" x 8'0"
14" x 8'0"

Smooth

S4812SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

S84812SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS

Mahogany

FCM4810
E
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(7'0")

FCM84810
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2000SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

FCM8000SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM4810SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

FCM84810SL
12" x 8'0"
14" x 8'0"

Smooth

S4810
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84810
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2000SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S8000SL
12" x 8'0"
14" x 8'0"

Smooth

S4810SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

S84810SL
12" x 8'0"
14" x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.

For Impact-rated lite frame, see page 27.

The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Advanta® Lite Frame*

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the ( ) symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	Advanta Lite Frame	Standard Lite Frame
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■

*See your Therma-Tru seller for details on product availability.
Note: See page 285 for important product details that may help with your purchase decision.
Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Wildflower Honey

Full Lites

TRANSOMS

For transoms, see page 209.

BLACKSTONE®

Mahogany

FCM108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM871
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM310
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM816
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM871SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM808SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81918SL
12" x 8'0"
14" x 8'0"

Oak

FC108
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81918P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC310
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC816
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC108SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

81918PSL
12" x 8'0"
14" x 8'0"

Oak

FC808SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81918SL
12" x 8'0"
14" x 8'0"

Smooth

S6002
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S85892
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S310
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S816
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Smooth

S6002SL
12" x 6'8"
14" x 6'8"

S85892SL
12" x 8'0"
14" x 8'0"

Smooth

S4570SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85927SL
12" x 8'0"
14" x 8'0"

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E — Elevated 10" Bottom Rail Options
- 6'6" Height Available

CRYSTALLINE™

Mahogany

FCM16
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8114
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM668
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM8114SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM18101SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81800SL
12" x 8'0"
14" x 8'0"

Oak

FC16
E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81800P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC668
E
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

FC814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC46SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

81800PSL
12" x 8'0"
14" x 8'0"

Oak

18101SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

81800SL
12" x 8'0"
14" x 8'0"

Smooth

S916
E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S668
E
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6"x 6'8"

S815
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"

Smooth

S916SL
12" x 6'8"
14"x 6'8"

S814SL
12" x 8'0"
14" x 8'0"

Smooth

S6130SL
10" x 6'8"
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S84586SL
12" x 8'0"
14" x 8'0"

SEDONA

Mahogany

FCM100
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM872
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Mahogany

FCM241
E
2'6"x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM822
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Mahogany

FCM872SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM816SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81968SL
12" x 8'0"
14" x 8'0"

Oak

FC100
E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81968P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Oak

FC241
E
2'6"x 6'8" ♿ (7'0")
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

FC822
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Oak

FC100SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

81968PSL
12" x 8'0"
14" x 8'0"

Oak

FC816SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81968SL
12" x 8'0"
14" x 8'0"

Smooth

S139
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S241
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

Smooth

S139SL
12" x 6'8"
14" x 6'8"

Smooth

S604SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SALINAS® X

Mahogany

FCM113
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM873
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM369
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM817
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM814SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81919SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM873SL
12" x 8'0"
14" x 8'0"



Oak

FC113
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81919P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC369
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC817
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC113SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

81919PSL
12" x 8'0"
14" x 8'0"

Oak

FC814SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81919SL
12" x 8'0"
14" x 8'0"



Smooth

S6008
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S85893
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S369
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S817
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Smooth

S6008SL
12" x 6'8"
14" x 6'8"

S85893SL
12" x 8'0"
14" x 8'0"

Smooth

S6134SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85931SL
12" x 8'0"
14" x 8'0"

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

MAPLE PARK®

Mahogany

FCM900
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Mahogany

FCM1006
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM812SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC900
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC1006
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC900SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

Oak

FC812SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S6100
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S1006
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

Smooth

S6100SL
12" x 6'8"
14"x 6'8"

Smooth

S6131SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SARATOGA™

Mahogany

FCM905
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Mahogany

FCM6093
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM815SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81986SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM893SL
12" x 8'0"
14" x 8'0"

Oak

FC905
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC6093
2'6"x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC905SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

81986PSL
12" x 8'0"
14" x 8'0"

Oak

FC815SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81986SL
12" x 8'0"
14" x 8'0"

Smooth

S154
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S6093
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"

Smooth

S154SL
12" x 6'8"
14"x 6'8"

S8602SL
12" x 8'0"
14" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

TEXAS STAR

Smooth

S602SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85932SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM142
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM1029
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM817SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC142
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC1029
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC142SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

Oak

FC817SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S6070
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S1029
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

Smooth

S6070SL
12" x 6'8"
14" x 6'8"

Smooth

S6135SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

WELLESLEY™

Mahogany

FCM104
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM874
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6094
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM821
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM818SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81921SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM874SL
12" x 8'0"
14" x 8'0"

Oak

FC104
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81921P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC6094
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC821
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

WELLESLEY *Continues on next page.*

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

WELLESLEY *Continued*

Oak

FC104SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

81921PSL
12" x 8'0"
14" x 8'0"

Oak

FC818SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81921SL
12" x 8'0"
14" x 8'0"

Smooth

S155
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S85896
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6094
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"

S821
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"

Smooth

S155SL
12" x 6'8"
14"x 6'8"

S85896SL
12" x 8'0"
14" x 8'0"

Smooth

S5870SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85934SL
12" x 8'0"
14" x 8'0"

RISERVA® X

Mahogany

FCM574
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8574
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM571
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM8571
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM572SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM8572SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM8573SL
12" x 8'0"
14" x 8'0"

Oak

FC574
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8574
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC571
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8571
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC573SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

FC8573SL
12" x 8'0"
14" x 8'0"



Oak

FC572SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FC8572SL
12" x 8'0"
14" x 8'0"

Smooth

S574
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8574
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Smooth

S571
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S8571
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Smooth

S573SL
12" x 6'8"
14" x 6'8"

S8573SL
12" x 8'0"
14" x 8'0"

Smooth

S572SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S8572SL
12" x 8'0"
14" x 8'0"

CONCORDE™

Mahogany

FCM910
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

FCM890
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6095
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM820
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM809SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81928SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM890SL
12" x 8'0"
14" x 8'0"

Oak

FC910
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81928P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Oak

FC6095
2'6"x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FC820
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC910SL
10" x 6'8"
12" x 6'8"
14"x 6'8"

81928PSL
12" x 8'0"
14" x 8'0"

Oak

FC809SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81928SL
12" x 8'0"
14" x 8'0"

Smooth

S6090
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S85895
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6095
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"

S820
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"

Smooth

S416SL
12" x 6'8"
14"x 6'8"

S85895SL
12" x 8'0"
14" x 8'0"

Smooth

S4070SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85930SL
12" x 8'0"
14" x 8'0"

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

KENSINGTON™

Mahogany

FCM148
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM626
E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Mahogany

FCM813SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC148
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC626
E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Oak

FC148SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

Oak

FC813SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S160
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S626
E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"

Smooth

S160SL
12" x 6'8"
14"x 6'8"

Smooth

S6132SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PEMBRIDGE™

Mahogany

FCM6550
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM86550
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6500
E
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM86500
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM86550SL
12"x 8'0"
14" x 8'0"



Mahogany

FCM6500SL
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")

FCM86500SL
12"x 8'0"
14" x 8'0"

Oak

FC6550
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86550
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC6500
E
2'4"x 6'8"
2'6"x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86500
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6550SL
10"x 6'8"
12"x 6'8"
14"x 6'8"

FC86550SL
12"x 8'0"
14" x 8'0"



Oak

FC6500SL
12"x 6'8" (7'0")
14"x 6'8" (7'0")

FC86500SL
12"x 8'0"
14" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Smooth

S6550
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86550
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6500
E
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S86500
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Smooth

S6550SL
12" x 6'8"
14" x 6'8"

S86550SL
12" x 8'0"
14" x 8'0"

Smooth

S6500SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S86500SL
12" x 8'0"
14" x 8'0"

AXIS®

Mahogany

FCM1652
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81652
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM1651
E
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81651
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM1651SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81651SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM81652SL
12" x 8'0"
14" x 8'0"

Oak

FC1652
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81652
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC1651
E
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81651
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1652SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

FC81652SL
12" x 8'0"
14" x 8'0"

Oak

FC1651SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FC81651SL
12" x 8'0"
14" x 8'0"

Smooth

S1652
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81652
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1651
E
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S81651
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Smooth

S1652SL
12" x 6'8"
14" x 6'8"

S81652SL
12" x 8'0"
14" x 8'0"

Smooth

S1651SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S81651SL
12" x 8'0"
14" x 8'0"

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

CALIX



Mahogany

FCM2223
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM82223
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM2389
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM82389
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM2389SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM82389SL
12"x 8'0"
14" x 8'0"

Mahogany

FCM82223SL
12" x 8'0"
14" x 8'0"

Oak

FC2223
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC82223
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC2389
E
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

FC82389
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC2223SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

FC82223SL
12" x 8'0"
14" x 8'0"

Oak

FC2389SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

FC82389SL
12" x 8'0"
14" x 8'0"



Smooth

S2223
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S82223
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2389
E
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6" x 6'8"

S82389
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S2223SL
12" x 6'8"
14" x 6'8"

S82223SL
12" x 8'0"
14" x 8'0"



Smooth

S2389SL
10" x 6'8"
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S82389SL
12" x 8'0"
14" x 8'0"

LATITUDE

Mahogany

FCM2213
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM82213
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM2382
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM82382
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM2382SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM82382SL
12" x 8'0"
14" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Mahogany

FCM82213SL
12" x 8'0"
14" x 8'0"

Oak

FC2213
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC82213
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC2382
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC82382
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC2213SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

FC82213SL
12" x 8'0"
14" x 8'0"

Oak

FC2382SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FC82382SL
12" x 8'0"
14" x 8'0"

Smooth

S2213
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S82213
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2382
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S82382
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S2213SL
12" x 6'8"
14" x 6'8"

S82213SL
12" x 8'0"
14" x 8'0"



Smooth

S2382SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S82382SL
12" x 8'0"
14" x 8'0"

ECHELON

Mahogany

FCM2233
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM82233
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM2385
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM82385
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM2385SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM82385SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM82233SL
12" x 8'0"
14" x 8'0"

Oak

FC2233
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC82233
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC2385
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC82385
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

ECHELON *Continues on next page.*

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available

ECHELON *Continued*

Oak

FC2233SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

FC82233SL
12" x 8'0"
14" x 8'0"

Oak

FC2385SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FC82385SL
12" x 8'0"
14" x 8'0"



Smooth

S2233
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S82233
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2385
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S82385
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S2233SL
12" x 6'8"
14" x 6'8"

S82233SL
12" x 8'0"
14" x 8'0"



Smooth

S2385SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S82385SL
12" x 8'0"
14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Mahogany

FCM138_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1285_
E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM18_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1284_
E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

Mahogany

FCM12102_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM6124_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM6125_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM6126_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC138_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

1285_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC18_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

1284_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.
Note: See page 285 for important product details that may help with your purchase decision.

Oak

FC18_SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

Oak

12102_SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC06188_SL*
10" x 6'8"
12" x 6'8"
14" x 6'8"

Oak

FC06184_SL*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC06189_SL*
10" x 6'8"
12" x 6'8"
14" x 6'8"

Oak

FC06185_SL*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC06190_SL*
10" x 6'8"
12" x 6'8"
14" x 6'8"

Oak

FC06186_SL*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S128_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S141_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

Smooth

S108_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S6063_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

Smooth

S308_SL
12" x 6'8"
14" x 6'8"

Smooth

S1170_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S605_SL*
12" x 6'8"
14" x 6'8"

Smooth

S6124_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S606_SL*
12" x 6'8"
14" x 6'8"

Smooth

S6125_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S607_SL*
12" x 6'8"
14" x 6'8"

Smooth

S6126_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



Mahogany

FCM10_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM870_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1283_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81200_
2'6" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS *Continues on next page.*

Key

- **No Stile Lines**
- **Simulated Divided Lites (SDL)**
- **Scrolled & Flat Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Scrolled Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Vented Sidelite Options**
- **E** **Elevated 10" Bottom Rail Options**
- **WBDR Options**
- **WBDR / HVHZ Options**
- **6'6" Height Available**

PRIVACY & TEXTURED GLASS *Continued*

Mahogany

FCM870_SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM12101_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81200_SL
12" x 8'0"
14" x 8'0"



Oak

FC10_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81200P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

1283_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81200_
2'6" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC47_SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

81200P_SL
12" x 8'0"
14" x 8'0"



Oak

12101_SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81200_SL
12" x 8'0"
14" x 8'0"

Smooth

S118_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S818_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S140_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S8140_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Smooth

S100_SL
12" x 6'8"
14" x 6'8"

S8601_SL
12" x 8'0"
14" x 8'0"

Smooth

S601_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S81086_SL
12" x 8'0"
14" x 8'0"

INTERNAL BLINDS

Mahogany

FCM141
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8115
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM1286
E
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81225
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8115SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM1286SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81225SL
12" x 8'0"
14" x 8'0"

Oak

FC141
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81225P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.

Oak

1286
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81225
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC141SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

81225PSL
12" x 8'0"
14" x 8'0"



Oak

1286SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81225SL
12" x 8'0"
14" x 8'0"

Smooth

S130
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S829
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6061
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S81225
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Smooth

S130SL
12" x 6'8"
14" x 6'8"

S829SL
12" x 8'0"
14" x 8'0"

Smooth

S6128SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85928SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1209
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1201
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1211
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1202
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1212
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1203
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM138
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM1285
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1208
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1200
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM18
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*



Mahogany

FCM1284
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM828
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM81828
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM81208P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM81829
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM1201SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM1202SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM1200SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM12102SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM81208PSL
12" x 8'0"
14" x 8'0"

Mahogany

FCM81208SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM6124SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM6125SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM6126SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Mahogany

FCM198
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM1289
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM1289SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC1209
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC1201
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1211
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1202
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Note: See page 285 for important product details that may help with your purchase decision.



Oak

FC1212
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1203
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC138
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

1285
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC1208
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1200
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC18
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

1284
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC828
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

81828
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81208P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81208
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC1209SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

Oak

FC1201SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC1211SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

Oak

FC1202SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC1208SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

Oak

FC1200SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC18SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

Oak

12102SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

81208PSL
12" x 8'0"
14" x 8'0"

Oak

81208SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*

Oak

FC06188SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

Oak

FC06184SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC06189SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

Oak

FC06185SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Oak

FC06190SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

Oak

FC06186SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC198
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

1289
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC198SL
10"x 6'8"
12" x 6'8"
14"x 6'8"

Oak

FC1289SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S1209
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S1201
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

Smooth

S1211
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S1202
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

Smooth

S1212
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S1203
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

Smooth

S128
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S141
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

Smooth

S1208
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S1200
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

Smooth

S108
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S6063
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

Smooth

S828
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S81828
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S808
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S81208
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Smooth

S1209SL
12" x 6'8"
14" x 6'8"

Smooth

S1201SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S1211SL
12" x 6'8"
14" x 6'8"

Smooth

S1202SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S1208SL
12" x 6'8"
14" x 6'8"

Smooth

S1200SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S308SL
12" x 6'8"
14" x 6'8"

Smooth

S1170SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Smooth

S808SL
12" x 8'0"
14" x 8'0"

Smooth

S81186SL
12" x 8'0"
14" x 8'0"

Smooth

S605SL
12" x 6'8"
14" x 6'8"

S8605SL
12" x 8'0"
14" x 8'0"

Smooth

S6124SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85924SL
12" x 8'0"
14" x 8'0"

Smooth

S606SL
12" x 6'8"
14" x 6'8"

S8606SL
12" x 8'0"
14" x 8'0"

Smooth

S6125SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85925SL
12" x 8'0"
14" x 8'0"

Smooth

S607SL
12" x 6'8"
14" x 6'8"

S8607SL
12" x 8'0"
14" x 8'0"

Smooth

S6126SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85926SL
12" x 8'0"
14" x 8'0"

Smooth

S198
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S6062
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- E Elevated 10" Bottom Rail Options

CLEAR GLASS WITH DIVIDED LITES *Continued*

Smooth

S198SL
12" x 6'8"
14" x 6'8"

Smooth

S6062SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CLEAR GLASS



Mahogany

FCM10
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM870
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1283
2'4"x 6'8"*
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81200
2'0" x 8'0"*
2'4" x 8'0"*
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM12101SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81200SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM870SL
12" x 8'0"
14" x 8'0"

Oak

FC10
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81200P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

1283
2'4"x 6'8"*
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81200
2'0" x 8'0"*
2'4" x 8'0"*
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC47SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

81200PSL
12" x 8'0"
14" x 8'0"



Oak

12101SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81200SL
12" x 8'0"
14" x 8'0"

Smooth

S118
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S818
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S140
2'0" x 6'8"*
2'4" x 6'8"*
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S8140
2'0" x 8'0"*
2'4" x 8'0"*
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Smooth

S100SL
12" x 6'8"
14" x 6'8"

S8601SL
12" x 8'0"
14" x 8'0"

Smooth

S601SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S81086SL
12" x 8'0"
14" x 8'0"

Direct Set

DRS2131SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

DRS82131SL
12" x 8'0"
14" x 8'0"

*Available with Impact-rated lite frame only.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Impressions Storm & Entry Door System – IM100, Finish – White; Fiber-Classic Oak Collection, Blackstone Glass, Door – FC770, Finish – Acorn

3/4 Lites

TRANSOMS

For transoms, see page 209.

BLACKSTONE®

Mahogany

FCM765
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM765SL
12"x 6'8"
14"x 6'8"

FCM882SL
12"x 8'0"
14" x 8'0"

Oak

FC765
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC770
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81952P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Oak

FC765SL
12"x 6'8"
14"x 6'8"

81952PSL
12"x 8'0"
14" x 8'0"

Smooth

S975
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S979
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S894
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S975SL
12"x 6'8"
14"x 6'8"

S894SL
12"x 8'0"
14" x 8'0"

CRYSTALLINE™

Mahogany

FCM38
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM38SL
12" x 6'8"
14"x 6'8"

FCM8105SL
12" x 8'0"
14" x 8'0"

Oak

FC38
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC772
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81953P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

CRYSTALLINE *Continues on next page.*

Key

- No Stile Lines
- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

CRYSTALLINE™ *Continued*

Oak

FC38SL
12" x 6'8"
14" x 6'8"

81953PSL
12" x 8'0"
14" x 8'0"

Smooth

S977
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S981
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S888
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S758SL
12" x 6'8"
14" x 6'8"

S888SL
12" x 8'0"
14" x 8'0"

SEDONA

Mahogany

FCM131
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM131SL
12" x 6'8"
14" x 6'8"

FCM883SL
12" x 8'0"
14" x 8'0"

Oak

FC131
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC773
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81954P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC131SL
12" x 6'8"
14" x 6'8"

81954PSL
12" x 8'0"
14" x 8'0"

Smooth

S95
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S91
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S887
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S91SL
12" x 6'8"
14" x 6'8"

S887SL
12" x 8'0"
14" x 8'0"

SALINAS® X

Mahogany

FCM115
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM115SL
12" x 6'8"
14" x 6'8"

FCM884SL
12" x 8'0"
14" x 8'0"

Oak

FC115
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC775
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81955P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC115SL
12" x 6'8"
14" x 6'8"

81955PSL
12" x 8'0"
14" x 8'0"

Smooth

S6009
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

Smooth

S6010
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S895
2'8" x 8'0"
2'10" x 8'0"
3'0" x 6'8"

Smooth

S6009SL
12" x 6'8"
14" x 6'8"

S895SL
12" x 8'0"
14" x 8'0"

MAPLE PARK®

Mahogany

FCM902
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Mahogany

FCM902SL
12" x 6'8"
14" x 6'8"

FCM887SL
12" x 8'0"
14" x 8'0"

Oak

FC902
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Oak

FC777
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81957P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC902SL
12" x 6'8"
14"x 6'8"

81957PSL
12" x 8'0"
14" x 8'0"

Smooth

S6102
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Smooth

S6103
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

S85898
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6102SL
12" x 6'8"
14"x 6'8"

S85898SL
12" x 8'0"
14" x 8'0"

SARATOGA™

Mahogany

FCM907
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Mahogany

FCM907SL
12" x 6'8"
14"x 6'8"

FCM889SL
12" x 8'0"
14" x 8'0"

Oak

FC907
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Oak

FC776
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81956P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC907SL
12" x 6'8"
14"x 6'8"

81956PSL
12" x 8'0"
14" x 8'0"

Smooth

S6092
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S982
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S891
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6092SL
12" x 6'8"
14"x 6'8"

S891SL
12" x 8'0"
14" x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options

TEXAS STAR

Mahogany

FCM143
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM143SL
12" x 6'8"
14"x 6'8"

FCM8103SL
12" x 8'0"
14" x 8'0"

Oak

FC143
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Oak

FC778
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81958P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC143SL
12" x 6'8"
14"x 6'8"

81958PSL
12" x 8'0"
14" x 8'0"

Smooth

S6071
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S6072
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85901
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6071SL
12" x 6'8"
14"x 6'8"

85901SL
12" x 8'0"
14" x 8'0"

WELLESLEY™

Mahogany

FCM147
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM147SL
12" x 6'8"
14"x 6'8"

FCM885SL
12" x 8'0"
14" x 8'0"



Oak

FC147
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Oak

FC779
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

81959P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC147SL
12" x 6'8"
14"x 6'8"

81959PSL
12" x 8'0"
14" x 8'0"

Smooth

S6091
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S983
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S892
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6091SL
12" x 6'8"
14"x 6'8"

S892SL
12" x 8'0"
14" x 8'0"

RISERVA® X

Mahogany

FCM543
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM545SL
12" x 6'8"
14"x 6'8"

FCM8545SL
12" x 8'0"
14" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Oak

FC543
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC529
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8529
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC545SL
12" x 6'8"
14" x 6'8"

FC8545SL
12" x 8'0"
14" x 8'0"

Smooth

S543
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S529
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8529
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S545SL
12" x 6'8"
14" x 6'8"

S8545SL
12" x 8'0"
14" x 8'0"

CONCORDE™

Mahogany

FCM912
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM912SL
12" x 6'8"
14"x 6'8"

FCM892SL
12" x 8'0"
14" x 8'0"

Oak

FC912
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Oak

FC780
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

81960P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Oak

FC912SL
12" x 6'8"
14"x 6'8"

81960PSL
12" x 8'0"
14" x 8'0"

Smooth

S912
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S97
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85902
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S757SL
12" x 6'8"
14"x 6'8"

S85902SL
12" x 8'0"
14" x 8'0"

KENSINGTON™

Mahogany

FCM156
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM1442SL
12" x 6'8"
14"x 6'8"

FCM8107SL
12" x 8'0"
14" x 8'0"

Oak

FC156
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Oak

FC20042
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81961P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

KENSINGTON *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options

KENSINGTON™ *Continued*

Oak

FC1442SL 12" x 6'8" 14" x 6'8"
81961PSL 12" x 8'0" 14" x 8'0"

Smooth

S20042 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
S902 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth

S156 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth

S1442SL 12" x 6'8" 14" x 6'8"
S902SL 12" x 8'0" 14" x 8'0"

PEMBRIDGE™

Mahogany

FCM6582 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM6580SL 12" x 6'8" 14" x 6'8"
FCM86580SL 12" x 8'0" 14" x 8'0"

Oak

FC6582 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Oak

FC6580 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
FC86580 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC6580SL 12" x 6'8" 14" x 6'8"
FC86580SL 12" x 8'0" 14" x 8'0"

Smooth

S6582 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth

S6580 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
S86580 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth

S6580SL 12" x 6'8" 14" x 6'8"
S86580SL 12" x 8'0" 14" x 8'0"

AXIS®

Mahogany

FCM1647 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany

FCM1646SL 12" x 6'8" 14" x 6'8"
FCM81646SL 12" x 8'0" 14" x 8'0"

Oak

FC1647 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Oak

FC1646 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
FC81646 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Oak

FC1646SL 12" x 6'8" 14" x 6'8"
FC81646SL 12" x 8'0" 14" x 8'0"

Smooth

S1647 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

Smooth

S1646
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81646
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1646SL
12" x 6'8"
14" x 6'8"

S81646SL
12" x 8'0"
14" x 8'0"

CALIX

Mahogany

FCM389
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM4521SL
12" x 6'8"
14" x 6'8"

FCM84521SL
12" x 8'0"
14" x 8'0"

Oak

FC389
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC4521
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC84521
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC4521SL
12" x 6'8"
14" x 6'8"

FC84521SL
12" x 8'0"
14" x 8'0"

Smooth

S389
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4521
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84521
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4521SL
12" x 6'8"
14" x 6'8"

S84521SL
12" x 8'0"
14" x 8'0"

LATITUDE

Mahogany

FCM476
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4525SL
12" x 6'8"
14" x 6'8"

FCM84525SL
12" x 8'0"
14" x 8'0"

Oak

FC476
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC4525
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC84525
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC4525SL
12" x 6'8"
14" x 6'8"

FC84525SL
12" x 8'0"
14" x 8'0"

Smooth

S476
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S4525
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84525
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4525SL
12" x 6'8"
14" x 6'8"

S84525SL
12" x 8'0"
14" x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options

ECHELON

Mahogany

FCM84527SL
12" x 8'0"
14" x 8'0"

Oak

FC84527
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC84527SL
12" x 8'0"
14" x 8'0"

Smooth

S84527
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S84527SL
12" x 8'0"
14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Mahogany

FCM82_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM92_SL
12" x 6'8"
14"x 6'8"

Mahogany

FCM8101_SL
12" x 8'0"
14" x 8'0"

Oak

FC82_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC92_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

81945P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81946P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC92_SL
12"x 6'8"
14"x 6'8"

Oak

81946P_SL
12" x 8'0"
14" x 8'0"

Smooth

S82_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S92_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S881_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S822_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS

Smooth

S82_SL
12" x 6'8"
14" x 6'8"

Smooth

S881_SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM32_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM32_SL
12" x 6'8"
14" x 6'8"

FCM881_SL
12" x 8'0"
14" x 8'0"

Oak

FC32_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC766_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81943P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC32_SL
12"x 6'8"
14"x 6'8"

81943P_SL
12" x 8'0"
14" x 8'0"

Smooth

S80_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S90_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S880_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S751_SL
12" x 6'8"
14"x 6'8"

S880_SL
12" x 8'0"
14" x 8'0"

INTERNAL BLINDS

Mahogany

FCM5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM5425SL
12" x 6'8"
14"x 6'8"

FCM8110SL
12" x 8'0"
14" x 8'0"

Oak

FC5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

1964P
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81964P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC5425SL
12" x 6'8"
14"x 6'8"

81964PSL
12" x 8'0"
14" x 8'0"

Smooth

S5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S682
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8682
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5425SL
12" x 6'8"
14"x 6'8"

S8682SL
12" x 8'0"
14" x 8'0"

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options

CLEAR GLASS WITH DIVIDED LITES

Mahogany

FCM2106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM2107
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM2108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM82
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1089SL | **FCM8311SL**
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14" x 8'0"



Mahogany

FCM2101SL | **FCM8313SL**
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14" x 8'0"

Mahogany

FCM92SL | **FCM8310SL**
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14" x 8'0"

Mahogany

FCM8101SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM81900SL
12"x 8'0"
14" x 8'0"

Mahogany

FCM81947SL
12"x 8'0"
14" x 8'0"

Mahogany

FCM81949SL
12"x 8'0"
14" x 8'0"

Mahogany

FCM1402
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1400SL | **FCM81944SL**
12" x 6'8" | 12" x 8'0"
14"x 6'8" | 14" x 8'0"

Oak

FC2106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC2107
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC2108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC82
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC1089 | **FC8311**
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

Oak

FC2101 | **FC8313**
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Oak

FC2102
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8316
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

81945P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC92
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8310
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

81946P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1089SL
12" x 6'8"
14"x 6'8"

FC8311SL
12" x 8'0"
14" x 8'0"



Oak

FC2101SL
12" x 6'8"
14"x 6'8"

FC8313SL
12" x 8'0"
14" x 8'0"

Oak

FC92SL
12" x 6'8"
14"x 6'8"

FC8310SL
12" x 8'0"
14" x 8'0"

Oak

81946PSL
12" x 8'0"
14" x 8'0"



Oak

81900PSL
12"x 8'0"
14" x 8'0"

Oak

81947PSL
12"x 8'0"
14" x 8'0"

Oak

81949PSL
12"x 8'0"
14" x 8'0"

Oak

FC1402
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC1400
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81944P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1400SL
12" x 6'8"
14"x 6'8"

81944PSL
12" x 8'0"
14" x 8'0"

Smooth

S2106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2107
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S82
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1089
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8311
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options

CLEAR GLASS WITH DIVIDED LITES *Continued*

Smooth

S2101
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8313
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S2102
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8316
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S881
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S92
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8310
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S882
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1089SL
12" x 6'8"
14"x 6'8"

S8311SL
12" x 8'0"
14" x 8'0"

Smooth

S2101SL
12" x 6'8"
14"x 6'8"

S8313SL
12" x 8'0"
14" x 8'0"

Smooth

S82SL
12" x 6'8"
14"x 6'8"

S8310SL
12" x 8'0"
14" x 8'0"

Smooth

S881SL
12" x 8'0"
14" x 8'0"

Smooth

S8207SL
12" x 8'0"
14" x 8'0"

Smooth

S8202SL
12" x 8'0"
14" x 8'0"

Smooth

S8204SL
12" x 8'0"
14" x 8'0"

Smooth

S1402
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1400
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S898
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1400SL
12" x 6'8"
14"x 6'8"

S898SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS

Mahogany

FCM32
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM32SL
12" x 6'8"
14"x 6'8"

FCM881SL
12" x 8'0"
14" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.
Right Page: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley

Oak

FC32
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC766
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81943P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC32SL
12" x 6'8"
14"x 6'8"

81943PSL
12" x 8'0"
14" x 8'0"

Smooth

S80
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S90
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S880
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S751SL
12" x 6'8"
14"x 6'8"

S880SL
12" x 8'0"
14" x 8'0"

Key

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options

Oval Lites

TRANSOMS

For transoms, see page 209.

BLACKSTONE®

Mahogany

FCM110
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM164
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC714
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC164
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC794
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S771
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Smooth

S6085
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Smooth

S997
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY™

Mahogany

FCM106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC713
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Oak

FC163
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Oak

FC796
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

Top: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM916, Sidelites – FCM809SL, Finish – Rustic Clay

Smooth

S774
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S6082
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S999
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CONCORDE™

Mahogany

FCM916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC797
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Smooth

S773
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S6084
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1000
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

KENSINGTON™

Mahogany

FCM151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM789
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC798
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1001
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™

Mahogany

FCM6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

PEMBRIDGE™ *Continued*

Oak

FC6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC06575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC6576
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S6575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S6576
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS

Mahogany

FCM80
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM160
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC710
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC160
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC789
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S770
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S6080
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S992
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Pembridge Glass, Door S6576
Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Door – FCM114, Sidelites – FCM814SL, Transom – SART, Finish – Raven

1/2 Lites

TRANSOMS

For transoms, see page 209.

BLACKSTONE®

Mahogany

FCM109
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM863
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6032
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Mahogany

FCM6052
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Mahogany

FCM109SL
12"x 6'8"
14"x 6'8"

FCM863SL
12"x 8'0"
14" x 8'0"

Oak

FC109
E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81933P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Oak

81975P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC109SL
12"x 6'8"
14"x 6'8"

81933PSL
12"x 8'0"
14" x 8'0"

Smooth

S6000
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81933P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S6032
E
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86032
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4314
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84314
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6052
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Smooth

S972
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85905
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6000SL
12"x 6'8"
14"x 6'8"

S85912SL
12"x 8'0"
14"x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

CRYSTALLINE™

Mahogany

FCM898
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM898SL
12" x 8'0"
14" x 8'0"

Oak

81935P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

81977P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

81935PSL
12" x 8'0"
14" x 8'0"

Smooth

S81935P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S86027
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

NEW

Smooth

S84319
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S85907
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S85914SL
12" x 8'0"
14" x 8'0"

SEDONA™

Mahogany

FCM101
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM864
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6025
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6045
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM101SL
12" x 6'8"
14"x 6'8"

FCM864SL
12" x 8'0"
14" x 8'0"

Oak

FC101
E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81936P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

81978P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC101SL
12" x 6'8"
14"x 6'8"

81936PSL
12" x 8'0"
14" x 8'0"

Smooth

S211
E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81936P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Smooth

S6025
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86025
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S4328
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84328
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6045
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S35
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S833
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S294SL
12" x 6'8"
14"x 6'8"

S85915SL
12" x 8'0"
14" x 8'0"

SALINAS® X

Mahogany

FCM114
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM865
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6031
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6051
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM114SL
12" x 6'8"
14"x 6'8"

FCM865SL
12" x 8'0"
14" x 8'0"

Oak

FC114
E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81937P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

81980P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC114SL
12" x 6'8"
14"x 6'8"

81937PSL
12" x 8'0"
14" x 8'0"

Smooth

S6006
E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81937P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S6031
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86031
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S4325
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84325
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6051
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SALINAS *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

SALINAS® X *Continued*

Smooth

S973
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S893
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6006SL
12" x 6'8"
14" x 6'8"

S85916SL
12" x 8'0"
14" x 8'0"

MAPLE PARK®

Mahogany

FCM901
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

FCM886
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6107
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Mahogany

FCM6108
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Mahogany

FCM901SL
12" x 6'8"
14" x 6'8"

FCM886SL
12" x 8'0"
14" x 8'0"



Oak

FC901
E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81939P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Oak

81982P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC901SL
12" x 6'8"
14" x 6'8"

81939PSL
12" x 8'0"
14" x 8'0"

Smooth

S6101
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81939P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Smooth

S6107
E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86107
E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S4324
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84324
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6108
2'8'x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Smooth

S6106
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

S85897
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6101SL
12" x 6'8"
14"x 6'8"

S85918SL
12" x 8'0"
14" x 8'0"

SARATOGA™

Mahogany

FCM906
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

FCM888
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6029
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6049
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

Mahogany

FCM906SL
12" x 6'8"
14"x 6'8"

FCM888SL
12" x 8'0"
14" x 8'0"

Oak

FC906 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81938P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Oak

81981P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC906SL
12" x 6'8"
14"x 6'8"

81938PSL
12" x 8'0"
14" x 8'0"

Smooth

S213 E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81938P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Smooth

S6029 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86029 E
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Smooth

S4327 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84327
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6049
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S41
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85908
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S291SL
12" x 6'8"
14"x 6'8"

S85917SL
12" x 8'0"
14" x 8'0"

TEXAS STAR

Mahogany

FCM144
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM899
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6074
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6075
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM899SL
12" x 8'0"
14" x 8'0"

Oak

FC144 E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81940P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Oak

81983P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

81940PSL
12" x 8'0"
14" x 8'0"

Smooth

S6073 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81940P
2'8" x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S6074 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86074 E
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

TEXAS STAR *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- **Scrolled & Flat Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Flat Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

TEXAS STAR *Continued*

Smooth

S4329 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84329
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6075
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S6076
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81983
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

85919SL
12" x 8'0"
14" x 8'0"

WELLESLEY™

Mahogany

FCM105
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM866
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6030
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6050
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM105SL
12" x 6'8"
14" x 6'8"

FCM866SL
12" x 8'0"
14" x 8'0"

Oak

FC105 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81941P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

81984P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC105SL
12" x 6'8"
14"x 6'8"

81941PSL
12" x 8'0"
14" x 8'0"

Smooth

S214 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81941P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6030 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86030 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4330 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84330
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6050
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S42
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85909
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S292SL
12" x 6'8"
14"x 6'8"

S85922SL
12" x 8'0"
14" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

RISERVA® X

Mahogany

FCM581
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8581
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM583SL
12" x 6'8"
14" x 6'8"

FCM8583SL
12" x 8'0"
14" x 8'0"

Oak

FC581
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8581
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC8579
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC583SL
12" x 6'8"
14" x 6'8"

FC8583SL
12" x 8'0"
14" x 8'0"

Smooth

S581
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8581
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S575
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8575
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4326
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84326
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S579
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8579
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S583SL
12" x 6'8"
14" x 6'8"

S8583SL
12" x 8'0"
14" x 8'0"

CONCORDE™

Mahogany

FCM911
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM891
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6026
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6046
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM911SL
12" x 6'8"
14" x 6'8"

FCM891SL
12" x 8'0"
14" x 8'0"

CONCORDE *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

CONCORDE™ Continued

Oak

FC911
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81942P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Oak

81985P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Oak

FC911SL
12" x 6'8"
14"x 6'8"

81942PSL
12" x 8'0"
14" x 8'0"

Smooth

S426
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81942P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Smooth

S6026
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86026
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Smooth

S4316
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84316
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6046
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S37
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S837
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S430SL
12" x 6'8"
14"x 6'8"

S85920SL
12" x 8'0"
14" x 8'0"

KENSINGTON™

Mahogany

FCM149
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

FCM8149
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6036
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6056
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM149SL
12" x 6'8"
14"x 6'8"

FCM867SL
12" x 8'0"
14" x 8'0"

Oak

FC149
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8149
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Oak

FC89701
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC149SL
12" x 6'8"
14"x 6'8"

FC8867SL
12" x 8'0"
14" x 8'0"

Smooth

S161
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8149
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Smooth

S6036 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86036 E
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Smooth

S4320 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84320
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6056
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S43
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S89701
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S161SL
12" x 6'8"
14"x 6'8"

S867SL
12" x 8'0"
14" x 8'0"

PEMBRIDGE™

Mahogany

FCM6560
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM86560
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6565
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6568
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6565SL
12"x 6'8"
14"x 6'8"

FCM86560SL
12"x 8'0"
14" x 8'0"

Oak

FC6560 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86560
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC86536
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC6565SL
12"x 6'8"
14"x 6'8"

FC86560SL
12"x 8'0"
14" x 8'0"

Smooth

S6560 E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86560
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6565 E
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86565 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4323 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6568
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

PEMBRIDGE *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR Options

WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options

PEMBRIDGE™ *Continued*

Smooth

S6536
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86536
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6565SL
12" x 6'8"
14" x 6'8"

S86560SL
12" x 8'0"
14" x 8'0"

AXIS®

Mahogany

FCM1654
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81654
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM1656
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM1658
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM1656SL
12" x 6'8"
14" x 6'8"

FCM81654SL
12" x 8'0"
14" x 8'0"

Oak

FC1654 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81654
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC81653
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC1656SL
12" x 6'8"
14" x 6'8"

FC81654SL
12" x 8'0"
14" x 8'0"

Smooth

S1654 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81654
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1656 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81656 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4311 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84311
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1658
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1653
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81653
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1656SL
12" x 6'8"
14" x 6'8"

S81654SL
12" x 8'0"
14" x 8'0"

CALIX

Mahogany

FCM386
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8386
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM387
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

Mahogany

FCM394
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM387SL
12" x 6'8"
14" x 6'8"

FCM8386SL
12" x 8'0"
14" x 8'0"

Oak

FC386 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8386
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC8392
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC387SL
12" x 6'8"
14" x 6'8"

FC8386SL
12" x 8'0"
14" x 8'0"



Smooth

S386 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8386
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S387 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8387 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4310 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84310
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S394
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S392
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8392
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S387SL
12" x 6'8"
14" x 6'8"

S8386SL
12" x 8'0"
14" x 8'0"

LATITUDE ◆ ⁞⁞ ❖

Mahogany

FCM8498
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM8498SL
12" x 8'0"
14" x 8'0"

Oak

FC8498
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC8489
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC8498SL
12" x 8'0"
14" x 8'0"

Smooth

S8498
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8467
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

LATITUDE *Continues on next page.*

Key

- ◆ **Black Nickel Caming (1D)**
- ⁞⁞ **Brushed Nickel Caming (1C)**
- ❖ **Brass Caming (1A)**
- **Scrolled & Flat Advanta Lite Frame**
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- **WBDR Options**
- **WBDR / HVHZ Options**
- E **Elevated 10" Bottom Rail Options**

LATITUDE *Continued*

NEW

Smooth

S84322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8489
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8498SL
12" x 8'0"
14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Mahogany

FCM65_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6022_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6042_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM8321_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM65_SL
12" x 6'8"
14" x 6'8"

Mahogany

FCM3487_SL
12" x 8'0"
14" x 8'0"

Oak

FC65_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC8321_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC832_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC63_SL
12" x 6'8"
14" x 6'8"

Oak

FC3487_SL
12" x 8'0"
14" x 8'0"

Smooth

S262_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S6022_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S6042_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S32_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8321_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S86022_
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S832_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS

Smooth

S263_SL
12" x 6'8"
14" x 6'8"

Smooth

S3487_SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM62_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM862_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6021_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6041_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM104_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM62_SL
12" x 6'8"
14"x 6'8"

FCM862_SL
12" x 8'0"
14" x 8'0"

Oak

FC62_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81929P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC104_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

81971P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC48_SL
12"x 6'8"
14"x 6'8"

81929P_SL
12" x 8'0"
14" x 8'0"

Smooth

S206_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81929P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6021_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86021_
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4305_
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84305_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6041_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S104_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S30_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S830_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S210_SL
12" x 6'8"
14"x 6'8"

S85910_SL
12" x 8'0"
14" x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E — Elevated 10" Bottom Rail Options

INTERNAL BLINDS

Mahogany

FCM678
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8678
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6035
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6055
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM116
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM678SL
12" x 6'8"
14" x 6'8"

FCM8678SL
12" x 8'0"
14" x 8'0"

Oak

FC678
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8678
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC116
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC8971
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC678SL
12" x 6'8"
14" x 6'8"

FC8678SL
12" x 8'0"
14" x 8'0"

Smooth

S132
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8132
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6035
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86035
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4308
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84308
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6055
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S131
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S971
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8971
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S132SL
12" x 6'8"
14" x 6'8"

S8132SL
12" x 8'0"
14" x 8'0"

SCREEN VENTED LITES*

Smooth

S243
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S6034
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

*Features a gliding operation and sash locking system.
Note: See page 285 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES

Smooth

S6054
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S137
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM8322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM8323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM8324
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM65
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6022
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6042
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM8321
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Mahogany

FCM8675SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM65SL
12" x 6'8"
14"x 6'8"

FCM7125SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM3487SL
12" x 8'0"
14" x 8'0"

Mahogany

FCM1408
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8145
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM1405
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM1406
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM1405SL
12" x 6'8"
14"x 6'8"

FCM8145SL
12" x 8'0"
14" x 8'0"

Oak

FC8322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC8323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC8324
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC65
E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

FC8321
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- **No Stile Lines**
- **Low-E Glass (LE)**
- **Scrolled & Flat Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **WBDR Options**
- **WBDR / HVHZ Options**
- **E** **Elevated 10" Bottom Rail Options**

CLEAR GLASS WITH DIVIDED LITES *Continued*



Oak

FC8318
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8319
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8320
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC832
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC8675SL
12" x 8'0"
14" x 8'0"

Oak

FC63SL
12" x 6'8"
14" x 6'8"

FC7125SL
12" x 8'0"
14" x 8'0"

Oak

FC3487SL
12" x 8'0"
14" x 8'0"

Oak

FC1408
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8145
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC8144
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC1408SL
12" x 6'8"
14" x 6'8"

FC8145SL
12" x 8'0"
14" x 8'0"

Smooth

S8322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8326
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

NEW

Smooth

S84318
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8327
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

NEW

Smooth

S84313
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8324
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8328
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

NEW

Smooth

S84309
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S262
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S6022
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Note: See page 285 for important product details that may help with your purchase decision.

Smooth

S4307
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S6042
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8321
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8325
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S84312
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8318
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S8319
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8320
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S32
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S832
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S115
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S8675SL
12" x 8'0"
14" x 8'0"

Smooth

S263SL
12" x 6'8"
14"x 6'8"

S7125SL
12" x 8'0"
14" x 8'0"

Smooth

S3487SL
12" x 8'0"
14" x 8'0"

Smooth

S1408
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8145
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1405
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81405
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S4321
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84321
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1406
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1407
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8144
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1405SL
12" x 6'8"
14"x 6'8"

S8145SL
12" x 8'0"
14" x 8'0"

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

CLEAR GLASS

Mahogany

FCM62
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM862
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM6021
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM6041
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM670
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany

FCM62SL
12" x 6'8"
14"x 6'8"

FCM862SL
12" x 8'0"
14" x 8'0"

Oak

FC62
E
2'6"x 6'8"
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81929P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC670
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak

81971P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC48SL
12" x 6'8"
14"x 6'8"

81929PSL
12" x 8'0"
14" x 8'0"

Smooth

S206
E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81929P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6021
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86021
E
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Smooth

S4315
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84315
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6041
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S104
E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S105
E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S30
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S830
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S210SL
12" x 6'8"
14"x 6'8"

S85910SL
12" x 8'0"
14" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.
Right Page: Smooth-Star, Clear Glass, Door – S289, Finish – Onyx

Twin 1/2 Lites

TRANSOMS

For transoms, see page 209.

BLACKSTONE®



Smooth

S6013

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SEDONA

Smooth

S294

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SALINAS® X

Smooth

S6014

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

MAPLE PARK®

Smooth

S6104

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SARATOGA™



Smooth

S291

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY™

Smooth

S292

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

RISERVA® X

Smooth

S585

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CONCORDE™

Smooth

S430

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

KENSINGTON™

Smooth

S162

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™



Smooth

S6572

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

AXIS®



Smooth

S1661

2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

CALIX

Smooth

S398

2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Smooth

S807_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS



Smooth

S289_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

Smooth

S807

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S1411

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS

Smooth

S289

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.
Right Page: Smooth-Star, Salinas Glass, Door – S9353, Sidelites – S6008SL, Finish – Canyon

Center Lites

TRANSOMS

For transoms, see page 209.

BLACKSTONE®

Oak

FC80943
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86243
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S9343
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83143
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SEDONA

Oak

FC80952
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86252
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S9352
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83152
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SALINAS®

Oak

FC80953
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86253
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S9353
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83153
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

MAPLE PARK®

Oak

FC80955
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86255
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)

MAPLE PARK®

Smooth

S9355
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83155
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

SARATOGA™

Oak

FC80954
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86254
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S9354
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83154
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

WELLESLEY™

Oak

FC80949
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86249
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S9349
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83149
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

RISERVA®

Oak

FC507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CONCORDE™

Oak

FC80947
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86247
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S9347
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83147
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

KENSINGTON™

Oak

FC80942
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86242
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.

Smooth

S9342
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83142
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PEMBRIDGE™

Oak

FC6534
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86533
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6534
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S86533
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

AXIS®

Oak

FC1655
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC81649
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1655
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S81649
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CALIX

Oak

FC393
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC8390
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S393
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Smooth

S8390
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC809203_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC862203_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S93203_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S831203_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options

PRIVACY & TEXTURED GLASS

Oak

FC80920_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86220_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S9320_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83120_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

INTERNAL BLINDS

Oak

FC925
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC8972
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

Smooth

S925
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8972
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES

Oak

FC809203
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC862203
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S93203
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S831203
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC1404
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC8141
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1404
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S8141
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS

Oak

FC80920
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC86220
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S9320
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S83120
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch **XJ = Chinchilla** **XN = Granite**
XC = Chord **XR = Rainglass**

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
**Available with flat lite frame or Advanta flat lite frame only.
***Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.
Note: See page 285 for important product details that may help with your purchase decision.
Top: Smooth-Star, Calix Glass, Door– S3540, Finish – Arctic Ice

Craftsman Lites

TRANSOMS

For transoms, see page 209.

OPTIONAL DENTIL SHELVES*



4-Block Dentil Shelf
Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf
Available for all Craftsman-lite Smooth-Star doors.

SEDONA

Smooth

S2650** E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82650**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM604
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S604
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8604
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

MAPLE PARK®

Smooth

S2630*** E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82630***
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM609
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S609
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8609
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SARATOGA™

Mahogany

FCM602
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Smooth

S2660*** E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82660***
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S602
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8602
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

RISERVA® X

Mahogany

FCM508
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Smooth

S2670*** E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82670***
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

RISERVA *Continues on next page.*

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Lite Frame
- WBDR / HVHZ Options

RISERVA® X *Continued*



Smooth

S508
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8508
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

PEMBRIDGE™

Mahogany

FCM6520
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2640*
E
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82640*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6520
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86520
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

AXIS®

Mahogany

FCM1650
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Smooth

S2620*
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82620*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1650
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81650
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CALIX

Mahogany

FCM6975
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Smooth

S3540*
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83540*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6975
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86975
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Mahogany

FCM605_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM606_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM607_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM608_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S605_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8605_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S606_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8606_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch **XJ = Chinchilla** **XN = Granite**
XC = Chord **XR = Rainglass**

*Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.
Note: See page 285 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS

Smooth

S607_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8607_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S608_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8608_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM601_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2610_* E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82610_* E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S601_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8600_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES

Mahogany

FCM605
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM606
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM607
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM608
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S605
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8605
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S606
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8606
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS

Smooth

S607
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8607
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S608
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8608
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM601
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S2610* E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82610*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S601
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8601
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E — Elevated 10" Bottom Rail Options

Minimal Lites

TRANSOMS

For transoms, see page 209.

MAPLE PARK®

Mahogany

FCM736
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8736
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC736
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8736
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S736
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8736
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SARATOGA™

Mahogany

FCM707
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8707
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC707
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8707
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S707
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8707
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

WELLESLEY™

Mahogany

FCM721
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8721
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC721
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8721
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S721
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8721
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.
Top: Smooth-Star, Wellesley Glass, Door – S721

CONCORDE™

Mahogany

FCM735
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

FCM8735
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC735
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8735
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

Smooth

S735
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8735
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PEMBRIDGE™

Mahogany

FCM745
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8745
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC745
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8745
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S745
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8745
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES

Mahogany

FCM752
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8752
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC752
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8752
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S752
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8752
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM704
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8704
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS

Oak

FC704
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8704
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S704
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8704
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM708
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8708
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC708
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8708
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S708
E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8708
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
- **Scrolled & Flat Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Scrolled Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Flat Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

CONCORDE™

Oak

FC917
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

Smooth

S454
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

Oak

FC23
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S255
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS

Oak

FC803
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S256
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

Smooth

S236
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8317
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S237
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
(Scalloped Lite Frame)

PEMBRIDGE™

Mahogany

FCM6570
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM86570
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC6570
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86570
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S6570
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86570
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

AXIS®

Mahogany

FCM1645
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81645
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC1645
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81645
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1645
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81645
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass, Door – S296, Finish – Cypress

PRIVACY & TEXTURED GLASS

Mahogany

FCM61__	FCM861__
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Oak

FC61__	FC861__
E	
2'6" x 6'8" (7'0")	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Smooth

S296__	S896__
E	
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

CLEAR GLASS

Mahogany

FCM61	FCM861
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Oak

FC61	FC861
E	
2'6" x 6'8" (7'0")	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	

Smooth

S296	S896
E	
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10"x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.

Smooth

S140STC	S8140STC
E	
2'6" x 6'8" (7'0")	2'6"x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	

Smooth

S141STC
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth

S6063STC
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Key

- No Stile Lines
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat White Grilles Between Glass Only (GBGFW)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- E Elevated 10" Bottom Rail Options

Solid Panel

TRANSOMS

For transoms, see page 209.



Mahogany

FCM31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM220
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM205
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM755
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM60
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM860
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany

FCM1000
■ E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81000
■
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC809
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC755
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC862
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak

FC60
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC860
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.

Top: Smooth-Star Door – S1100; Clear Glass, Sidelites – S2000SL, Finish – Granite

Oak

1000
■ 6 E
2'0" x 6'8"
2'4" x 6'8" ⚠
2'6" x 6'8" ⚠ (7'0")
2'8" x 6'8" ⚠ (7'0")
2'10" x 6'8" ⚠ (7'0")
3'0" x 6'8" ⚠ (7'0")

81000
■ 6
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S93
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S45
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S220
6 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8200
6 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S1100
6 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81100
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S3301
2 6 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83301
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S3401
2 6 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83401
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S3501
2 6 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83501
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S3601
2 6 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83601
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5701
2 6 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85701
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S5721
2 6 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85721
2 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S85230SL
E
12" x 8'0"
14" x 8'0"

Smooth

S85700_SL
2
12" x 8'0"
14" x 8'0"

Smooth

S85710_SL
2
12" x 8'0"
14" x 8'0"

Smooth

S85720_SL
2
12" x 8'0"
14" x 8'0"

Smooth

S85700SL
2
12" x 8'0"
14" x 8'0"

Smooth

S85710SL
2
12" x 8'0"
14" x 8'0"

Smooth

S85720SL
2
12" x 8'0"
14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites with solid-panel doors for natural light in the entry.

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- 2 Door Divider Bars (DDBF2)
- 2 Simulated Divided Lites (SDLF2)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚠ 6'6" Height Available
- E Elevated 10" Bottom Rail Options

SOLID PANEL *Continued*

Smooth

S120 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8120 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S897
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S205
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8201
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S755
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S831
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S960
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S4800 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84800
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8600
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S210 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S810
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S100 ■ E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S81000 ■
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Top: Impressions Storm & Entry Door System – IM100, Finish – Black; Fiber-Classic Mahogany Collection Door – FCM220; Calix Glass, Sidelites – FCM2389SL, Finish – Raven

Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

BLACKSTONE®

BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

SEDONA

19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SALINAS®

SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

MAPLE PARK®

FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SARATOGA™

19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

19740T
3'0" Door Only

WELLESLEY™

19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

19720T
3'0" Door Only

RISERVA®

RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

CONCORDE™

CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

KENSINGTON™

KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

PEMBRIDGE™

PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

AXIS®

AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

CALIX

CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems

CX30T
3'0" Door Only

LATITUDE

LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems

LT30T
3'0" Door Only

ECHELON

ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems

EC30T
3'0" Door Only

CLEAR GLASS

Grille Sticks Applied

19020T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Grille Sticks Applied

19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Grille Sticks Applied

19200T
3'0" Door Only

19210T
12" & 14" Sidelite Only

Key

- No Stile Lines
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.

ENERGY STAR PARTNER

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx
Bottom: Smooth-Star, Clear Glass, Doors – S118

DOOR SELECTIONS

Fiber-Classic® Mahogany Collection™

Fiber-Classic® Oak Collection™

Smooth-Star®

Profiles™ & Traditions

(Wood-grained images shown in Driftwood stain.)

GLASS SELECTIONS



Internal Blinds

Low-E / Clear

Divided Lites

For details on divided lite options, see pages 120–121.



Simulated Divided Lites

Grilles Between Glass

Fixed Grilles

Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 30–31 for details.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic®	Smooth-Star®	Profiles™	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds	■	■		
Low-E Glass with and without Divided Lites	■	■		
Clear Glass with and without Divided Lites	■	■		
Privacy & Textured Glass with and without Divided Lites	■	■		
Lip-Lite Glass Selections				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		

EnLiten™ Flush-Glazed Internal Blinds

AVAILABLE COLLECTIONS

- Smooth-Star®

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Internal Blinds

AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Note: See page 285 for important product details that may help with your purchase decision.

EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites

Colonial Style

AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Prairie Style

AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



EnLiten™ Flush-Glazed Low-E / Clear Glass

AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Low-E / Clear Glass with Divided Lites

Colonial Style

AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Note: See page 285 for important product details that may help with your purchase decision.

Prairie Style

AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Low-E / Clear Glass

AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Profiles™ Steel Doors

Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL
Bottom: Profiles, Screen Vented Glass, Door – 1004HD

Traditions Steel Doors

Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210
Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 240–243.

Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.

10 YEAR LIMITED WARRANTY
Door & Glass

Traditions Steel

Features 25-gauge steel, standard embossed smooth surface.
All 8'0" doors are 24-gauge steel with standard embossments.

5 YEAR LIMITED WARRANTY
Door

10 YEAR LIMITED WARRANTY
Glass

■ = Available
▪ = Not Applicable
P = Paint

	Profiles	Traditions
Door Widths		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	▪
Door Heights		
6'6"	■	■
6'8"	■	■
7'0"	■	▪
8'0"	▪	■
Glass Options		
Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
Frame Options		
Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■
Additional Options		
Finish	P	P

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 210–215.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
**Decorative glass designs are shown in Profiles only.
***Brass caming not available for Impact.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**

Black Nickel | Brushed Nickel

Blackstone®
Glass Privacy Rating: **7**

Black Nickel | Brushed Nickel

Crystalline™
Glass Privacy Rating: **7**

Black Nickel | Brushed Nickel

Sedona
Glass Privacy Rating: **7**

Wrought Iron

Salinas®
Glass Privacy Rating: **10**

Black Nickel | Brushed Nickel

Maple Park®
Glass Privacy Rating: **6**



Black Nickel | Brushed Nickel

Saratoga™
Glass Privacy Rating: **7**



Black Nickel | Brushed Nickel

Texas Star
Glass Privacy Rating: **5**



Brushed Nickel

Black Nickel | Brass

Wellesley™
Glass Privacy Rating: **6**

Wrought Iron

Riserva®
Glass Privacy Rating: **10**

Brushed Nickel

Black Nickel | Brass

Concorde™
Glass Privacy Rating: **8**

Black Nickel | Brushed Nickel

Kensington™
Glass Privacy Rating: **8**

Brushed Nickel

Black Nickel | Brass***

Pembridge™
Glass Privacy Rating: **7**

Black Nickel

Axis®
Glass Privacy Rating: **7**

Brushed Nickel

Black Nickel | Brass

Calix
Glass Privacy Rating: **1**



Brushed Nickel

Black Nickel | Brass

Latitude
Glass Privacy Rating: **2**

Brushed Nickel

Black Nickel | Brass

Echelon
Glass Privacy Rating: **1**

Also Available:

Internal Blinds
Screen Vented

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear — Opaque

Privacy & Textured Glass

Reeded (XK)
Glass Privacy Rating: **7**

Satin Etch (XE)
Glass Privacy Rating: **10**

Chord (XC)
Glass Privacy Rating: **10**

Chinchilla (XJ)
Glass Privacy Rating: **10**

Rainglass (XR)
Glass Privacy Rating: **8**

Granite (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear — Opaque

Also Available:

Divided Lites
Clear Glass

Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Full Lites

BLACKSTONE®

310
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

310SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CRYSTALLINE™

916
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

916SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SEDONA



139
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

139SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SALINAS®

369
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

369SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

MAPLE PARK®

1006
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

1006SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SARATOGA™

610
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

610SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

TEXAS STAR

1029
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

1029SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

WELLESLEY™

620
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

620SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

RISERVA®

571
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

TS572SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- 6'6" Height Available

CONCORDE™

1028
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

416SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

KENSINGTON™

626
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

626SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PEMBRIDGE™

6500HD
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

6500SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

AXIS®

1651HD
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

1651SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CALIX

2389HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

2389SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

LATITUDE

2382HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

2382SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

ECHELON

2385HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

2385SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

128__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

108__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

6184_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

6185_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

6186_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

632_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Reeded (XK) glass.
**Available with Impact-rated lite frame only.
Note: See page 285 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS

118_
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

100_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

INTERNAL BLINDS

130
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

130SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES

1201
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

1202
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

1203
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

128
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

1200
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

108
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

1201SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

1202SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

1200SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

632SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

6184SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

6185SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

6186SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

198
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

198SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CLEAR GLASS

118
2'0" x 6'8"**
2'4" x 6'8"**
2'6" x 6'8" (7'0")**
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

100SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- 6'6" Height Available

3/4 Lites

BLACKSTONE®

1037HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1037SLHD
12" x 6'8"
14" x 6'8"

CRYSTALLINE™

1042HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

956SLHD
12" x 6'8"
14" x 6'8"

SEDONA

965HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

965SLHD
12" x 6'8"
14" x 6'8"

SALINAS® X

968HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

971SLHD
12" x 6'8"
14" x 6'8"

MAPLE PARK®

1009HD
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

1009SLHD
12" x 6'8"
14" x 6'8"

SARATOGA™

1039HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1039SLHD
12" x 6'8"
14" x 6'8"

TEXAS STAR

1040HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1040SLHD
12" x 6'8"
14" x 6'8"

WELLESLEY™

1041HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1041SLHD
12" x 6'8"
14" x 6'8"

RISERVA® X

544HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

546SLHD
12" x 6'8"
14" x 6'8"

CONCORDE™

967HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

967SLHD
12" x 6'8"
14" x 6'8"

KENSINGTON™

03142HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

966SLHD
12" x 6'8"
14" x 6'8"

PEMBRIDGE™

6582HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

6580SLHD
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options
Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.

AXIS®

1644HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1644SLHD
12" x 6'8"
14" x 6'8"

CALIX

391HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

391SLHD
12" x 6'8"
14" x 6'8"

LATITUDE

469HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

469SLHD
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED GLASS

961HD_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

959HD_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

6720HD_SL
12" x 6'8"
14" x 6'8"

959HD_SL
12" x 6'8"
14" x 6'8"

INTERNAL BLINDS

5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

5425SL
12" x 6'8"
14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

2109HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

2110HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

2111HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

961HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1089SLHD
12" x 6'8"
14" x 6'8"

4572SLHD
12" x 6'8"
14" x 6'8"

6720SLHD
12" x 6'8"
14" x 6'8"

1403HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1400SLHD
12" x 6'8"
14" x 6'8"

CLEAR GLASS

959HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

959SLHD
12" x 6'8"
14" x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options

Oval Lites

BLACKSTONE®

1025HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY™

1022HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CONCORDE™

1024HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

KENSINGTON™

630HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™

6578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS

1020HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1/2 Lites

BLACKSTONE®

309HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1001HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1117HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

311SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SEDONA

211HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

996HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1114HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

294SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SALINAS®

374HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1002HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1115HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

371SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

MAPLE PARK®

1007HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1011HD
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

1116HD
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

1007SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Note: See page 285 for important product details that may help with your purchase decision.

SARATOGA™

613HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

988HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1112HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

615SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

TEXAS STAR

1032HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1035HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1111HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY™

623HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

989HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1120HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

625SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

RISERVA®

582HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

576HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

584SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CONCORDE™

426HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

999HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1118HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

430SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

KENSINGTON™

627HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

631HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1113HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

628SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options

PEMBRIDGE™

6560HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

6565HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

6568HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

6565SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

AXIS®

1660HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1657HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1659HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1657SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CALIX

835HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

395HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

397HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

395SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

262HD_
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

982HD_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1123HD_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

263SLHD_
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS

206HD_
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

980HD_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1101_HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

104_ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

210SLHD_
12" x 6'8" (7'0")
14" x 6'8" (7'0")

INTERNAL BLINDS

132HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

984HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options
Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded	**XC = Chord**	**XR = Rainglass**
XE = Satin Etch	**XJ = Chinchilla**	**XN = Granite**

*Features a gliding operation and sash locking system.
Note: See page 285 for important product details that may help with your purchase decision.

SCREEN VENTED LITES*

1121HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

131
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

132SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

243HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1004HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1102HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

137
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES

262HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

982HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1123HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

115HD
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

263SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

1408HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1405HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1406HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS

1405SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

206HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

980HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1101HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

104
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

105
E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

210SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Twin 1/2 Lites

BLACKSTONE®

311HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SEDONA

294HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SALINAS®

371HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

MAPLE PARK®

1008HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SARATOGA™

615HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

WELLESLEY™

625HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

RISERVA®

588HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CONCORDE™

430HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

KENSINGTON™

628HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

PEMBRIDGE™



6572HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

AXIS®

1662HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CALIX

396HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS

263HD_
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

289HD_
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Privacy & Textured Glass Options
Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Reeded (XK) glass.
Note: See page 285 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES

263HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1411HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS

289HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Craftsman Lites

SEDONA

604HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

MAPLE PARK®

609HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SARATOGA™

602HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

RISERVA®

508HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™

6520HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

AXIS®

1650HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CALIX

6975HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

605HD_*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

606HD_*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

607HD_*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

608HD_*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options

PRIVACY & TEXTURED GLASS

601__HD*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

605HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

606HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

607HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

608HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS

601HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Minimal Lites

MAPLE PARK®

736HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SARATOGA™

707HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

WELLESLEY™

721HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CONCORDE™

735HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

PEMBRIDGE™

745HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES

752HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

704HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS

708HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CONCORDE™

454HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Privacy & Textured Glass Options
Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded	**XC = Chord**	**XR = Rainglass**
XE = Satin Etch	**XJ = Chinchilla**	**XN = Granite**

*Not available with Reeded (XK) glass.
Note: See page 285 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES

255HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS

256HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES

236HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

237HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
(Scalloped Lite Frame)

PEMBRIDGE™

6570HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

6570SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

AXIS®

1643HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1643SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS

296HD_
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

296SLHD_
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CLEAR GLASS

296HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

296SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Solid Panel

969HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

978HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1005HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

205HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

203HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

210HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

100
E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Full Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

TS128_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS108_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

6184_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

6185_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

6186_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

632_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS

TS118_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

818_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS

100_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

818_SL
12" x 8'0"
14" x 8'0"

INTERNAL BLINDS

TS130
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

829
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

130SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

829SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES

TS1201
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS1202
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS1203
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS128
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS1200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS108
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

828
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

808
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

1201SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

1202SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

1200SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Reeded (XK) glass.
**Available with Impact-rated lite frame only.
Note: See page 285 for important product details that may help with your purchase decision.

632SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

828SL
12" x 8'0"
14" x 8'0"

6184SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

86184SL
12" x 8'0"
14" x 8'0"

6185SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

86185SL
12" x 8'0"
14" x 8'0"

6186SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

86186SL
12" x 8'0"
14" x 8'0"

TS198
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

198SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CLEAR GLASS

TS118
2'0" x 6'8"**
2'4" x 6'8"**
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

818
2'0" x 8'0"**
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

100SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

818SL
12" x 8'0"
14" x 8'0"

1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

TS262_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8321_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS263_SL
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED GLASS

TS206_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8206_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS104_
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS210_SL
12" x 6'8"
14" x 6'8"

Key

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

INTERNAL BLINDS

TS132
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8132
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS131
E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS132SL
12" x 6'8"
14" x 6'8"

SCREEN VENTED LITES*

TS243
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS137
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

8322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

8323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

8324
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS262
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8321
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS115
E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS263SL
12" x 6'8"
14" x 6'8"

CLEAR GLASS

TS1408
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8145
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS1405SL
12" x 6'8"
14" x 6'8"

TS206
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8206
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS104
E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS105
E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS210SL
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Features a gliding operation and sash locking system.
Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Traditions, Satin Etch Glass, Doors – TS289XE

Twin 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

TS263_
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS

TS289_
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

TS263
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS1411
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS

TS289
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Minimal Lites

PRIVACY & TEXTURED GLASS

TS296_
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

896_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS296_SL
12" x 6'8"
14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

TS752
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8752
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS704
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8704
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS255
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS236
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8317
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES

TS237
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
(Scalloped Lite Frame)

CLEAR GLASS

TS708
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8708
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS256
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS296
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

896
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS296SL
12" x 6'8"
14" x 6'8"

Solid Panel

TS210
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

810
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS100
E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

800
E
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

BLACKSTONE®

BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

SEDONA

19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SALINAS®

SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

MAPLE PARK®

FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SARATOGA™

19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

19740T
3'0" Door Only

WELLESLEY™

19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

19720T
3'0" Door Only

RISERVA®

RSRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

CONCORDE™

CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

KENSINGTON™

KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

PEMBRIDGE™

PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

AXIS®

AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

CALIX

CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems

CX30T
3'0" Door Only

LATITUDE

LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems

LT30T
3'0" Door Only

ECHELON

ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems

EC30T
3'0" Door Only

CLEAR GLASS

Grille Sticks Applied

19020T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Grille Sticks Applied

19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Grille Sticks Applied

19200T
3'0" Door Only

19210T
12" & 14" Sidelite Only

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Fire Doors

Smooth-Star® & Steel

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

Therma-Tru® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Smooth-Star® 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

ADDITIONAL OPTIONS

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 243.

For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

✓California Wildland Urban Interface (WUI) requirements.

✓California Air Resources Board (CARB) formaldehyde regulations.

✓California State Fire Marshall test CA SFM 12-7A-1.



For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

✓Approved for structural use in Florida.

✓Approved for Wind-Borne Debris Regions (WBDR).

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.
**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.
Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.

Left: Smooth-Star Door – SSF120

20-Minute Fire-Rated Wood Edge – Fiberglass

Smooth

SSF93
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

SSF45
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

SSF220 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SSF8220 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

SSF1100 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF81100
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

SSF120 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8120 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

SSF200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8200
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF205
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8205
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

SSF755
2'10" x 6'8"
3'0" x 6'8"

Smooth

SSF31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF831
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

SSF960
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

SSF4800 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF84800
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Top Left: Smooth-Star Door – SSF45, Finish – Alpine
Top Right: Smooth-Star Door – SSF220

Smooth

SSF600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8600
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF160
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SSF8160
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

SSF100
E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SSF8100
E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

20-Minute Fire-Rated Wood Edge – Steel

PROFILES™

969HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

978HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1005HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

205HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

203HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

210HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

100
E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

TRADITIONS

TS210
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TS100
E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- No Stile Lines
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

PULSE®

MODERN DESIGN, UPBEAT LIVING

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Top: Pulse Línea, Echelon Glass with Flat Lite Frame, Door – S81EC, Finish – Golden Wheat

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.





The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.

LIFETIME LIMITED WARRANTY
Fiberglass

10 YEAR LIMITED WARRANTY
Steel

ENERGY STAR PARTNER

WBDR / HVHZ Options:
Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

1 START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.



Ari Línea Echo Sidelites

2 CHOOSE A MATERIAL

Each style is available in any of these material choices.



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass

Available for all Pulse door styles.

Reeded | Satin Etch | Chord | Chinchilla | Rainglass | Granite

Low-E also available.

Decorative Glass

Available for Línea.



1 2 3 4 5 6 7 8 9 10 11

Available for Ari.



3 5 6 7 8 9 11

Available for Echo.

7 8

1 Blackstone®
2 Crystalline™
3 Sedona
4 Salinas®
5 Saratoga™
6 Riserva®
7 Pembridge™
8 Axis®
9 Calix
10 Latitude
11 Echelon

4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style. Available in Advanta®* and Standard lite frames.

Flat Profile Lite Frame

Scrolled Profile Lite Frame

*See your Therma-Tru seller for details on product availability.

Right Page: Pulse Ari, Reeded Glass with Scrolled Lite Frame, Door – FCM83XK, Sidelites – FCM81200XKSL, Finish – Barley

Pulse® Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

• Available in full-lite sidelites only.
○ Available in Línea and Echo only.

Ari

Note: Product images show exterior side of door.



S2SN | S83SN



S2SG | S83SG



S2RS | S83RS



S2PB | S83PB

S2AX | S83AX



S2CX | S83CX



S2EC | S83EC



S2_ S2CL | S83_ S83CL

Línea

Note: Product images show exterior side of door.



S1LBS | S81LBS



S1BS | S81BS



S1RBS | S81RBS



S1LBL | S81LBL



S1BL | S81BL

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 285 for important product details that may help with your purchase decision.

Top: Pulse Ari, Echelon Glass with Flat Lite Frame, Doors – S83EC, Finish – Canyon

S1RBL | S81RBL

S1LSN

S1SN

S1RSN



S1LSA | S81LSA



S1SA | S81SA



S1RSA | S81RSA



S1LSG | S81LSG



S1SG | S81SG



S1RSG | S81RSG

S1LRS | S81LRS

S1RS | S81RS

S1RRS | S81RRS



S1LPB | S81LPB



S1PB | S81PB



S1RPB | S81RPB

LÍNEA *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options

LÍNEA *Continued*



S1LAX | S81LAX



S1AX | S81AX



S1RAX | S81RAX



S1LCX | S81LCX



S1CX | S81CX



S1RCX | S81RCX



S1LLT | S81LLT



S1LT | S81LT



S1RLT | S81RLT



S1LEC | S81LEC



S1EC | S81EC



S1REC | S81REC



S1L_ S1LCL | S81L_ S81LCL



S1_ S1CL | S81_ S81CL



S1R_ S1RCL | S81R_ S81RCL



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass

Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 285 for important product details that may help with your purchase decision.

Echo

Note: Product images show exterior side of door.



S4LPB | S84LPB



S4PB | S84PB



S4RPB | S84RPB

S5LPB | S85LPB



S5PB | S85PB

S5RPB | S85RPB

S86LPB

S86PB

S86RPB

S9LPB E

S9PB E

S9RPB E

S8LPB E

S8PB E

S8RPB E

ECHO *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

ECHO *Continued*

Note: Product images show exterior side of door.

S811LPB E

S811PB E

S811RPB E

S810LPB E

S810PB E

S810RPB E

S4LAX | S84LAX



S4AX | S84AX



S4RAX | S84RAX



S5LAX | S85LAX



S5AX | S85AX



S5RAX | S85RAX



S86LAX



S86AX



S86RAX

Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass

Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 285 for important product details that may help with your purchase decision.

S9LAX
E

S9AX
E

S9RAX
E

S8LAX
E

S8AX
E

S8RAX
E


S811LAX
E


S811AX
E

S811RAX
E

S810LAX
E

S810AX
E

S810RAX
E


S4L_
S4LCL
S84L_
S84LCL


S4_
S4CL
S84_
S84CL


S4R_
S4RCL
S84R_
S84RCL

S5L_
S5LCL
S85L_
S85LCL

ECHO *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded	XC = Chord	XR = Rainglass
XE = Satin Etch	XJ = Chinchilla	XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame
- E Elevated 10" Bottom Rail Options

ECHO *Continued*



S5_
S5CL

S85_
S85CL



S5R_
S5RCL

S85R_
S85RCL



S86L_
S86LCL

S86_
S86CL

S86R_
S86RCL

S9L_
S9LCL
E

S9_
S9CL
E

S9R_
S9RCL
E

S8L_
S8LCL
E

S8_
S8CL
E

S8R_
S8RCL
E

S811L_
S811LCL
E

S811_
S811CL
E

S811R_
S811RCL
E

S810L_
S810LCL
E

S810_
S810CL
E

S810R_
S810RCL
E

Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass

Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 285 for important product details that may help with your purchase decision.

Sidelites

Note: Product images show exterior side of door.

DRS2131SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

DRS82131SL
12" x 8'0"
14" x 8'0"

S4570SL | S85927SL

S6130SL | S84586SL

S604SL

S6134SL | S85931SL

S602SL | S85932SL

S572SL | S8572SL

S6500SL | S86500SL

S1651SL | S81651SL

S2389SL | S82389SL

S2382SL | S82382SL

S2385SL | S82385SL

S601_SL
S601SL

S81086_SL
S81086SL

S86PBSL

S5PBSL | S85PBSL

S4PBSL | S84PBSL

S811PBSL

S810PBSL

S9PBSL

S10PBSL

SIDELITES *Continue on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

SIDELITES *Continued*

S86AXSL

S5AXSL | S85AXSL

S4AXSL | S84AXSL

S811AXSL

S810AXSL

S9AXSL

S10AXSL

S86_SL
S86CLSL

S5_SL
S5CLSL | S85_SL
S85CLSL

S4_SL
S4CLSL | S84_SL
S84CLSL

S811_SL
S811CLSL

S810_SL
S810CLSL

S9_SL
S9CLSL

S10_SL
S10CLSL

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded	XJ = Chinchilla
XE = Satin Etch	XR = Rainglass
XC = Chord	XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame

Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth Fiberglass



Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page, Top: Pulse Línea, Low-E Glass with Flat Lite Frame, Door – S81RCL, Direct Set Sidelite – DRS82131SL, Finish – Chestnut
Right Page, Bottom: Pulse Echo, Satin Etch Glass with Flat Lite Frame, Door – S85XE, Sidelite – S85XESL, Finish – Onyx

Finishing Options

ADD CURB APPEAL WITH COLOR

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XK, Finish – Acorn

PrismaGuard®

Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

10 YEAR LIMITED WARRANTY TRANSFERABLE
Classic Craft

10 YEAR LIMITED WARRANTY
Fiber-Classic, Smooth-Star, Pulse & Steel

Durable Topcoat

Professional Application

YELLOWSTONE FOREVER

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the ( ) symbol.

Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.

Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.

Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.

Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.

Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley

PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.

1. It starts with the realistic wood grains and deep embossments of a Therma-Tru® door or composite door frame.
2. A base coat provides an even, consistent color across the surface.
3. A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
4. A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
5. A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Shown on Classic Craft Fir Grain.

Tumbleweed

Acorn

Wildflower Honey

Rustic Clay

Barley

Mulberry

Autumn Harvest

New Earth

Driftwood

Raven

Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.

1. It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
2. A base coat provides an even, consistent color across the surface.
3. A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
4. A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Bottom Left: Smooth-Star, Calix Glass, Door – S2223, Finish – Golden Wheat
Bottom Right: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2400SL, Finish – Alpine

COLOR MATCHES AVAILABLE.

Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the ( ) symbol. See your Therma-Tru seller for details.

Alpine

Granite

Peregrine

Onyx

Obsidian

Indigo

Estuary

Arctic Ice

Cypress

Golden Wheat

Canyon

Ruby Red

Cabernet

Chestnut

Elk

Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

SAME-DAY® STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors and composite door frames.

Shown on
Classic Craft Fir Grain.



All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*

Visit **thermatru.com/samedaystain** for ordering information and easy-to-follow instructions.

5 YEAR LIMITED WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.

*Actual coverage may vary based on product selected, application method and desired appearance.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.

Door System Components

Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at **thermatru.com/parts**.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology

TRU GUARD™

COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded A LVL core to provide additional structural support and stability and feature a B composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at **store.thermatru.com**.

*See your Therma-Tru seller for details on product availability.
**Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
***To confirm code requirements in your jurisdiction, always check with your local building code authority.
Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

AVAILABLE TEXTURES

Ready to finish.

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.

Ready to install.
Ready to finish.

White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

THE ADVANTAGE IS CLEAR

Performance	
Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting	✓
Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture	✓
Resists Insects – Help Protect from Wood-Ingesting Insects	✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.**	✓
Impact and 20-Minute Fire Code Compliant***	✓
Aesthetics	
Ready to Finish – No Sanding or Priming Required	✓
Ready-to-Install Option – No Finishing Required – White Smooth	✓
Universal Grain Complements a Wide Range of Wood Species – Buff Grained	✓
Screw Plugs Match Frame Material and Conceal External Fasteners	✓

Warranty

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components	LIFETIME LIMITED WARRANTY TRANSFERABLE	Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components	LIFETIME LIMITED WARRANTY	10-Year Transferable Full-System Rider
Composite Door Frame Only	LIFETIME LIMITED WARRANTY	

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs

4-1/8"
4-9/16"
5-1/4"
6-9/16"
7-1/4"

Mullions

2" Entry Narrow
2-1/2" Entry Wide



2" Patio Narrow
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim

2" Brickmould WM180

1-5/8" Florida Brickmould WM176

3-1/2" x 1" Flat Casing

Mull Casing

1-15/32" x 1-1/16"



1-7/32" x 7/32"
2" x 7/32"

2-15/16" x 1-1/16" *Buff grained only.*
2-15/16" x 3/8" *Buff grained only.*

Storm Door-Ready Mullion Adaptor

2" to 1-11/16"

Storm Door Adaptor

4-9/16" Base Adaptor
Face Adaptor
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap



1-13/32" x 9/16"

Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions

4-9/16"
6-9/16"

7/16" x 5/16" Cove Mould

Transom Sills

4-9/16"
6-9/16"

Engineered as part of Therma-Tru's complete entry door system, our composite door frame is **more reliable and up to 50% stronger on average than standard wood door frames*** when withstanding a simulated forced entry attempt by kicking in the door.*

Pendulum Impact Test

Therma-Tru Wood Jamb | Therma-Tru Composite Jamb

CODE-COMPLIANT OPTIONS

Therma-Tru® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.**

Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.**

20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.**

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
**To confirm code requirements in your jurisdiction, always check with your local building code authority.
Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru® seller for a complete list of options.

INSWING OPTIONS

Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"–75" rough openings.*

Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.

Basic Composite Adjustable Sill (Economy)

- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.

Value Composite Adjustable Sill (Economy)

- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

Inswing Sill Extenders



OUTSWING OPTIONS

Composite Outswing Sill (Premium)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.

Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Public Access Sill

Public Access Sill with Thermal Break**



(For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.
**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.
***For full details on the Tru-Defense Warranty Rider, visit thermatru.com/trudefense.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.

Key

Tru-Defense Eligible

SILL FINISHES

Mill

Bronze

CAP COLORS

Lightwood (Premium)

Darkwood (Premium)

Lightwood (Economy)

Darkwood (Economy)

Hardwood

■ = Available
▪ = Not Applicable

	Inswing Options	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	**Outswing Options**	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	**Public Access** (Inswing / Outswing)	Public Access (ADA)**
Sill Finishes											
Mill		■	■	■		■	■	■	■		■
Bronze		■	■	■		■	■	■	▪		■
Cap Colors											
Lightwood		■	▪	■		■	▪	▪	▪		▪
Darkwood		■	▪	■		■	▪	▪	▪		▪
Hardwood		▪	■	▪		▪	▪	▪	▪		▪
Sill Configurations											
Single		■	■	■		■	■	■	■		■
French		■	■	▪		■	■	■	■		■
Double Patio		■	■	▪		■	▪	▪	▪		▪
Triple Patio		■	▪	▪		■	▪	▪	▪		▪
Lineal		■	■	▪		▪	▪	▪	▪		▪
Sidelite Configurations											
Boxed Sidelites		■	▪	▪		▪	▪	▪	▪		▪
Single with Sidelites		■	■	▪		■	▪	▪	▪		▪
French with Sidelites		■	▪	▪		▪	▪	▪	▪		▪
Single Vented Sidelites		■	▪	▪		▪	▪	▪	▪		▪
French Vented Sidelites		■	▪	▪		▪	▪	▪	▪		▪
Depths											
4-9⁄16"		■	▪	■		■	▪	■	■		■
5-3⁄4"		■	■	■		■	■	▪	▪		▪
6-9⁄16"		▪	▪	▪		▪	▪	▪	▪		■
7-3⁄4"		■	■	■		▪	■	▪	▪		▪
Substrates											
Composite Extruded		■	▪	▪		■	▪	▪	▪		▪
Composite Injection Molded		■	▪	■		▪	▪	▪	▪		▪
Treated Pine		▪	■	▪		▪	■	■	■		▪
Other Options											
Integrated Thermal Break		■	■	■		■	■	▪	▪		■
Screen Rail Available		■	■	▪		▪	▪	▪	▪		▪
Sill Extenders Available		■	■	■		■	▪	▪	▪		▪
Sill Covers Available		■	■	■		■	▪	▪	▪		▪
Tru-Defense Eligible***		■	▪	▪		■	▪	▪	▪		▪
With Anchor Holes		▪	▪	▪		▪	■	■	■		■
Without Anchor Holes		■	■	■		■	■	▪	▪		▪

Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill.

Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

INSWING OPTIONS

Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications.
Available in bronze only.



Inactive Door Bottom

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

OUTSWING OPTIONS

Outswing Bottom Sweep

Sills:
Aluminum
Coastal

Color:
Bronze

Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / REPLACEMENT



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection

Shown over composite adjustable sill.

Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 271 for availability.

Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Note: See page 285 for important product details that may help with your purchase decision.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft® 7-Shape Pads ✤



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Fiber-Classic® / Smooth-Star® 7-Shape Pads ✤

Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Basic Pads

Colors:
Bronze

Sills:
Inswing
Applications Only

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip ✤

Colors:
Bronze
White

Long-Reach Weatherstrip ✤

Colors:
Bronze
White

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Rain Deflector (Inswing)

Colors:
Bronze
White

Rain Guard (Outswing) ✤

Colors:
Bronze
White



Bottom of door;
exterior view.

Top of door;
exterior view.

Key

✤ **Tru-Defense Eligible**

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

GRIP-STYLE MPLS ✣

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)



Tongue

Heights:	Configurations:
6'8"	Inswing
7'0"	Outswing
8'0"	

❶ Self-lubricating locks.
❷ 1" premium stainless steel deadbolt.
❸ Integrated mishandling device.

Exterior view of door.

Key

✣ Tru-Defense Eligible

Exterior view of door.

LEVER-STYLE MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

Tongue

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	

Shootbolt
(For door systems with an astragal.)

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	

Vented Sidelite MPLS

Tongue
(Included in vented sidelite units.)

Heights:
6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru® door styles from traditional to contemporary.



Forte **Prospect**

Heirloom **Venture** **Millennium**

Backplates:
Wide
Narrow

Locking:
Active
Inactive

FINISH OPTIONS

Brushed Nickel | Black Nickel | Oil-Rubbed Bronze

FINISH OPTIONS

Bright Brass | Brushed Nickel | Black Nickel | Polished Chrome | Oil-Rubbed Bronze

Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel
Black Nickel
Polished Chrome
Oil-Rubbed Bronze
Stainless Steel
Zinc Dichomate

A genuine Therma-Tru® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

❶ Wraps around the door jamb for added support and an exact fit.

❷ 2-½" screws fully engage with the frame of the house for added strength.

Key

Tru-Defense Eligible

*To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Hinges

Adjustable Hinge

(Recommended for Classic Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.

Classic-Craft® Ball-Bearing – Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.

Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.

Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.

Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.

Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*

HINGE FINISH OPTIONS

Bright Brass | Brushed Nickel | Black Nickel | Polished Chrome | Oil-Rubbed Bronze | Stainless Steel | Zinc Dichromate

■ = Available
▪ = Not Applicable

Hinge Finish Options	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing – Staggered Hole Pattern	Classic Craft Ball-Bearing – Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■	▪	▪	▪	▪
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■	▪	■	▪	■
Polished Chrome	■	■	■	■	■	▪	■	▪	■
Oil-Rubbed Bronze	■	■	■	■	■	■	■	▪	■
Stainless Steel	▪	■	■	■	■	▪	■	■	■
Zinc Dichromate	▪	■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-½" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

STAINABLE ASTRAGAL ✣

Shown in Oak grain with Driftwood stain.

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Oak
Fir

Weatherstrip:
Bronze

ALUMINUM ASTRAGAL ✣

Coastal option also available.

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Finish Colors:
Bronze
White

Weatherstrip:
Bronze

TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)

Oak Grain

Fir Grain

Aluminum

Bronze

White

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028
Right Page, Top: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – 8000-12, Finish – Raven
Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood
Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley

Key

✣ Tru-Defense Eligible

Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.

Special Quote SDL Pattern Example



Special Quote
GBG Color Options

DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.

PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.

Axis® with Standard Black Nickel Caming

Axis® with Special Quote Brushed Nickel Caming

CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

Note: Product availability, size options, lead times and pricing will vary based on the request. Please contact your Therma-Tru seller for details.

3'6" Width Door Style Options

CLASSIC CRAFT®

8'0" Door Styles



Glass Designs							
Homeward™	■		■			■	■
Arborwatch®	■		■			■	■
Augustine®	◆	◆	◆	◆	◆	◆	
Borrassa®	◆	◆	◆	◆	◆	◆	
Lucerna®	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

Key

- ■ Classic Craft® Artíssa Collection™
- ◆ Classic Craft® Founders Collection™
- ▲ Classic Craft® Visionary Collection™
- ✱ Smooth-Star®
- ◗ Profiles™ & Traditions

6'8" & 8'0" Solid-Panel Door Styles



◆	◆	◆	◆	◆	■	■	◆	◆	▲	▲

SMOOTH-STAR®, PROFILES™, TRADITIONS & PULSE®

6'8" & 8'0" Door Styles

Glass Designs			All Pulse Styles									
Blackstone®	✱◗	✱			✱◗	✱						
Crystalline™	✱◗	✱			✱◗	✱						
Sedona	✱◗		✱◗	✱	✱◗	✱						
Salinas®	✱◗	✱			✱◗	✱						
Maple Park®	✱◗											
Saratoga™	✱◗		✱◗	✱	✱◗	✱						
Texas Star	✱◗											
Wellesley™	✱◗	✱										
Riserva®	✱◗	✱	✱◗	✱	✱◗	✱						
Concorde™	✱◗	✱										
Kensington™	✱◗											
Pembridge™	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Axis®	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Calix	✱◗	✱	✱◗	✱	✱◗	✱						
Latitude	✱◗	✱			✱◗	✱						
Echelon	✱◗	✱	✱◗	✱	✱◗	✱						
Privacy & Textured Glass	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Internal Blinds	✱◗	✱										
Divided Lites	✱◗	✱										
Clear	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Solid Panel											✱◗	✱

7'0" Height Door Style Options

Glass Designs \ Door Styles												
Blackstone®	▼▲✱◗	▲✱◗	✱		◗							
Crystalline™	▼▲✱◗				◗							
Sedona	▼▲✱◗	▲✱◗	✱		◗							
Salinas®	▼▲✱◗	▲✱◗	✱		◗							
Maple Park®	▼▲✱◗	▲✱◗	✱		◗			▲✱◗				
Saratoga™	▼▲✱◗	▲✱◗	✱		◗		▼✱	▲✱◗				
Texas Star	▼▲✱◗	▲✱◗	✱		◗							
Wellesley™	▼▲✱◗	▲✱◗	✱		◗			▲✱◗				
Riserva®	▼▲✱◗	▲✱◗	✱		◗							
Concorde™	▼▲✱◗	▲✱◗	✱		◗			▲✱◗	◗			
Kensington™	▼▲✱◗	▲✱◗	✱		◗							
Pembridge™	▼▲✱◗	▲✱◗	✱		◗			◗		▲◗		
Axis®	▼▲✱◗	▲✱◗	✱		◗					▲✱◗		
Calix	▼▲✱◗	▲✱◗	✱									
Latitude	▼▲✱◗											
Echelon	▼▲✱◗											
Privacy & Textured Glass	▼▲✱◗	▲✱◗	✱	▼▲✱◗	◗		▼✱			▲✱◗		
Internal Blinds	▼▲✱◗	▲✱◗	✱	▼▲✱◗								
Screen Vented		✱◗	✱	✱◗								
Divided Lites	▼▲✱◗	▲✱◗	✱		◗	✱◗	▼✱	▲✱◗	◗		◗	
Clear	▼▲✱◗	▲✱◗	✱	▼▲✱◗	◗	✱◗	▼✱	▲✱◗	◗	▲✱◗		
Solid Panel												

6'6" Height Door Style Options

Glass Designs \ Door Styles			
Blackstone®	▲✱	▲✱	
Crystalline™	▲✱	▲✱	
Sedona	▲✱	▲✱	
Salinas®	▲✱	▲✱	
Maple Park®	▲✱	▲✱	
Saratoga™	▲✱	▲✱	
Texas Star	▲✱	▲✱	
Wellesley™	▲✱	▲✱	
Riserva®	▲✱	▲✱	
Concorde™	▲✱	▲✱	
Kensington™	▲✱	▲✱	
Pembridge™	▲✱	▲✱	
Axis®	▲✱	▲✱	
Calix	▲✱	▲✱	
Latitude	▲✱	▲✱	
Echelon	▲✱	▲✱	
Privacy & Textured Glass	▲✱	▲✱	
Internal Blinds	▲✱	▲✱	
Screen Vented			
Divided Lites	▲✱	▲✱	
Clear	▲✱	▲✱	
Solid Panel			▲✱◗

Key

- ▲ Classic Craft® Visionary Collection™
- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- ✱ Smooth-Star®
- ◗ Profiles™ & Traditions

		▼▲✱◗	◗					
		▼▲✱◗						
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗	▼✱				
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗		◗			
		▼▲✱◗	◗		◗			
		▼▲✱◗						
		▼▲✱◗						
		▼▲✱◗						
		▼▲✱◗	◗	▼✱	◗			
		▼▲✱◗	◗					
	◗	▼▲✱◗	◗	▼✱				
		▼▲✱◗	◗	▼✱	◗			
						✱	▲✱◗	▲▼▲✱◗

Top: Smooth-Star, Maple Park Glass, Door – S6107
Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

Feature	Classic Craft®	Fiber-Classic® & Pulse® Wood-Grained	Smooth-Star® & Pulse® Smooth	Profiles™ & Pulse® Steel (6'8")	Traditions & Pulse® Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-¼" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-¼" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-¼" Wood	1-¼" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-½" Wood	12-½" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame, PVC Frame	Advanta Frame, Standard Frame, PVC Frame	Standard Frame, PVC Frame	Standard Frame, PVC Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

*Standard product recommendations shown; additional options may be available.

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru® Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Door Systems; Steel – Pulse®, Profiles™, and Traditions Door Systems
- Therma-Tru® Tru-Defense® Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems
- EnLiten™ Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic® and Smooth-Star® Flush-Glazed Fiberglass Door Systems
- EnLiten™ Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic® and Smooth-Star® Flush-Glazed Fiberglass Door Systems
- PrismaGuard® Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft®, Fiber-Classic®, Smooth-Star®, and Pulse® Door Systems; Steel – Pulse®, Profiles™ and Traditions
- Same-Day® Stain 5-Year Limited Warranty: Same-Day® Stain and Topcoat for Use on Therma-Tru® Fiberglass Door Systems and Fypon® Stainable Polyurethane Products
- Therma-Tru® Composite Door Frame featuring Tru-Guard™ Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems
- Therma-Tru® Composite Door Frame featuring Tru-Guard™ Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft®

19020T 102
19200T 102
19210T 102
19220T 102
AB30T 102
ABRT 102
CC040T 102
CC400T 102
CC420T 102
CCA1100 97
CCA1125 96
CCA1127 96
CCA1133 97
CCA1145 97
CCA1147 97
CCA1149 96
CCA1150 97
CCA1158 97
CCA1166 97
CCA1423SL 91
CCA210 94
CCA210SL 94
CCA210XC 92
CCA210XCSL 92
CCA210XJ 92
CCA210XJSL 92
CCA210XN 92
CCA210XNSL 92
CCA210XR 92
CCA210XRSL 92
CCA211 90
CCA211SL 90
CCA220 93
CCA220SL 94
CCA220XC 91
CCA220XCSL 92
CCA220XJ 91
CCA220XJSL 92
CCA220XN 91
CCA220XNSL 92
CCA220XR 91
CCA220XRSL 92
CCA230 93
CCA2300 66
CCA2300SL 68
CCA2300XC 64
CCA2300XCSL 66
CCA2300XE 64
CCA2300XESL 66
CCA2300XJ 64
CCA2300XJSL 66
CCA2300XK 64
CCA2300XKSL 66
CCA2300XN 64
CCA2300XNSL 66
CCA2300XR 64
CCA2300XRSL 66
CCA230XC 91
CCA230XJ 91
CCA230XN 91
CCA230XR 91
CCA231 90
CCA2310 66
CCA2310SL 68
CCA2310XC 64
CCA2310XCSL 66
CCA2310XE 64
CCA2310XESL 66
CCA2310XJ 64
CCA2310XJSL 66
CCA2310XK 64
CCA2310XKSL 66
CCA2310XN 64
CCA2310XNSL 66
CCA2310XR 64
CCA2310XRSL 66
CCA2320 66
CCA2320SL 68
CCA2320XC 64
CCA2320XCSL 66
CCA2320XE 64
CCA2320XESL 66
CCA2320XJ 64
CCA2320XJSL 66
CCA2320XK 64
CCA2320XKSL 66
CCA2320XN 64
CCA2320XNSL 66
CCA2320XR 64
CCA2320XRSL 66
CCA2330 67
CCA2330SL 68
CCA2330XC 64
CCA2330XCSL 66
CCA2330XE 64
CCA2330XESL 66
CCA2330XJ 64
CCA2330XJSL 66
CCA2330XK 64
CCA2330XKSL 66
CCA2330XN 64
CCA2330XNSL 66
CCA2330XR 64
CCA2330XRSL 66
CCA2340 67
CCA2340SL 69
CCA2340XC 64
CCA2340XCSL 66
CCA2340XE 64
CCA2340XESL 66
CCA2340XJ 64
CCA2340XJSL 66
CCA2340XK 64
CCA2340XKSL 66
CCA2340XN 64
CCA2340XNSL 66
CCA2340XR 64
CCA2340XRSL 66
CCA2350 67
CCA2350XC 65
CCA2350XE 65
CCA2350XJ 65
CCA2350XN 65
CCA2350XR 65
CCA2360 67
CCA2360XC 65
CCA2360XE 65
CCA2360XJ 65
CCA2360XN 65
CCA2360XR 65
CCA2370 67
CCA2370XC 65
CCA2370XE 65
CCA2370XJ 65
CCA2370XN 65
CCA2370XR 65
CCA2380 67
CCA2380XC 64
CCA2380XE 64
CCA2380XJ 64
CCA2380XK 64
CCA2380XN 64
CCA2380XR 64
CCA240 93
CCA2400 68
CCA2400SL 69
CCA2400XC 65
CCA2400XCSL 66
CCA2400XE 65
CCA2400XESL 66
CCA2400XJ 65
CCA2400XJSL 66
CCA2400XK 65
CCA2400XKSL 66
CCA2400XN 65
CCA2400XNSL 66
CCA2400XR 65
CCA2400XRSL 66
CCA240XC 91
CCA240XJ 91
CCA240XN 91
CCA240XR 91
CCA2410SL 97
CCA2420SL 97
CCA260 93
CCA260XC 91
CCA260XJ 91
CCA260XN 91
CCA260XR 91
CCA3400SL 94
CCA3400XCSL 92
CCA3400XJSL 92
CCA3400XNSL 92
CCA3400XRSL 92
CCA3401SL 90
CCA3450SL 94
CCA3450XCSL 92
CCA3450XJSL 92
CCA3450XNSL 92
CCA3450XRSL 92
CCA3500SL 94
CCA3500XCSL 92
CCA3500XJSL 92
CCA3500XNSL 92
CCA3500XRSL 92
CCA3501SL 90
CCA3560SL 94
CCA3560XCSL 92
CCA3560XJSL 92
CCA3560XNSL 92
CCA3560XRSL 92
CCA4900 67
CCA4900XC 65
CCA4900XE 65
CCA4900XJ 65
CCA4900XN 65
CCA4900XR 65
CCA4905 96
CCA4910L 67
CCA4910LXC 65
CCA4910LXE 65
CCA4910LXJ 65
CCA4910LXN 65
CCA4910LXR 65
CCA4910R 67
CCA4910RXC 65
CCA4910RXE 65
CCA4910RXJ 65
CCA4910RXN 65
CCA4910RXR 65
CCA4915L 96
CCA4915R 96
CCA4920L 67
CCA4920LXC 65
CCA4920LXE 65
CCA4920LXJ 65
CCA4920LXN 65
CCA4920LXR 65
CCA4920R 67
CCA4920RXC 65
CCA4920RXE 65
CCA4920RXJ 65
CCA4920RXN 65
CCA4920RXR 65
CCA4925L 96
CCA4925R 96
CCA4930 68
CCA4930XC 65
CCA4930XE 65
CCA4930XJ 65
CCA4930XN 65
CCA4930XR 65
CCA4935 97
CCA4940 68
CCA4940XC 65
CCA4940XE 65
CCA4940XJ 65
CCA4940XN 65
CCA4940XR 65
CCA4945 97
CCA81100 97
CCA81125 96
CCA81127 96
CCA81133 97
CCA81145 97
CCA81147 97
CCA81149 96
CCA81150 97
CCA81158 97
CCA81166 97
CCA81423SL 91
CCA8210 94
CCA8210XC 92
CCA8210XJ 92
CCA8210XN 92
CCA8210XR 92
CCA8211 90
CCA8220 93
CCA8220XC 91
CCA8220XJ 91
CCA8220XN 91
CCA8220XR 91
CCA8230 93
CCA82300 66
CCA82300SL 68
CCA82300XC 64
CCA82300XCSL 66
CCA82300XE 64
CCA82300XESL 66
CCA82300XJ 64
CCA82300XJSL 66
CCA82300XK 64
CCA82300XKSL 66
CCA82300XN 64
CCA82300XNSL 66
CCA82300XR 64
CCA82300XRSL 66
CCA8230XC 91
CCA8230XJ 91
CCA8230XN 91
CCA8230XR 91
CCA8231 90
CCA82310 66
CCA82310SL 68
CCA82310XC 64
CCA82310XCSL 66
CCA82310XE 64
CCA82310XESL 66
CCA82310XJ 64
CCA82310XJSL 66
CCA82310XK 64
CCA82310XKSL 66
CCA82310XN 64
CCA82310XNSL 66
CCA82310XR 64
CCA82310XRSL 66
CCA82320 66
CCA82320SL 68
CCA82320XC 64
CCA82320XCSL 66
CCA82320XE 64
CCA82320XESL 66
CCA82320XJ 64
CCA82320XJSL 66
CCA82320XK 64
CCA82320XKSL 66
CCA82320XN 64
CCA82320XNSL 66
CCA82320XR 64
CCA82320XRSL 66
CCA82330 67
CCA82330SL 68
CCA82330XC 64
CCA82330XCSL 66
CCA82330XE 64
CCA82330XESL 66
CCA82330XJ 64
CCA82330XJSL 66
CCA82330XK 64
CCA82330XKSL 66
CCA82330XN 64
CCA82330XNSL 66
CCA82330XR 64
CCA82330XRSL 66
CCA82340 67
CCA82340SL 69
CCA82340XC 64
CCA82340XCSL 66
CCA82340XE 64
CCA82340XESL 66
CCA82340XJ 64
CCA82340XJSL 66
CCA82340XK 64
CCA82340XKSL 66
CCA82340XN 64
CCA82340XNSL 66
CCA82340XR 64
CCA82340XRSL 66
CCA82350 67
CCA82350XC 65
CCA82350XE 65
CCA82350XJ 65
CCA82350XN 65
CCA82350XR 65
CCA82360 67
CCA82360XC 65
CCA82360XE 65
CCA82360XJ 65
CCA82360XN 65
CCA82360XR 65
CCA82370 67
CCA82370XC 65
CCA82370XE 65
CCA82370XJ 65
CCA82370XN 65
CCA82370XR 65
CCA82380 67
CCA82380XC 64
CCA82380XE 64
CCA82380XJ 64
CCA82380XK 64
CCA82380XN 64
CCA82380XR 64
CCA8240 93
CCA82400 68
CCA82400SL 69
CCA82400XC 65
CCA82400XCSL 66
CCA82400XE 65
CCA82400XESL 66
CCA82400XJ 65
CCA82400XJSL 66
CCA82400XK 65
CCA82400XKSL 66
CCA82400XN 65
CCA82400XNSL 66
CCA82400XR 65
CCA82400XRSL 66
CCA8240XC 91
CCA8240XJ 91
CCA8240XN 91
CCA8240XR 91
CCA82410SL 97
CCA82420SL 97
CCA8260 93
CCA8260XC 91
CCA8260XJ 91
CCA8260XN 91
CCA8260XR 91
CCA84900 67
CCA84900XC 65
CCA84900XE 65
CCA84900XJ 65
CCA84900XN 65
CCA84900XR 65
CCA84905 96
CCA84910L 67
CCA84910LXC 65
CCA84910LXE 65
CCA84910LXJ 65
CCA84910LXN 65
CCA84910LXR 65
CCA84910R 67
CCA84910RXC 65
CCA84910RXE 65
CCA84910RXJ 65
CCA84910RXN 65
CCA84910RXR 65
CCA84915L 96
CCA84915R 96
CCA84920L 68
CCA84920LXC 65
CCA84920LXE 65
CCA84920LXJ 65
CCA84920LXN 65
CCA84920LXR 65
CCA84920R 68
CCA84920RXC 65
CCA84920RXE 65
CCA84920RXJ 65
CCA84920RXN 65
CCA84920RXR 65
CCA84925L 97
CCA84925R 97
CCA84930 68
CCA84930XC 65
CCA84930XE 65
CCA84930XJ 65
CCA84930XN 65
CCA84930XR 65
CCA84935 97
CCA84940 68
CCA84940XC 65
CCA84940XE 65
CCA84940XJ 65
CCA84940XN 65
CCA84940XR 65
CCA84945 97
CCA87100 94
CCA87100XR 92
CCA87111 91
CCA87112 90
CCA87131 90
CCA87132 90
CCA87200 93
CCA87200XR 91
CCA87300 93
CCA87300XR 91
CCA87400 93
CCA87400XR 91
CCA87600 93
CCA87600XR 92
CCA89100 91
CCA89300 90
CCA9100 91
CCA9100SL 91
CCA9300 90
CCM1419 70
CCM1424 88
CCM1465 71
CCM1475 71
CCM1485 71
CCM1495 71
CCM1842 73
CCM1843SL 73
CCM1844 73
CCM200 75
CCM200XC 74
CCM200XN 74
CCM203 71
CCM204 72
CCM2800 75
CCM2800XC 73
CCM2800XE 73
CCM2800XK 73
CCM2800XN 73
CCM2800XR 73
CCM2801 70
CCM2802 72
CCM2803 73
CCM2804 74
CCM2804XC 73
CCM2804XE 73
CCM2804XK 73
CCM2804XN 73
CCM2804XR 73
CCM2806 74
CCM2806XC 73
CCM2806XE 73
CCM2806XK 73
CCM2806XN 73
CCM2806XR 73
CCM2812 75
CCM2812XC 73
CCM2812XE 73
CCM2812XK 73
CCM2812XN 73
CCM2812XR 73
CCM300 75
CCM300XC 74
CCM300XN 74
CCM301CAL 87
CCM301CALXC 84
CCM301CALXE 84
CCM301CALXN 84
CCM301CALXR 84
CCM301CAR 87
CCM301CARXC 84
CCM301CARXE 84
CCM301CARXN 84
CCM301CARXR 84
CCM302 72
CCM302L 86
CCM302LXC 83
CCM302LXE 83
CCM302LXN 83
CCM302LXR 83
CCM302R 86
CCM302RXC 83
CCM302RXE 83
CCM302RXN 83
CCM302RXR 83

CCM303 ... 71
CCM303L ... 87
CCM303LXC ... 84
CCM303LXE ... 84
CCM303LXN ... 84
CCM303LXR ... 84
CCM303R ... 87
CCM303RXC ... 84
CCM303RXE ... 84
CCM303RXN ... 84
CCM303RXR ... 84
CCM304L ... 86
CCM304LXC ... 84
CCM304LXE ... 84
CCM304LXN ... 84
CCM304LXR ... 84
CCM304R ... 86
CCM304RXC ... 84
CCM304RXE ... 84
CCM304RXN ... 84
CCM304RXR ... 84
CCM305CAL ... 87
CCM305CALXC ... 85
CCM305CALXE ... 85
CCM305CALXN ... 85
CCM305CALXR ... 85
CCM305CAR ... 87
CCM305CARXC ... 85
CCM305CARXE ... 85
CCM305CARXN ... 85
CCM305CARXR ... 85
CCM306CAL ... 87
CCM306CALXC ... 85
CCM306CALXE ... 85
CCM306CALXN ... 85
CCM306CALXR ... 85
CCM306CAR ... 87
CCM306CARXC ... 85
CCM306CARXE ... 85
CCM306CARXN ... 85
CCM306CARXR ... 85
CCM3300SL ... 75
CCM3302SL ... 72
CCM3303SL ... 72
CCM60 ... 101
CCM600 ... 89
CCM600XE ... 88
CCM603 ... 88
CCM612 ... 88
CCM805027 ... 71
CCM81418 ... 70
CCM81519 ... 71
CCM82800 ... 75
CCM82800XC ... 73
CCM82800XE ... 73
CCM82800XK ... 73
CCM82800XN ... 73
CCM82800XR ... 73
CCM82801 ... 70
CCM82802 ... 72
CCM82803 ... 73
CCM82804 ... 74
CCM82804XC ... 73
CCM82804XE ... 73
CCM82804XK ... 73
CCM82804XN ... 73
CCM82804XR ... 73
CCM82806 ... 74
CCM82806XC ... 73
CCM82806XE ... 73
CCM82806XK ... 73
CCM82806XN ... 73
CCM82806XR ... 73
CCM82815 ... 75
CCM82815XC ... 73
CCM82815XE ... 73
CCM82815XK ... 73
CCM82815XN ... 73
CCM82815XR ... 73
CCM8301CAL ... 87
CCM8301CALXC ... 84
CCM8301CALXE ... 84
CCM8301CALXN ... 84
CCM8301CALXR ... 84
CCM8301CAR ... 87
CCM8301CARXC ... 84
CCM8301CARXE ... 84
CCM8301CARXN ... 84
CCM8301CARXR ... 84
CCM8302L ... 86
CCM8302LXC ... 83
CCM8302LXE ... 83
CCM8302LXN ... 83
CCM8302LXR ... 83
CCM8302R ... 86
CCM8302RXC ... 83
CCM8302RXE ... 83
CCM8302RXN ... 83
CCM8302RXR ... 83
CCM8303L ... 87
CCM8303LXC ... 84
CCM8303LXE ... 84
CCM8303LXN ... 84
CCM8303LXR ... 84
CCM8303R ... 87
CCM8303RXC ... 84
CCM8303RXE ... 84
CCM8303RXN ... 84
CCM8303RXR ... 84
CCM8304L ... 87
CCM8304LXC ... 84
CCM8304LXE ... 84
CCM8304LXN ... 84
CCM8304LXR ... 84
CCM8304R ... 87
CCM8304RXC ... 84
CCM8304RXE ... 84
CCM8304RXN ... 84
CCM8304RXR ... 84
CCM8305CAL ... 87
CCM8305CALXC ... 85
CCM8305CALXE ... 85
CCM8305CALXN ... 85
CCM8305CALXR ... 85
CCM8305CAR ... 87
CCM8305CARXC ... 85
CCM8305CARXE ... 85
CCM8305CARXN ... 85
CCM8305CARXR ... 85
CCM8306CAL ... 87
CCM8306CALXC ... 85
CCM8306CALXE ... 85
CCM8306CALXN ... 85
CCM8306CALXR ... 85
CCM8306CAR ... 87
CCM8306CARXC ... 85
CCM8306CARXE ... 85
CCM8306CARXN ... 85
CCM8306CARXR ... 85
CCM890 ... 100
CCM892 ... 71
CCM9923 ... 70
CCM9926 ... 88
CCR040 ... 101
CCR04020 ... 85
CCR04020XC ... 83
CCR04020XN ... 83
CCR04022 ... 81
CCR04023 ... 80
CCR04027 ... 77
CCR04037 ... 77
CCR100 ... 100
CCR10022 ... 63
CCR100R ... 100
CCR1414 ... 76
CCR1415 ... 76
CCR1417 ... 76
CCR1423 ... 62
CCR1423SL ... 62
CCR1423SL ... 70
CCR1511 ... 79
CCR1511A ... 79
CCR1512 ... 79
CCR1512A ... 79
CCR1514 ... 79
CCR1515 ... 79
CCR1516 ... 78
CCR1518 ... 78
CCR1528 ... 63
CCR1838 ... 82
CCR1839 ... 82
CCR1841 ... 81
CCR1851 ... 64
CCR1851SL ... 64
CCR1851SL ... 73
CCR200 ... 101
CCR20020 ... 85
CCR20020XC ... 83
CCR20020XN ... 83
CCR20022 ... 81
CCR20023 ... 80
CCR20027 ... 77
CCR20037 ... 78
CCR20037A ... 78
CCR200A ... 100
CCR2025SL ... 69
CCR2025SL ... 75
CCR2025XCSL ... 74
CCR2025XESL ... 74
CCR2025XHSL ... 101
CCR2025XJSL ... 74
CCR2025XKSL ... 74
CCR2025XNSL ... 74
CCR2025XRSL ... 74
CCR205 ... 101
CCR20520 ... 85
CCR20520XC ... 83
CCR20520XN ... 83
CCR20522 ... 81
CCR20523 ... 80
CCR20527 ... 77
CCR20537 ... 78
CCR20537A ... 78
CCR205A ... 100
CCR30020 ... 69
CCR30023 ... 63
CCR30027 ... 62
CCR30028 ... 63
CCR3400SL ... 69
CCR3400SL ... 75
CCR3400XCSL ... 74
CCR3400XESL ... 74
CCR3400XHSL ... 63
CCR3400XHSL ... 71
CCR3400XJSL ... 74
CCR3400XKSL ... 74
CCR3400XNSL ... 62
CCR3400XNSL ... 71
CCR3400XNSL ... 74
CCR3400XRSL ... 74
CCR3407SL ... 63
CCR3407SL ... 72
CCR3408SL ... 63
CCR3408SL ... 73
CCR3412SL ... 63
CCR3412SL ... 72
CCR8000SL ... 75
CCR8000XCSL ... 74
CCR8000XESL ... 74
CCR8000XHSL ... 71
CCR8000XJSL ... 74
CCR8000XKSL ... 74
CCR8000XNSL ... 71
CCR8000XNSL ... 74
CCR8000XRSL ... 74
CCR8005 ... 100
CCR8005A ... 100
CCR8007SL ... 72
CCR8008SL ... 73
CCR8040 ... 101
CCR804020 ... 85
CCR804020XC ... 83
CCR804020XN ... 83
CCR804022 ... 81
CCR804023 ... 80
CCR804027 ... 77
CCR804028 ... 79
CCR804030 ... 85
CCR804030XC ... 83
CCR804030XN ... 83
CCR804032 ... 81
CCR804037 ... 77
CCR8100 ... 100
CCR8100R ... 100
CCR8102SL ... 72
CCR81414 ... 76
CCR81415 ... 76
CCR81417 ... 76
CCR81423SL ... 70
CCR81511 ... 79
CCR81511A ... 79
CCR81512 ... 79
CCR81512A ... 79
CCR81514 ... 79
CCR81515 ... 79
CCR81516 ... 78
CCR81518 ... 78
CCR81838 ... 82
CCR81839 ... 82
CCR81841 ... 81
CCR81845 ... 82
CCR81845A ... 82
CCR81846 ... 82
CCR81846A ... 82
CCR81847 ... 82
CCR81851SL ... 73
CCR8200 ... 101
CCR820020 ... 85
CCR820020XC ... 83
CCR820020XN ... 83
CCR820022 ... 81
CCR820023 ... 80
CCR820027 ... 77
CCR820028 ... 80
CCR820030 ... 85
CCR820030A ... 86
CCR820030XC ... 83
CCR820030XN ... 83
CCR820032 ... 81
CCR820032A ... 81
CCR820037 ... 78
CCR820037A ... 78
CCR8200A ... 100
CCR82035SL ... 75
CCR82035XCSL ... 74
CCR82035XESL ... 74
CCR82035XHSL ... 101
CCR82035XJSL ... 74
CCR82035XKSL ... 74
CCR82035XNSL ... 74
CCR82035XRSL ... 74
CCR8205 ... 101
CCR820520 ... 85
CCR820520XC ... 83
CCR820520XN ... 83
CCR820523 ... 80
CCR820527 ... 77
CCR820528 ... 79
CCR820530 ... 85
CCR820530A ... 86
CCR820530AXC ... 83
CCR820530AXN ... 83
CCR820530XC ... 83
CCR820530XN ... 83
CCR820532 ... 81
CCR820532A ... 81
CCR820537 ... 78
CCR820537A ... 78
CCR8205A ... 100
CCR8222 ... 100
CCR822214 ... 77
CCR822215 ... 79
CCR822218 ... 76
CCR822220 ... 85
CCR822220XC ... 83
CCR822220XN ... 83
CCR822222 ... 81
CCR822223 ... 80
CCR822227 ... 77
CCR822228 ... 80
CCR822238 ... 82
CCR8225 ... 100
CCR89918 ... 76
CCR89919 ... 76
CCR89921 ... 76
CCR89925SL ... 70
CCR9918 ... 76
CCR9919 ... 76
CCR9921 ... 76
CCR9925 ... 62
CCR9925SL ... 62
CCR9925SL ... 70
CCV050 ... 101
CCV05020 ... 75
CCV05020XC ... 74
CCV05020XN ... 74
CCV05022 ... 72
CCV05023 ... 72
CCV05027 ... 71
CCV05028 ... 73
CCV060 ... 101
CCV06020 ... 89
CCV06020XE ... 88
CCV06022 ... 88
CCV06023 ... 88
CCV06028 ... 88
CCV10020 ... 69
CCV10022 ... 63
CCV10023 ... 63
CCV10027 ... 62
CCV10028 ... 63
CCV100SL ... 69
CCV100SL ... 75
CCV100SL ... 95
CCV100XCSL ... 74
CCV100XCSL ... 93
CCV100XESL ... 74
CCV100XESL ... 93
CCV100XHSL ... 63
CCV100XHSL ... 71
CCV100XJSL ... 74
CCV100XJSL ... 93
CCV100XNSL ... 62
CCV100XNSL ... 71
CCV100XNSL ... 74
CCV100XNSL ... 93
CCV100XRSL ... 74
CCV100XRSL ... 93
CCV103SL ... 63
CCV103SL ... 72
CCV108SL ... 63
CCV108SL ... 73
CCV1414 ... 77
CCV1415 ... 77
CCV1418 ... 70
CCV1423 ... 62
CCV1423SL ... 62
CCV1423SL ... 70
CCV1423SL ... 91
CCV1424 ... 88
CCV1512 ... 79
CCV1515 ... 79
CCV1516 ... 79
CCV1519 ... 71
CCV1528 ... 63
CCV1838 ... 82
CCV1839 ... 82
CCV1843 ... 73
CCV1851 ... 64
CCV1851SL ... 64
CCV1851SL ... 73
CCV200 ... 101
CCV205 ... 101
CCV20520 ... 86
CCV20520XC ... 83
CCV20520XN ... 83
CCV20522 ... 81
CCV20523 ... 80
CCV20527 ... 78
CCV20537 ... 78
CCV220 ... 101
CCV22020 ... 86
CCV22020XC ... 83
CCV22020XN ... 83
CCV22022 ... 81
CCV22023 ... 80
CCV22027 ... 78
CCV3412SL ... 63
CCV3412SL ... 72
CCV4100 ... 91
CCV4100SL ... 91
CCV4300 ... 91
CCV805020 ... 75
CCV805022 ... 72
CCV805023 ... 72
CCV805027 ... 71
CCV805028 ... 73
CCV8100SL ... 75
CCV8100SL ... 95
CCV8100XCSL ... 74
CCV8100XCSL ... 93
CCV8100XHSL ... 71
CCV8100XJSL ... 74
CCV8100XJSL ... 93
CCV8100XNSL ... 71
CCV8100XNSL ... 74
CCV8100XNSL ... 93
CCV8100XRSL ... 74
CCV8100XRSL ... 93
CCV8102SL ... 72
CCV8103SL ... 72
CCV8108SL ... 73
CCV8111SL ... 70
CCV81414 ... 77
CCV81415 ... 77
CCV81418 ... 70
CCV81423SL ... 70
CCV81512 ... 79
CCV81515 ... 79
CCV81516 ... 79
CCV81519 ... 71
CCV81838 ... 82
CCV81839 ... 82
CCV81843 ... 73
CCV81846 ... 82
CCV81851SL ... 73
CCV8205 ... 101
CCV820520 ... 86
CCV820520XC ... 83
CCV820520XN ... 83
CCV820522 ... 81
CCV820523 ... 80
CCV820527 ... 78
CCV820528 ... 80
CCV820530 ... 86
CCV820530XC ... 83
CCV820530XN ... 83
CCV820532 ... 81
CCV820537 ... 78
CCV8220 ... 101
CCV822020 ... 86
CCV822020XC ... 83
CCV822020XN ... 83
CCV822022 ... 81
CCV822023 ... 80
CCV822027 ... 78
CCV822028 ... 80
CCV831 ... 101
CCV8950SL ... 75
CCV8950SL ... 95
CCV8950XCSL ... 74
CCV8950XCSL ... 93
CCV8950XHSL ... 101
CCV8950XJSL ... 74
CCV8950XJSL ... 93
CCV8950XNSL ... 74
CCV8950XNSL ... 93
CCV8950XRSL ... 74
CCV8950XRSL ... 93
CCV89918 ... 76
CCV89919 ... 76
CCV89922 ... 70
CCV9010SL ... 95
CCV9011SL ... 90
CCV9020SL ... 95
CCV910 ... 94
CCV910XC ... 93
CCV910XCSL ... 93
CCV910XJ ... 93
CCV910XJSL ... 93
CCV910XN ... 93
CCV910XNSL ... 93
CCV910XR ... 93
CCV910XRSL ... 93
CCV911 ... 90
CCV911SL ... 62
CCV911SL ... 70
CCV911SL ... 90
CCV920 ... 94
CCV920XC ... 92
CCV920XCSL ... 93
CCV920XJ ... 92
CCV920XJSL ... 93
CCV920XN ... 92
CCV920XNSL ... 93
CCV920XR ... 92
CCV920XRSL ... 93
CCV930 ... 94
CCV930XC ... 92
CCV930XJ ... 92
CCV930XN ... 92
CCV930XR ... 92

 Continues on next page.

Fiber-Classic® & Smooth-Star®

CCV931 ... 90
CCV940 ... 94
CCV940XC ... 92
CCV940XJ ... 92
CCV940XN ... 92
CCV940XR ... 92
CCV950SL ... 69
CCV950SL ... 75
CCV950SL ... 95
CCV950XCSL ... 74
CCV950XCSL ... 93
CCV950XESL ... 74
CCV950XESL ... 93
CCV950XHSL ... 101
CCV950XJSL ... 74
CCV950XJSL ... 93
CCV950XNSL ... 74
CCV950XNSL ... 93
CCV950XRSL ... 74
CCV950XRSL ... 93
CCV960 ... 94
CCV960XC ... 92
CCV960XJ ... 92
CCV960XN ... 92
CCV960XR ... 92
CCV9918 ... 76
CCV9919 ... 76
CCV9922 ... 70
CCV9925 ... 62
CCV9926 ... 88
CCW1000 ... 98
CCW81000 ... 98
CCW8900L ... 98
CCW8900R ... 98
CCW8901L ... 98
CCW8901R ... 98
CCW8902L ... 98
CCW8902R ... 99
CCW8903 ... 99
CCW8904L ... 99
CCW8904R ... 99
CCW8905 ... 99
CCW8906L ... 99
CCW8906R ... 99
CCW8907L ... 99
CCW8907R ... 99
CCW900L ... 98
CCW900R ... 98
CCW901L ... 98
CCW901R ... 98
CCW902L ... 98
CCW902R ... 99
CCW903 ... 99
CCW904L ... 99
CCW904R ... 99
CCW905 ... 99
CCW906L ... 99
CCW906R ... 99
CCW907L ... 99
CCW907R ... 99
DRS2131SL ... 99
DRS82131SL ... 99
HW30T ... 102
HWRT ... 102
LC30T ... 102
LCET ... 102
LCRT ... 102
LF30T ... 102
LFET ... 102
LFRT ... 102
ZHRT ... 102
1000 ... 207
1283 ... 158
1284 ... 155
1285 ... 155
1286 ... 153
1289 ... 156
2000 ... 130
2009 ... 127
2010 ... 127
2050 ... 127
8000 ... 130
81000 ... 207
81200 ... 158
81208 ... 155
81225 ... 153
81828 ... 155
12101SL ... 158
12101XCSL ... 152
12101XESL ... 152
12101XJSL ... 152
12101XKSL ... 152
12101XNSL ... 152
12101XRSL ... 152
12102SL ... 155
12102XCSL ... 151
12102XESL ... 151
12102XJSL ... 151
12102XKSL ... 151
12102XNSL ... 151
12102XRSL ... 151
1283XC ... 152
1283XE ... 152
1283XJ ... 152
1283XK ... 152
1283XN ... 152
1283XR ... 152
1284XC ... 150
1284XE ... 150
1284XJ ... 150
1284XK ... 150
1284XN ... 150
1284XR ... 150
1285XC ... 150
1285XE ... 150
1285XJ ... 150
1285XK ... 150
1285XN ... 150
1285XR ... 150
1286SL ... 153
18101SL ... 140
19020T ... 209
19055T ... 209
19200T ... 209
19210T ... 209
19220T ... 209
19520T ... 209
1964P ... 167
19720T ... 209
19730T ... 209
19740T ... 209
19750T ... 209
2000SL ... 130
2000XC ... 126
2000XCSL ... 126
2000XE ... 126
2000XESL ... 126
2000XJ ... 126
2000XJSL ... 126
2000XK ... 126
2000XKSL ... 126
2000XN ... 126
2000XNSL ... 126
2000XR ... 126
2000XRSL ... 126
2009SL ... 127
2010XC ... 124
2010XE ... 124
2010XJ ... 124
2010XK ... 124
2010XN ... 124
2010XR ... 124
2050SL ... 127
2050XC ... 124
2050XCSL ... 124
2050XE ... 124
2050XESL ... 124
2050XJ ... 124
2050XJSL ... 124
2050XK ... 124
2050XKSL ... 124
2050XN ... 124
2050XNSL ... 124
2050XR ... 124
2050XRSL ... 124
8000-12 ... 127
8000-18 ... 127
8000-9 ... 127
8000XC ... 126
8000XE ... 126
8000XJ ... 126
8000XK ... 126
8000XN ... 126
8000XR ... 126
81200P ... 158
81200PSL ... 158
81200PXC ... 152
81200PXCSL ... 152
81200PXE ... 152
81200PXESL ... 152
81200PXJ ... 152
81200PXJSL ... 152
81200PXK ... 152
81200PXKSL ... 152
81200PXN ... 152
81200PXNSL ... 152
81200PXR ... 152
81200PXRSL ... 152
81200SL ... 158
81200XC ... 152
81200XCSL ... 152
81200XE ... 152
81200XESL ... 152
81200XJ ... 152
81200XJSL ... 152
81200XK ... 152
81200XKSL ... 152
81200XN ... 152
81200XNSL ... 152
81200XR ... 152
81200XRSL ... 152
81208P ... 155
81208PSL ... 155
81208SL ... 155
81225P ... 152
81225PSL ... 153
81225SL ... 153
81800P ... 140
81800PSL ... 140
81800SL ... 140
81900PSL ... 169
81918P ... 139
81918PSL ... 139
81918SL ... 139
81919P ... 141
81919PSL ... 141
81919SL ... 141
81921P ... 143
81921PSL ... 144
81921SL ... 144
81928P ... 145
81928PSL ... 145
81928SL ... 145
81929P ... 192
81929PSL ... 192
81929PXC ... 187
81929PXCSL ... 187
81929PXE ... 187
81929PXESL ... 187
81929PXJ ... 187
81929PXJSL ... 187
81929PXK ... 187
81929PXKSL ... 187
81929PXN ... 187
81929PXNSL ... 187
81929PXR ... 187
81929PXRSL ... 187
81933P ... 175
81933PSL ... 175
81935P ... 176
81935PSL ... 176
81936P ... 176
81936PSL ... 176
81937P ... 177
81937PSL ... 177
81938P ... 179
81938PSL ... 179
81939P ... 178
81939PSL ... 178
81940P ... 179
81940PSL ... 179
81941P ... 180
81941PSL ... 180
81942P ... 182
81942PSL ... 182
81943P ... 171
81943PSL ... 171
81943PXC ... 167
81943PXCSL ... 167
81943PXE ... 167
81943PXESL ... 167
81943PXJ ... 167
81943PXJSL ... 167
81943PXK ... 167
81943PXKSL ... 167
81943PXN ... 167
81943PXNSL ... 167
81943PXR ... 167
81943PXRSL ... 167
81944P ... 169
81944PSL ... 169
81945P ... 169
81945PXC ... 166
81945PXE ... 166
81945PXJ ... 166
81945PXK ... 166
81945PXN ... 166
81945PXR ... 166
81946P ... 169
81946PSL ... 169
81946PXC ... 166
81946PXCSL ... 166
81946PXE ... 166
81946PXESL ... 166
81946PXJ ... 166
81946PXJSL ... 166
81946PXK ... 166
81946PXKSL ... 166
81946PXN ... 166
81946PXNSL ... 166
81946PXR ... 166
81946PXRSL ... 166
81947PSL ... 169
81949PSL ... 169
81952P ... 159
81952PSL ... 159
81953P ... 159
81953PSL ... 160
81954P ... 160
81954PSL ... 160
81955P ... 160
81955PSL ... 160
81956P ... 161
81956PSL ... 161
81957P ... 161
81957PSL ... 161
81958P ... 162
81958PSL ... 162
81959P ... 162
81959PSL ... 162
81960P ... 163
81960PSL ... 163
81961P ... 163
81961PSL ... 164
81964P ... 167
81964PSL ... 167
81968P ... 140
81968PSL ... 141
81968SL ... 141
81971P ... 192
81971PXC ... 187
81971PXE ... 187
81971PXJ ... 187
81971PXK ... 187
81971PXN ... 187
81971PXR ... 187
81975P ... 175
81977P ... 176
81978P ... 176
81980P ... 177
81981P ... 179
81982P ... 178
81983P ... 179
81984P ... 180
81985P ... 182
81986PSL ... 142
81986SL ... 142
85901SL ... 162
85919SL ... 180
AXRT ... 209
BSRT ... 209
CNRT ... 209
CX30T ... 209
CXRT ... 209
DRS2131SL ... 158
DRS82131SL ... 158
EC30T ... 209
ECRT ... 209
FC10 ... 158
FC100 ... 140
FC1006 ... 142
FC100SL ... 141
FC101 ... 176
FC101SL ... 176
FC1029 ... 143
FC104 ... 143
FC104SL ... 144
FC104XC ... 187
FC104XE ... 187
FC104XJ ... 187
FC104XK ... 187
FC104XN ... 187
FC104XR ... 187
FC105 ... 180
FC105SL ... 180
FC108 ... 139
FC1089 ... 168
FC1089SL ... 169
FC108SL ... 139
FC109 ... 175
FC109SL ... 175
FC10XC ... 152
FC10XE ... 152
FC10XJ ... 152
FC10XK ... 152
FC10XN ... 152
FC10XR ... 152
FC113 ... 141
FC113SL ... 141
FC114 ... 177
FC114SL ... 177
FC115 ... 160
FC115SL ... 160
FC116 ... 188
FC1200 ... 155
FC1200SL ... 155
FC1201 ... 154
FC1201SL ... 155
FC1202 ... 154
FC1202SL ... 155
FC1203 ... 155
FC1204 ... 127
FC1204SL ... 127
FC1205 ... 127
FC1205SL ... 127
FC1205XC ... 124
FC1205XE ... 124
FC1205XJ ... 124
FC1205XK ... 124
FC1205XN ... 124
FC1205XR ... 124
FC1206 ... 127
FC1206SL ... 127
FC1207 ... 127
FC1207XC ... 124
FC1207XE ... 124
FC1207XJ ... 124
FC1207XK ... 124
FC1207XN ... 124
FC1207XR ... 124
FC1208 ... 155
FC1208SL ... 155
FC1209 ... 154
FC1209SL ... 155
FC1211 ... 154
FC1211SL ... 155
FC1212 ... 155
FC1289SL ... 156
FC131 ... 160
FC131SL ... 160
FC138 ... 155
FC138XC ... 150
FC138XE ... 150
FC138XJ ... 150
FC138XK ... 150
FC138XN ... 150
FC138XR ... 150
FC1400 ... 169
FC1400SL ... 169
FC1402 ... 169
FC1404 ... 198
FC1408 ... 190
FC1408SL ... 190
FC141 ... 152
FC141SL ... 153
FC142 ... 143
FC142SL ... 143
FC143 ... 162
FC143SL ... 162
FC144 ... 179
FC1442SL ... 164
FC147 ... 162
FC147SL ... 162
FC148 ... 146
FC148SL ... 146
FC149 ... 182
FC149SL ... 182
FC151 ... 173
FC156 ... 163
FC16 ... 140
FC160 ... 174
FC163 ... 172
FC164 ... 172
FC1645 ... 204
FC1646 ... 164
FC1646SL ... 164
FC1647 ... 164
FC1651 ... 147
FC1651SL ... 147
FC1652 ... 147
FC1652SL ... 147
FC1654 ... 184
FC1655 ... 197
FC1656SL ... 184
FC18 ... 155
FC18SL ... 155
FC18XC ... 150
FC18XCSL ... 151
FC18XE ... 150
FC18XESL ... 151
FC18XJ ... 150
FC18XJSL ... 151
FC18XK ... 150
FC18XKSL ... 151
FC18XN ... 150
FC18XNSL ... 151
FC18XR ... 150
FC18XRSL ... 151
FC198 ... 156
FC198SL ... 156
FC20042 ... 163
FC2101 ... 168
FC2101SL ... 169
FC2102 ... 169
FC2106 ... 168
FC2107 ... 168
FC2108 ... 168
FC2213 ... 149
FC2213SL ... 149
FC2223 ... 148
FC2223SL ... 148
FC2233 ... 149
FC2233SL ... 150
FC23 ... 204
FC2382 ... 149
FC2382SL ... 149
FC2385 ... 149
FC2385SL ... 150
FC2389 ... 148
FC2389SL ... 148
FC241 ... 140
FC31 ... 206
FC310 ... 139
FC32 ... 171
FC32SL ... 171
FC32XC ... 167

FC32XCSL 167
FC32XE 167
FC32XESL 167
FC32XJ 167
FC32XJSL 167
FC32XK 167
FC32XKSL 167
FC32XN 167
FC32XNSL 167
FC32XR 167
FC32XRSL 167
FC3487SL 190
FC3487XCSL 186
FC3487XESL 186
FC3487XJSL 186
FC3487XKSL 186
FC3487XNSL 186
FC3487XRSL 186
FC369 141
FC38 159
FC386 185
FC387SL 185
FC389 165
FC38SL 160
FC393 197
FC4521 165
FC4521SL 165
FC4525 165
FC4525SL 165
FC46SL 140
FC476 165
FC47SL 158
FC47XCSL 152
FC47XESL 152
FC47XJSL 152
FC47XKSL 152
FC47XNSL 152
FC47XRSL 152
FC48SL 192
FC48XCSL 187
FC48XESL 187
FC48XJSL 187
FC48XKSL 187
FC48XNSL 187
FC48XRSL 187
FC507 196
FC529 163
FC5425 167
FC5425SL 167
FC543 163
FC545SL 163
FC549 196
FC5700 127
FC5700SL 128
FC5700XC 124
FC5700XCSL 125
FC5700XE 124
FC5700XESL 125
FC5700XJ 124
FC5700XJSL 125
FC5700XK 124
FC5700XKSL 125
FC5700XN 124
FC5700XNSL 125
FC5700XR 124
FC5700XRSL 125
FC571 144
FC5710 127
FC5710SL 128
FC5710XC 124
FC5710XCSL 125
FC5710XE 124
FC5710XESL 125
FC5710XJ 124
FC5710XJSL 125
FC5710XK 124
FC5710XKSL 125
FC5710XN 124
FC5710XNSL 125
FC5710XR 124
FC5710XRSL 125
FC5720 128
FC5720SL 128
FC5720XC 124
FC5720XCSL 125
FC5720XE 124
FC5720XESL 125
FC5720XJ 124
FC5720XJSL 125
FC5720XK 124
FC5720XKSL 125
FC5720XN 124
FC5720XNSL 125
FC5720XR 124
FC5720XRSL 125
FC572SL 144
FC573SL 144
FC574 144
FC581 181
FC583SL 181
FC60 206
FC6093 142
FC6094 143
FC6095 145
FC61 205
FC61XC 205
FC61XE 205
FC61XJ 205
FC61XK 205
FC61XN 205
FC61XR 205
FC62 192
FC626 146
FC62XC 187
FC62XE 187
FC62XJ 187
FC62XK 187
FC62XN 187
FC62XR 187
FC63SL 190
FC63XCSL 186
FC63XESL 186
FC63XJSL 186
FC63XKSL 186
FC63XNSL 186
FC63XRSL 186
FC65 189
FC6500 146
FC6500SL 146
FC6534 197
FC6550 146
FC6550SL 146
FC6560 183
FC6565SL 183
FC6570 204
FC6576 174
FC6577 174
FC6580 164
FC6580SL 164
FC6582 164
FC65XC 186
FC65XE 186
FC65XJ 186
FC65XK 186
FC65XN 186
FC65XR 186
FC668 140
FC670 192
FC678 188
FC678SL 188
FC685L 128
FC685LXC 124
FC685LXE 124
FC685LXJ 124
FC685LXK 124
FC685LXN 124
FC685LXR 124
FC685R 128
FC685RXC 124
FC685RXE 124
FC685RXJ 124
FC685RXK 124
FC685RXN 124
FC685RXR 124
FC691 128
FC691XC 124
FC691XE 124
FC691XJ 124
FC691XK 124
FC691XN 124
FC691XR 124
FC704 203
FC707 202
FC708 203
FC709 173
FC710 174
FC7125SL 190
FC713 172
FC714 172
FC721 202
FC735 203
FC736 202
FC745 203
FC752 203
FC755 206
FC765 159
FC765SL 159
FC766 171
FC766XC 167
FC766XE 167
FC766XJ 167
FC766XK 167
FC766XN 167
FC766XR 167
FC770 159
FC772 159
FC773 160
FC775 160
FC776 161
FC777 161
FC778 162
FC779 162
FC780 163
FC789 174
FC794 172
FC796 172
FC797 173
FC798 173
FC803 204
FC808SL 139
FC809 206
FC80920 198
FC809203 198
FC809203XC 197
FC809203XE 197
FC809203XJ 197
FC809203XK 197
FC809203XN 197
FC809203XR 197
FC80920XC 198
FC80920XE 198
FC80920XJ 198
FC80920XK 198
FC80920XN 198
FC80920XR 198
FC80942 196
FC80943 195
FC80947 196
FC80949 196
FC80952 195
FC80953 195
FC80954 196
FC80955 195
FC809SL 145
FC812SL 142
FC813SL 146
FC814 140
FC8141 198
FC8144 190
FC8145 190
FC8145SL 190
FC8149 182
FC814SL 141
FC815SL 142
FC816 139
FC81645 204
FC81646 164
FC81646SL 164
FC81649 197
FC81651 147
FC81651SL 147
FC81652 147
FC81652SL 147
FC81653 184
FC81654 184
FC81654SL 184
FC816SL 141
FC817 141
FC817SL 143
FC818SL 144
FC82 168
FC820 145
FC821 143
FC822 140
FC82213 149
FC82213SL 149
FC82223 148
FC82223SL 148
FC82233 149
FC82233SL 150
FC82382 149
FC82382SL 149
FC82385 149
FC82385SL 150
FC82389 148
FC82389SL 148
FC828 155
FC82XC 166
FC82XE 166
FC82XJ 166
FC82XK 166
FC82XN 166
FC82XR 166
FC8310 169
FC8310SL 169
FC8311 168
FC8311SL 169
FC8313 168
FC8313SL 169
FC8316 169
FC8318 190
FC8319 190
FC832 190
FC8320 190
FC8321 189
FC8321XC 186
FC8321XE 186
FC8321XJ 186
FC8321XK 186
FC8321XN 186
FC8321XR 186
FC8322 189
FC8323 189
FC8324 189
FC832XC 186
FC832XE 186
FC832XJ 186
FC832XK 186
FC832XN 186
FC832XR 186
FC8386 185
FC8386SL 185
FC8390 197
FC8392 185
FC84521 165
FC84521SL 165
FC84525 165
FC84525SL 165
FC84527 166
FC84527SL 166
FC8489 185
FC8498 185
FC8498SL 185
FC8529 163
FC8545SL 163
FC85700 127
FC85700XC 124
FC85700XE 124
FC85700XJ 124
FC85700XK 124
FC85700XN 124
FC85700XR 124
FC8571 144
FC85710 127
FC85710XC 124
FC85710XE 124
FC85710XJ 124
FC85710XK 124
FC85710XN 124
FC85710XR 124
FC85720 128
FC85720XC 124
FC85720XE 124
FC85720XJ 124
FC85720XK 124
FC85720XN 124
FC85720XR 124
FC8572SL 144
FC8573SL 144
FC8574 144
FC8579 181
FC8581 181
FC8583SL 181
FC860 206
FC861 205
FC861XC 205
FC861XE 205
FC861XJ 205
FC861XK 205
FC861XN 205
FC861XR 205
FC862 206
FC86220 198
FC862203 198
FC862203XC 197
FC862203XE 197
FC862203XJ 197
FC862203XK 197
FC862203XN 197
FC862203XR 197
FC86220XC 198
FC86220XE 198
FC86220XJ 198
FC86220XK 198
FC86220XN 198
FC86220XR 198
FC86242 196
FC86243 195
FC86247 196
FC86249 196
FC86252 195
FC86253 195
FC86254 196
FC86255 195
FC86500 146
FC86500SL 146
FC86533 197
FC86536 183
FC86550 146
FC86550SL 146
FC86560 183
FC86560SL 183
FC86570 204
FC86580 164
FC86580SL 164
FC8675SL 190
FC8678 188
FC8678SL 188
FC8685L 128
FC8685LXC 124
FC8685LXE 124
FC8685LXJ 124
FC8685LXK 124
FC8685LXN 124
FC8685LXR 124
FC8685R 128
FC8685RXC 124
FC8685RXE 124
FC8685RXJ 124
FC8685RXK 124
FC8685RXN 124
FC8685RXR 124
FC8691 128
FC8691XC 124
FC8691XE 124
FC8691XJ 124
FC8691XK 124
FC8691XN 124
FC8691XR 124
FC8704 203
FC8707 202
FC8708 203
FC8721 202
FC8735 203
FC8736 202
FC8745 203
FC8752 203
FC8867SL 182
FC89701 182
FC8971 188
FC8972 198
FC900 142
FC900SL 142
FC901 178
FC901SL 178
FC902 161
FC902SL 161
FC905 142
FC905SL 142
FC906 179
FC906SL 179
FC907 161
FC907SL 161
FC910 145
FC910SL 145
FC911 182
FC911SL 182
FC912 163
FC912SL 163
FC915 173
FC916 173
FC917 204
FC92 169
FC925 198
FC92SL 169
FC92XC 166
FC92XCSL 166
FC92XE 166
FC92XESL 166
FC92XJ 166
FC92XJSL 166
FC92XK 166
FC92XKSL 166
FC92XN 166
FC92XNSL 166
FC92XR 166
FC92XRSL 166
FCM10 158
FCM100 140
FCM1000 206
FCM1006 142
FCM101 176
FCM101SL 176
FCM1029 143
FCM104 143
FCM104XC 187
FCM104XE 187
FCM104XJ 187
FCM104XK 187
FCM104XN 187
FCM104XR 187
FCM105 180
FCM105SL 180
FCM106 172
FCM108 139
FCM1089SL 168
FCM109 175
FCM109SL 175
FCM10XC 151
FCM10XE 151
FCM10XJ 151
FCM10XK 151
FCM10XN 151
FCM10XR 151
FCM110 172
FCM113 141
FCM114 177
FCM114SL 177
FCM115 160
FCM115SL 160
FCM116 188
FCM1200 153
FCM1200SL 154
FCM1201 153
FCM1201SL 154
FCM1202 153
FCM1202SL 154
FCM1203 153
FCM1204SL 127
FCM1205SL 127
FCM1206SL 127
FCM1208 153
FCM1209 153
FCM12101SL 158
FCM12101XCSL 152
FCM12101XESL 152
FCM12101XJSL 152
FCM12101XKSL 152
FCM12101XNSL 152
FCM12101XRSL 152
FCM12102SL 154
FCM12102XCSL 150

 Continues on next page.

Fiber-Classic® & Smooth-Star® *Continued*

FCM12102XESL 150
FCM12102XJSL 150
FCM12102XKSL 150
FCM12102XNSL 150
FCM12102XRSL 150
FCM1211 153
FCM1212 153
FCM1283 158
FCM1283XC 151
FCM1283XE 151
FCM1283XJ 151
FCM1283XK 151
FCM1283XN 151
FCM1283XR 151
FCM1284 154
FCM1284XC 150
FCM1284XE 150
FCM1284XJ 150
FCM1284XK 150
FCM1284XN 150
FCM1284XR 150
FCM1285 153
FCM1285XC 150
FCM1285XE 150
FCM1285XJ 150
FCM1285XK 150
FCM1285XN 150
FCM1285XR 150
FCM1286 152
FCM1286SL 152
FCM1289 154
FCM1289SL 154
FCM131 160
FCM131SL 160
FCM138 153
FCM138XC 150
FCM138XE 150
FCM138XJ 150
FCM138XK 150
FCM138XN 150
FCM138XR 150
FCM1400SL 168
FCM1402 168
FCM1405 189
FCM1405SL 189
FCM1406 189
FCM1408 189
FCM141 152
FCM142 143
FCM143 162
FCM143SL 162
FCM144 179
FCM1442SL 163
FCM147 162
FCM147SL 162
FCM148 146
FCM149 182
FCM149SL 182
FCM151 173
FCM156 163
FCM16 140
FCM160 174
FCM163 172
FCM164 172
FCM1645 204
FCM1646SL 164
FCM1647 164
FCM1650 200
FCM1651 147
FCM1651SL 147
FCM1652 147
FCM1654 184
FCM1656 184
FCM1656SL 184
FCM1658 184
FCM18 153
FCM18101SL 140
FCM18XC 150
FCM18XE 150
FCM18XJ 150
FCM18XK 150
FCM18XN 150
FCM18XR 150
FCM198 154
FCM2000SL 137
FCM2000XCSL 136
FCM2000XESL 136
FCM2000XJSL 136
FCM2000XKSL 136
FCM2000XNSL 136
FCM2000XRSL 136
FCM2009SL 127
FCM205 206
FCM2050SL 137
FCM2050XCSL 135
FCM2050XESL 135
FCM2050XJSL 135
FCM2050XKSL 135
FCM2050XNSL 135
FCM2050XRSL 135
FCM2101SL 168
FCM2106 168
FCM2107 168
FCM2108 168
FCM220 206
FCM2213 148
FCM2223 148
FCM2233 149
FCM2382 148
FCM2382SL 148
FCM2385 149
FCM2385SL 149
FCM2389 148
FCM2389SL 148
FCM241 140
FCM31 206
FCM310 139
FCM32 170
FCM32SL 170
FCM32XC 167
FCM32XCSL 167
FCM32XE 167
FCM32XESL 167
FCM32XJ 167
FCM32XJSL 167
FCM32XK 167
FCM32XKSL 167
FCM32XN 167
FCM32XNSL 167
FCM32XR 167
FCM32XRSL 167
FCM3487SL 189
FCM3487XCSL 186
FCM3487XESL 186
FCM3487XJSL 186
FCM3487XKSL 186
FCM3487XNSL 186
FCM3487XRSL 186
FCM369 141
FCM38 159
FCM386 184
FCM387 184
FCM387SL 185
FCM389 165
FCM38SL 159
FCM394 185
FCM4521SL 165
FCM4525SL 165
FCM476 165
FCM4810 137
FCM4810SL 137
FCM4810XC 136
FCM4810XCSL 136
FCM4810XE 136
FCM4810XESL 136
FCM4810XJ 136
FCM4810XJSL 136
FCM4810XN 136
FCM4810XNSL 136
FCM4810XR 136
FCM4810XRSL 136
FCM4812 136
FCM4812SL 137
FCM4812XC 135
FCM4812XCSL 136
FCM4812XE 135
FCM4812XESL 136
FCM4812XJ 135
FCM4812XJSL 136
FCM4812XN 135
FCM4812XNSL 136
FCM4812XR 135
FCM4812XRSL 136
FCM4813 136
FCM4813XC 135
FCM4813XE 135
FCM4813XJ 135
FCM4813XN 135
FCM4813XR 135
FCM4814 137
FCM4814XC 135
FCM4814XE 135
FCM4814XJ 135
FCM4814XN 135
FCM4814XR 135
FCM4816 137
FCM4816XC 135
FCM4816XE 135
FCM4816XJ 135
FCM4816XN 135
FCM4816XR 135
FCM508 199
FCM5425 167
FCM5425SL 167
FCM543 162
FCM545SL 162
FCM571 144
FCM572SL 144
FCM574 144
FCM575 181
FCM577 181
FCM581 181
FCM583SL 181
FCM60 206
FCM600 206
FCM601 201
FCM601XC 201
FCM601XE 201
FCM601XJ 201
FCM601XN 201
FCM601XR 201
FCM602 199
FCM6021 192
FCM6021XC 187
FCM6021XE 187
FCM6021XJ 187
FCM6021XK 187
FCM6021XN 187
FCM6021XR 187
FCM6022 189
FCM6022XC 186
FCM6022XE 186
FCM6022XJ 186
FCM6022XK 186
FCM6022XN 186
FCM6022XR 186
FCM6025 176
FCM6026 181
FCM6029 178
FCM6030 180
FCM6031 177
FCM6032 175
FCM6035 188
FCM6036 182
FCM604 199
FCM6041 192
FCM6041XC 187
FCM6041XE 187
FCM6041XJ 187
FCM6041XK 187
FCM6041XN 187
FCM6041XR 187
FCM6042 189
FCM6042XC 186
FCM6042XE 186
FCM6042XJ 186
FCM6042XK 186
FCM6042XN 186
FCM6042XR 186
FCM6045 176
FCM6046 181
FCM6049 178
FCM605 201
FCM6050 180
FCM6051 177
FCM6052 175
FCM6055 188
FCM6056 182
FCM605XC 200
FCM605XE 200
FCM605XJ 200
FCM605XN 200
FCM605XR 200
FCM606 201
FCM606XC 200
FCM606XE 200
FCM606XJ 200
FCM606XN 200
FCM606XR 200
FCM607 201
FCM6074 179
FCM6075 179
FCM607XC 200
FCM607XE 200
FCM607XJ 200
FCM607XN 200
FCM607XR 200
FCM608 201
FCM608XC 200
FCM608XE 200
FCM608XJ 200
FCM608XN 200
FCM608XR 200
FCM609 199
FCM6093 142
FCM6094 143
FCM6095 145
FCM61 205
FCM6107 178
FCM6108 178
FCM6124SL 154
FCM6124XCSL 150
FCM6124XESL 150
FCM6124XJSL 150
FCM6124XNSL 150
FCM6124XRSL 150
FCM6125SL 154
FCM6125XCSL 150
FCM6125XESL 150
FCM6125XJSL 150
FCM6125XNSL 150
FCM6125XRSL 150
FCM6126SL 154
FCM6126XCSL 150
FCM6126XESL 150
FCM6126XJSL 150
FCM6126XNSL 150
FCM6126XRSL 150
FCM61XC 205
FCM61XE 205
FCM61XJ 205
FCM61XK 205
FCM61XN 205
FCM61XR 205
FCM62 192
FCM6201SL 135
FCM6240 135
FCM6240SL 135
FCM626 146
FCM62SL 192
FCM62XC 187
FCM62XCSL 187
FCM62XE 187
FCM62XESL 187
FCM62XJ 187
FCM62XJSL 187
FCM62XK 187
FCM62XKSL 187
FCM62XN 187
FCM62XNSL 187
FCM62XR 187
FCM62XRSL 187
FCM65 189
FCM6500 146
FCM6500SL 146
FCM6520 200
FCM6550 146
FCM6560 183
FCM6565 183
FCM6565SL 183
FCM6568 183
FCM6570 204
FCM6575 173
FCM6577 173
FCM6580SL 164
FCM6582 164
FCM65SL 189
FCM65XC 186
FCM65XCSL 186
FCM65XE 186
FCM65XESL 186
FCM65XJ 186
FCM65XJSL 186
FCM65XK 186
FCM65XKSL 186
FCM65XN 186
FCM65XNSL 186
FCM65XR 186
FCM65XRSL 186
FCM668 140
FCM670 192
FCM678 188
FCM678SL 188
FCM6975 200
FCM704 203
FCM707 202
FCM708 203
FCM7125SL 189
FCM721 202
FCM735 203
FCM736 202
FCM745 203
FCM752 203
FCM755 206
FCM765 159
FCM765SL 159
FCM789 173
FCM80 174
FCM8000SL 137
FCM8000XCSL 136
FCM8000XESL 136
FCM8000XJSL 136
FCM8000XKSL 136
FCM8000XNSL 136
FCM8000XRSL 136
FCM808SL 139
FCM809SL 145
FCM81000 206
FCM8101SL 168
FCM8101XCSL 166
FCM8101XESL 166
FCM8101XJSL 166
FCM8101XKSL 166
FCM8101XNSL 166
FCM8101XRSL 166
FCM8103SL 162
FCM8105SL 159
FCM8107SL 163
FCM8110SL 167
FCM8114 140
FCM8114SL 140
FCM8115 152
FCM8115SL 152
FCM81200 158
FCM81200SL 158
FCM81200XC 151
FCM81200XCSL 152
FCM81200XE 151
FCM81200XESL 152
FCM81200XJ 151
FCM81200XJSL 152
FCM81200XK 151
FCM81200XKSL 152
FCM81200XN 151
FCM81200XNSL 152
FCM81200XR 151
FCM81200XRSL 152
FCM81208P 154
FCM81208PSL 154
FCM81208SL 154
FCM81225 152
FCM81225SL 152
FCM812SL 142
FCM813SL 146
FCM814 140
FCM8145 189
FCM8145SL 189
FCM8149 182
FCM814SL 141
FCM815SL 142
FCM816 139
FCM81645 204
FCM81646SL 164
FCM81651 147
FCM81651SL 147
FCM81652 147
FCM81652SL 147
FCM81654 184
FCM81654SL 184
FCM816SL 140
FCM817 141
FCM817SL 143
FCM81800SL 140
FCM81828 154
FCM81829 154
FCM818SL 143
FCM81900SL 168
FCM81918SL 139
FCM81919SL 141
FCM81921SL 143
FCM81928SL 145
FCM81944SL 168
FCM81947SL 168
FCM81949SL 168
FCM81968SL 140
FCM81986SL 142
FCM82 168
FCM820 145
FCM821 143
FCM822 140
FCM82213 148
FCM82213SL 149
FCM82223 148
FCM82223SL 148
FCM82233SL 149
FCM82382 148
FCM82382SL 148
FCM82385 149
FCM82385SL 149
FCM82389 148
FCM82389SL 148
FCM828 154
FCM82XC 166
FCM82XE 166
FCM82XJ 166
FCM82XK 166
FCM82XN 166
FCM82XR 166
FCM8310SL 168
FCM8311SL 168
FCM8313SL 168
FCM8321 189
FCM8321XC 186
FCM8321XE 186
FCM8321XJ 186
FCM8321XK 186
FCM8321XN 186
FCM8321XR 186
FCM8322 189
FCM8323 189
FCM8324 189
FCM8386 184
FCM8386SL 185
FCM84521SL 165
FCM84525SL 165
FCM84527SL 166
FCM84810 137
FCM84810SL 137
FCM84810XC 136
FCM84810XCSL 136
FCM84810XE 136
FCM84810XESL 136
FCM84810XJ 136
FCM84810XJSL 136
FCM84810XN 136
FCM84810XNSL 136
FCM84810XR 136
FCM84810XRSL 136
FCM84812 136
FCM84812SL 137
FCM84812XC 135
FCM84812XCSL 136
FCM84812XE 135
FCM84812XESL 136
FCM84812XJ 135
FCM84812XJSL 136
FCM84812XN 135
FCM84812XNSL 136
FCM84812XR 135
FCM84812XRSL 136
FCM84813 136
FCM84813XC 135

FCM84813XE 135
FCM84813XJ 135
FCM84813XN 135
FCM84813XR 135
FCM84814 137
FCM84814XC 135
FCM84814XE 135
FCM84814XJ 135
FCM84814XN 135
FCM84814XR 135
FCM84816 137
FCM84816XC 135
FCM84816XE 135
FCM84816XJ 135
FCM84816XN 135
FCM84816XR 135
FCM84886SL 137
FCM84886XCSL 135
FCM84886XESL 135
FCM84886XJSL 135
FCM84886XKSL 135
FCM84886XNSL 135
FCM84886XRSL 135
FCM8498 185
FCM8498SL 185
FCM8545SL 162
FCM8571 144
FCM8572SL 144
FCM8573SL 144
FCM8574 144
FCM8581 181
FCM8583SL 181
FCM860 206
FCM861 205
FCM861XC 205
FCM861XE 205
FCM861XJ 205
FCM861XK 205
FCM861XN 205
FCM861XR 205
FCM862 192
FCM86201SL 135
FCM86240 135
FCM86240SL 135
FCM862SL 192
FCM862XC 187
FCM862XCSL 187
FCM862XE 187
FCM862XESL 187
FCM862XJ 187
FCM862XJSL 187
FCM862XK 187
FCM862XKSL 187
FCM862XN 187
FCM862XNSL 187
FCM862XR 187
FCM862XRSL 187
FCM863 175
FCM863SL 175
FCM864 176
FCM864SL 176
FCM865 177
FCM86500 146
FCM86500SL 146
FCM86550 146
FCM86550SL 146
FCM86560 183
FCM86560SL 183
FCM86570 204
FCM86580SL 164
FCM865SL 177
FCM866 180
FCM866SL 180
FCM8675SL 189
FCM8678 188
FCM8678SL 188
FCM867SL 182
FCM870 158
FCM8704 203
FCM8707 202
FCM8708 203
FCM870SL 158
FCM870XC 151
FCM870XCSL 152
FCM870XE 151
FCM870XESL 152
FCM870XJ 151
FCM870XJSL 152
FCM870XK 151
FCM870XKSL 152
FCM870XN 151
FCM870XNSL 152
FCM870XR 151
FCM870XRSL 152
FCM871 139
FCM871SL 139
FCM872 140
FCM8721 202
FCM872SL 140
FCM873 141
FCM8735 203
FCM8736 202
FCM873SL 141
FCM874 143
FCM8745 203
FCM874SL 143
FCM8752 203
FCM881SL 170
FCM881XCSL 167
FCM881XESL 167
FCM881XJSL 167
FCM881XKSL 167
FCM881XNSL 167
FCM881XRSL 167
FCM882SL 159
FCM883SL 160
FCM884SL 160
FCM885SL 162
FCM886 178
FCM886SL 178
FCM887SL 161
FCM888 178
FCM888SL 179
FCM889SL 161
FCM890 145
FCM890SL 145
FCM891 181
FCM891SL 181
FCM892SL 163
FCM893SL 142
FCM898 176
FCM898SL 176
FCM899 179
FCM899SL 179
FCM900 142
FCM901 178
FCM901SL 178
FCM902 161
FCM902SL 161
FCM905 142
FCM906 178
FCM906SL 179
FCM907 161
FCM907SL 161
FCM910 145
FCM911 181
FCM911SL 181
FCM912 163
FCM912SL 163
FCM915 173
FCM916 173
FCM92SL 168
FCM92XCSL 166
FCM92XESL 166
FCM92XJSL 166
FCM92XKSL 166
FCM92XNSL 166
FCM92XRSL 166
FCO6184SL 156
FCO6184XCSL 151
FCO6184XESL 151
FCO6184XJSL 151
FCO6184XNSL 151
FCO6184XRSL 151
FCO6185SL 156
FCO6185XCSL 151
FCO6185XESL 151
FCO6185XJSL 151
FCO6185XNSL 151
FCO6185XRSL 151
FCO6186SL 156
FCO6186XCSL 151
FCO6186XESL 151
FCO6186XJSL 151
FCO6186XNSL 151
FCO6186XRSL 151
FCO6188SL 156
FCO6188XCSL 151
FCO6188XESL 151
FCO6188XJSL 151
FCO6188XNSL 151
FCO6188XRSL 151
FCO6189SL 156
FCO6189XCSL 151
FCO6189XESL 151
FCO6189XJSL 151
FCO6189XNSL 151
FCO6189XRSL 151
FCO6190SL 156
FCO6190XCSL 151
FCO6190XESL 151
FCO6190XJSL 151
FCO6190XNSL 151
FCO6190XRSL 151
FCO6575 174
FWRT 209
KNRT 209
LT30T 209
LTRT 209
PBRT 209
RSRT 209
S100 208
S1000 173
S1001 173
S1006 142
S100SL 158
S100XCSL 152
S100XESL 152
S100XJSL 152
S100XKSL 152
S100XNSL 152
S100XRSL 152
S1029 143
S104 192
S104XC 187
S104XE 187
S104XJ 187
S104XK 187
S104XN 187
S104XR 187
S105 192
S108 156
S1089 169
S1089SL 170
S108XC 151
S108XE 151
S108XJ 151
S108XK 151
S108XN 151
S108XR 151
S1100 207
S115 191
S1170SL 157
S1170XCSL 151
S1170XESL 151
S1170XJSL 151
S1170XKSL 151
S1170XNSL 151
S1170XRSL 151
S118 158
S118XC 152
S118XE 152
S118XJ 152
S118XK 152
S118XN 152
S118XR 152
S120 208
S1200 156
S1200SL 157
S1201 156
S1201SL 157
S1202 156
S1202SL 157
S1203 156
S1204 128
S1204SL 129
S1205 128
S1205SL 129
S1205XC 125
S1205XE 125
S1205XJ 125
S1205XK 125
S1205XN 125
S1205XR 125
S1206 128
S1206SL 129
S1207 128
S1207XC 125
S1207XE 125
S1207XJ 125
S1207XK 125
S1207XN 125
S1207XR 125
S1208 156
S1208SL 157
S1209 156
S1209SL 157
S1211 156
S1211SL 157
S1212 156
S128 156
S128XC 151
S128XE 151
S128XJ 151
S128XK 151
S128XN 151
S128XR 151
S130 153
S130SL 153
S131 188
S132 188
S132SL 188
S1350 133
S137 189
S139 141
S139SL 141
S140 158
S1400 170
S1400SL 170
S1401 132
S1401SL 132
S1402 170
S1404 198
S1405 191
S1405SL 191
S1406 191
S1407 191
S1408 191
S1409 133
S140STC 205
S140XC 152
S140XE 152
S140XJ 152
S140XK 152
S140XN 152
S140XR 152
S141 156
S1411 194
S141STC 205
S141XC 151
S141XE 151
S141XJ 151
S141XK 151
S141XN 151
S141XR 151
S1442SL 164
S154 142
S154SL 142
S155 144
S155SL 144
S156 164
S160 146
S160SL 146
S161 182
S161SL 183
S162 194
S163 173
S1645 204
S1646 165
S1646SL 165
S1647 164
S1650 200
S1651 147
S1651SL 147
S1652 147
S1652SL 147
S1653 184
S1654 184
S1655 197
S1656 184
S1656SL 184
S1658 184
S1661 194
S198 157
S198SL 158
S200 208
S2000 130
S2000SL 130
S2000SL 137
S2000SL-2C 129
S2000SL-4C 129
S2000XC 126
S2000XCSL 126
S2000XCSL 136
S2000XCSL-2C 125
S2000XCSL-4C 125
S2000XE 126
S2000XESL 126
S2000XESL 136
S2000XESL-2C 125
S2000XESL-4C 125
S2000XJ 126
S2000XJSL 126
S2000XJSL 136
S2000XJSL-2C 125
S2000XJSL-4C 125
S2000XK 126
S2000XKSL 126
S2000XKSL 136
S2000XN 126
S2000XNSL 126
S2000XNSL 136
S2000XNSL-2C 125
S2000XNSL-4C 125
S2000XR 126
S2000XRSL 126
S2000XRSL 136
S2000XRSL-2C 125
S2000XRSL-4C 125
S20042 164
S2009 129
S2009SL 129
S2010 128
S2010SL 129
S2010SL 137
S2010XC 125
S2010XCSL 125
S2010XCSL 136
S2010XE 125
S2010XESL 125
S2010XESL 136
S2010XJ 125
S2010XJSL 125
S2010XJSL 136
S2010XK 125
S2010XKSL 125
S2010XKSL 136
S2010XN 125
S2010XNSL 125
S2010XNSL 136
S2010XR 125
S2010XRSL 125
S2010XRSL 136
S205 208
S2050 128
S2050XC 125
S2050XE 125
S2050XJ 125
S2050XK 125
S2050XN 125
S2050XR 125
S206 192
S206XC 187
S206XE 187
S206XJ 187
S206XK 187
S206XN 187
S206XR 187
S210 208
S2100 134
S2101 170
S2101SL 170
S2102 170
S2103 132
S2103SL 132
S2103XC 131
S2103XCSL 131
S2103XE 131
S2103XESL 131
S2103XJ 131
S2103XJSL 131
S2103XK 131
S2103XKSL 131
S2103XN 131
S2103XNSL 131
S2103XR 131
S2103XRSL 131
S2104 132
S2104SL 132
S2104XC 131
S2104XCSL 131
S2104XE 131
S2104XESL 131
S2104XJ 131
S2104XJSL 131
S2104XK 131
S2104XKSL 131
S2104XN 131
S2104XNSL 131
S2104XR 131
S2104XRSL 131
S2105 132
S2106 169
S2107 169
S2108 169
S210SL 192
S210XCSL 187
S210XESL 187
S210XJSL 187
S210XKSL 187
S210XNSL 187
S210XRSL 187
S211 176
S213 179
S214 180
S2150 133
S220 207
S2200 132
S2200XC 131
S2200XCSL 131
S2200XE 131
S2200XESL 131
S2200XJ 131
S2200XJSL 131
S2200XK 131
S2200XKSL 131
S2200XN 131
S2200XNSL 131
S2200XR 131
S2200XRSL 131
S2213 149
S2213SL 149
S2223 148
S2223SL 148
S2233 150
S2233SL 150
S2250 132
S2250XC 131
S2250XCSL 131
S2250XE 131
S2250XESL 131
S2250XJ 131
S2250XJSL 131
S2250XK 131
S2250XKSL 131
S2250XN 131
S2250XNSL 131
S2250XR 131
S2250XRSL 131
S236 204
S237 204
S2382 149
S2382SL 149
S2385 150
S2385SL 150
S2389 148
S2389SL 148
S241 141
S243 188
S255 204
S256 204
S2600 126

 Continues on next page.

Fiber-Classic® & Smooth-Star® *Continued*

S2610 201
S2610XC 201
S2610XE 201
S2610XJ 201
S2610XN 201
S2610XR 201
S262 190
S2620 200
S262XC 186
S262XE 186
S262XJ 186
S262XK 186
S262XN 186
S262XR 186
S2630 199
S263SL 191
S263XCSL 187
S263XESL 187
S263XJSL 187
S263XKSL 187
S263XNSL 187
S263XRSL 187
S2640 200
S2650 199
S2660 199
S2670 199
S289 194
S289XC 194
S289XE 194
S289XJ 194
S289XK 194
S289XN 194
S289XR 194
S291 193
S291SL 179
S292 193
S292SL 180
S294 193
S294SL 177
S296 205
S296XC 205
S296XE 205
S296XJ 205
S296XK 205
S296XN 205
S296XR 205
S30 192
S308SL 157
S308XCSL 151
S308XESL 151
S308XJSL 151
S308XKSL 151
S308XNSL 151
S308XRSL 151
S30XC 187
S30XE 187
S30XJ 187
S30XK 187
S30XN 187
S30XR 187
S31 208
S310 139
S32 191
S3200 134
S3200SL 134
S3200XC 133
S3200XCSL 133
S3200XE 133
S3200XESL 133
S3200XJ 133
S3200XJSL 133
S3200XN 133
S3200XNSL 133
S3200XR 133
S3200XRSL 133
S32XC 186
S32XE 186
S32XJ 186
S32XK 186
S32XN 186
S32XR 186
S3300 129
S3300XC 126
S3300XE 126
S3300XJ 126
S3300XK 126
S3300XN 126
S3300XR 126
S3301 207
S3400 129
S3400XC 126
S3400XE 126
S3400XJ 126
S3400XK 126
S3400XN 126
S3400XR 126
S3401 207
S3487SL 191
S3487XCSL 187
S3487XESL 187
S3487XJSL 187
S3487XKSL 187
S3487XNSL 187
S3487XRSL 187
S35 177
S3500 129
S3500XC 126
S3500XE 126
S3500XJ 126
S3500XK 126
S3500XN 126
S3500XR 126
S3501 207
S3540 200
S3600 130
S3600XC 126
S3600XE 126
S3600XJ 126
S3600XK 126
S3600XN 126
S3600XR 126
S3601 207
S369 141
S37 182
S386 185
S387 185
S387SL 185
S389 165
S392 185
S393 197
S394 185
S398 194
S4070SL 145
S41 179
S416SL 145
S42 180
S4200 134
S4200SL 134
S4200XC 133
S4200XCSL 133
S4200XE 133
S4200XESL 133
S4200XJ 133
S4200XJSL 133
S4200XN 133
S4200XNSL 133
S4200XR 133
S4200XRSL 133
S426 182
S43 183
S430 193
S4305XC 187
S4305XE 187
S4305XJ 187
S4305XK 187
S4305XN 187
S4305XR 187
S4307 191
S4308 188
S430SL 182
S4310 185
S4311 184
S4314 175
S4315 192
S4316 182
S4320 183
S4321 191
S4323 183
S4324 178
S4325 177
S4326 181
S4327 179
S4328 177
S4329 180
S4330 180
S45 207
S4521 165
S4521SL 165
S4525 165
S4525SL 165
S454 204
S4570SL 139
S476 165
S4800 208
S4810 137
S4810SL 137
S4810XC 136
S4810XCSL 136
S4810XE 136
S4810XESL 136
S4810XJ 136
S4810XJSL 136
S4810XN 136
S4810XNSL 136
S4810XR 136
S4810XRSL 136
S4812 137
S4812SL 137
S4812XC 136
S4812XCSL 136
S4812XE 136
S4812XESL 136
S4812XJ 136
S4812XJSL 136
S4812XN 136
S4812XNSL 136
S4812XR 136
S4812XRSL 136
S4813 137
S4813XC 136
S4813XE 136
S4813XJ 136
S4813XN 136
S4813XR 136
S4814 137
S4814XC 136
S4814XE 136
S4814XJ 136
S4814XN 136
S4814XR 136
S4816 137
S4816XC 136
S4816XE 136
S4816XJ 136
S4816XN 136
S4816XR 136
S507 196
S508 200
S529 163
S5425 167
S5425SL 167
S543 163
S545SL 163
S549 196
S5700 129
S5700SL 130
S5700XC 125
S5700XCSL 126
S5700XE 125
S5700XESL 126
S5700XJ 125
S5700XJSL 126
S5700XK 125
S5700XKSL 126
S5700XN 125
S5700XNSL 126
S5700XR 125
S5700XRSL 126
S5701 207
S5705 128
S5705XC 125
S5705XE 125
S5705XJ 125
S5705XK 125
S5705XN 125
S5705XR 125
S571 145
S5710 129
S5710SL 130
S5710XC 125
S5710XCSL 126
S5710XE 125
S5710XESL 126
S5710XJ 125
S5710XJSL 126
S5710XK 125
S5710XKSL 126
S5710XN 125
S5710XNSL 126
S5710XR 125
S5710XRSL 126
S5715 128
S5715XC 125
S5715XE 125
S5715XJ 125
S5715XK 125
S5715XN 125
S5715XR 125
S5720 129
S5720SL 130
S5720XC 125
S5720XCSL 126
S5720XE 125
S5720XESL 126
S5720XJ 125
S5720XJSL 126
S5720XK 125
S5720XKSL 126
S5720XN 125
S5720XNSL 126
S5720XR 125
S5720XRSL 126
S5721 207
S5725 129
S5725XC 125
S5725XE 125
S5725XJ 125
S5725XK 125
S5725XN 125
S5725XR 125
S572SL 145
S573SL 145
S574 144
S575 181
S577 181
S579 181
S581 181
S583SL 181
S585 193
S5870SL 144
S600 208
S6000 175
S6000SL 175
S6002 139
S6002SL 139
S6006 177
S6006SL 178
S6008 141
S6008SL 141
S6009 160
S6009SL 161
S601 201
S6010 161
S6013 193
S6014 193
S601SL 158
S601XC 201
S601XCSL 152
S601XE 201
S601XESL 152
S601XJ 201
S601XJSL 152
S601XKSL 152
S601XN 201
S601XNSL 152
S601XR 201
S601XRSL 152
S602 199
S6021 192
S6021XC 187
S6021XE 187
S6021XJ 187
S6021XK 187
S6021XN 187
S6021XR 187
S6022 190
S6022XC 186
S6022XE 186
S6022XJ 186
S6022XK 186
S6022XN 186
S6022XR 186
S6025 177
S6026 182
S6029 179
S602SL 143
S6030 180
S6031 177
S6032 175
S6034 188
S6035 188
S6036 183
S604 199
S6041 192
S6041XC 187
S6041XE 187
S6041XJ 187
S6041XK 187
S6041XN 187
S6041XR 187
S6042 191
S6042XC 186
S6042XE 186
S6042XJ 186
S6042XK 186
S6042XN 186
S6042XR 186
S6045 177
S6046 182
S6049 179
S604SL 141
S605 201
S6050 180
S6051 177
S6052 175
S6054 189
S6055 188
S6056 183
S605SL 157
S605XC 200
S605XCSL 151
S605XE 200
S605XESL 151
S605XJ 200
S605XJSL 151
S605XN 200
S605XNSL 151
S605XR 200
S605XRSL 151
S606 201
S6061 153
S6062 157
S6062SL 158
S6063 156
S6063STC 205
S6063XC 151
S6063XE 151
S6063XJ 151
S6063XK 151
S6063XN 151
S6063XR 151
S606SL 157
S606XC 200
S606XCSL 151
S606XE 200
S606XESL 151
S606XJ 200
S606XJSL 151
S606XN 200
S606XNSL 151
S606XR 200
S606XRSL 151
S607 201
S6070 143
S6070SL 143
S6071 162
S6071SL 162
S6072 162
S6073 179
S6074 179
S6075 180
S6076 180
S607SL 157
S607XC 201
S607XCSL 151
S607XE 201
S607XESL 151
S607XJ 201
S607XJSL 151
S607XN 201
S607XNSL 151
S607XR 201
S607XRSL 151
S608 201
S6080 174
S6082 173
S6084 173
S6085 172
S608XC 201
S608XE 201
S608XJ 201
S608XN 201
S608XR 201
S609 199
S6090 145
S6091 162
S6091SL 162
S6092 161
S6092SL 161
S6093 142
S6094 144
S6095 145
S6100 142
S6100SL 142
S6101 178
S6101SL 178
S6102 161
S6102SL 161
S6103 161
S6104 193
S6106 178
S6107 178
S6108 178
S6124SL 157
S6124XCSL 151
S6124XESL 151
S6124XJSL 151
S6124XNSL 151
S6124XRSL 151
S6125SL 157
S6125XCSL 151
S6125XESL 151
S6125XJSL 151
S6125XNSL 151
S6125XRSL 151
S6126SL 157
S6126XCSL 151
S6126XESL 151
S6126XJSL 151
S6126XNSL 151
S6126XRSL 151
S6128SL 153
S6130SL 140
S6131SL 142
S6132SL 146
S6134SL 141
S6135SL 143
S6200 134
S6200SL 134
S6200XC 133
S6200XCSL 133
S6200XE 133
S6200XESL 133
S6200XJ 133
S6200XJSL 133
S6200XN 133
S6200XNSL 133
S6200XR 133
S6200XRSL 133
S6201SL 135
S6240 135
S6240SL 135
S626 146
S6500 147
S6500SL 147
S6520 200
S6534 197
S6536 184
S6550 147
S6550SL 147
S6560 183
S6565 183

S6565SL 184
S6568 183
S6570 204
S6572 194
S6575 174
S6576 174
S6577 174
S6580 164
S6580SL 164
S6582 164
S668 140
S682 167
S685L 129
S685LXC 126
S685LXE 126
S685LXJ 126
S685LXK 126
S685LXN 126
S685LXR 126
S685R 130
S685RXC 126
S685RXE 126
S685RXJ 126
S685RXK 126
S685RXN 126
S685RXR 126
S691 129
S691XC 125
S691XE 125
S691XJ 125
S691XK 125
S691XN 125
S691XR 125
S6975 200
S704 203
S707 202
S708 203
S709 173
S7125SL 191
S721 202
S735 203
S736 202
S745 203
S751SL 171
S751XCSL 167
S751XESL 167
S751XJSL 167
S751XKSL 167
S751XNSL 167
S751XRSL 167
S752 203
S755 208
S757SL 163
S758SL 160
S770 174
S771 172
S773 173
S774 173
S80 171
S8000 130
S8000-12 128
S8000-18 128
S8000-9 129
S8000SL 132
S8000SL 137
S8000XC 126
S8000XCSL 131
S8000XCSL 136
S8000XE 126
S8000XESL 131
S8000XESL 136
S8000XJ 126
S8000XJSL 131
S8000XJSL 136
S8000XK 126
S8000XKSL 131
S8000XKSL 136
S8000XN 126
S8000XNSL 131
S8000XNSL 136
S8000XR 126
S8000XRSL 131
S8000XRSL 136
S807 194
S807XC 194
S807XE 194
S807XJ 194
S807XK 194
S807XN 194
S807XR 194
S808 157
S808SL 157
S80XC 167
S80XE 167
S80XJ 167
S80XK 167
S80XN 167
S80XR 167
S810 208
S81000 208
S81086SL 158
S81086XCSL 152
S81086XESL 152
S81086XJSL 152
S81086XKSL 152
S81086XNSL 152
S81086XRSL 152
S81100 207
S81186SL 157
S8120 208
S81208 157
S81225 153
S8132 188
S8132SL 188
S814 140
S8140 158
S81401 132
S81405 191
S8140STC 205
S8140XC 152
S8140XE 152
S8140XJ 152
S8140XK 152
S8140XN 152
S8140XR 152
S8141 198
S8144 191
S8145 191
S8145SL 191
S8149 182
S814SL 140
S815 140
S816 139
S81645 204
S81646 165
S81646SL 165
S81649 197
S81650 200
S81651 147
S81651SL 147
S81652 147
S81652SL 147
S81653 184
S81654 184
S81654SL 184
S81656 184
S817 141
S818 158
S81828 157
S818XC 152
S818XE 152
S818XJ 152
S818XK 152
S818XN 152
S818XR 152
S81929P 192
S81929PXC 187
S81929PXE 187
S81929PXJ 187
S81929PXK 187
S81929PXN 187
S81929PXR 187
S81933P 175
S81935P 176
S81936P 176
S81937P 177
S81938P 179
S81939P 178
S81940P 179
S81941P 180
S81942P 182
S81983 180
S82 169
S820 145
S8200 207
S8201 208
S8202SL 170
S8204SL 170
S8207SL 170
S821 144
S82103 132
S82103XC 131
S82103XE 131
S82103XJ 131
S82103XK 131
S82103XN 131
S82103XR 131
S82104 132
S82105 132
S82105XC 131
S82105XE 131
S82105XJ 131
S82105XK 131
S82105XN 131
S82105XR 131
S82106 132
S82106XC 131
S82106XE 131
S82106XJ 131
S82106XK 131
S82106XN 131
S82106XR 131
S82107 132
S82107XC 131
S82107XE 131
S82107XJ 131
S82107XK 131
S82107XN 131
S82107XR 131
S82200 132
S82200XC 131
S82200XE 131
S82200XJ 131
S82200XK 131
S82200XN 131
S82200XR 131
S82213 149
S82213SL 149
S82223 148
S82223SL 148
S82233 150
S82233SL 150
S82250 132
S822XC 166
S822XE 166
S822XJ 166
S822XK 166
S822XN 166
S822XR 166
S82382 149
S82382SL 149
S82385 150
S82385SL 150
S82389 148
S82389SL 148
S82600 126
S82610 201
S82610XC 201
S82610XE 201
S82610XJ 201
S82610XN 201
S82610XR 201
S82620 200
S82630 199
S82640 200
S82650 199
S82660 199
S82670 199
S828 157
S829 153
S829SL 153
S82SL 170
S82XC 166
S82XCSL 167
S82XE 166
S82XESL 167
S82XJ 166
S82XJSL 167
S82XK 166
S82XKSL 167
S82XN 166
S82XNSL 167
S82XR 166
S82XRSL 167
S830 192
S830XC 187
S830XE 187
S830XJ 187
S830XK 187
S830XN 187
S830XR 187
S831 208
S8310 170
S8310SL 170
S8311 169
S8311SL 170
S83120 198
S831203 198
S831203XC 197
S831203XE 197
S831203XJ 197
S831203XK 197
S831203XN 197
S831203XR 197
S83120XC 198
S83120XE 198
S83120XJ 198
S83120XK 198
S83120XN 198
S83120XR 198
S8313 170
S8313SL 170
S83142 197
S83143 195
S83147 196
S83149 196
S83152 195
S83153 195
S83154 196
S83155 196
S8316 170
S8317 204
S8318 191
S8319 191
S832 191
S8320 191
S83200 134
S83200SL 134
S83200XC 133
S83200XCSL 133
S83200XE 133
S83200XESL 133
S83200XJ 133
S83200XJSL 133
S83200XN 133
S83200XNSL 133
S83200XR 133
S83200XRSL 133
S8321 191
S8321XC 186
S8321XE 186
S8321XJ 186
S8321XK 186
S8321XN 186
S8321XR 186
S8322 190
S8323 190
S8324 190
S8325 191
S8326 190
S8327 190
S8328 190
S832XC 186
S832XE 186
S832XJ 186
S832XK 186
S832XN 186
S832XR 186
S833 177
S83300 129
S83300XC 126
S83300XE 126
S83300XJ 126
S83300XK 126
S83300XN 126
S83300XR 126
S83301 207
S83400 129
S83400XC 126
S83400XE 126
S83400XJ 126
S83400XK 126
S83400XN 126
S83400XR 126
S83401 207
S83500 129
S83500XC 126
S83500XE 126
S83500XJ 126
S83500XK 126
S83500XN 126
S83500XR 126
S83501 207
S83540 200
S83600 130
S83600XC 126
S83600XE 126
S83600XJ 126
S83600XK 126
S83600XN 126
S83600XR 126
S83601 207
S837 182
S8386 185
S8386SL 185
S8387 185
S8390 197
S8392 185
S84200 134
S84200SL 134
S84200XC 133
S84200XCSL 133
S84200XE 133
S84200XESL 133
S84200XJ 133
S84200XJSL 133
S84200XN 133
S84200XNSL 133
S84200XR 133
S84200XRSL 133
S84305XC 187
S84305XE 187
S84305XJ 187
S84305XK 187
S84305XN 187
S84305XR 187
S84308 188
S84309 190
S84310 185
S84311 184
S84312 191
S84313 190
S84314 175
S84315 192
S84316 182
S84318 190
S84319 176
S84320 183
S84321 191
S84322 186
S84323 183
S84324 178
S84325 177
S84326 181
S84327 179
S84328 177
S84329 180
S84330 180
S84521 165
S84521SL 165
S84525 165
S84525SL 165
S84527 166
S84527SL 166
S84586SL 140
S8467 185
S84800 208
S84810 137
S84810SL 137
S84810XC 136
S84810XCSL 136
S84810XE 136
S84810XESL 136
S84810XJ 136
S84810XJSL 136
S84810XN 136
S84810XNSL 136
S84810XR 136
S84810XRSL 136
S84812 137
S84812SL 137
S84812XC 136
S84812XCSL 136
S84812XE 136
S84812XESL 136
S84812XJ 136
S84812XJSL 136
S84812XN 136
S84812XNSL 136
S84812XR 136
S84812XRSL 136
S84813 137
S84813XC 136
S84813XE 136
S84813XJ 136
S84813XN 136
S84813XR 136
S84814 137
S84814XC 136
S84814XE 136
S84814XJ 136
S84814XN 136
S84814XR 136
S84816 137
S84816XC 136
S84816XE 136
S84816XJ 136
S84816XN 136
S84816XR 136
S84886SL 132
S84886SL 137
S84886XCSL 131
S84886XCSL 136
S84886XESL 131
S84886XESL 136
S84886XJSL 131
S84886XJSL 136
S84886XKSL 131
S84886XKSL 136
S84886XNSL 131
S84886XNSL 136
S84886XRSL 131
S84886XRSL 136
S8489 186
S8498 185
S8498SL 186
S8508 200
S85225SL 130
S85225XCSL 126
S85225XESL 126
S85225XJSL 126
S85225XKSL 126
S85225XNSL 126
S85225XRSL 126
S85226SL 129
S85226XCSL 125
S85226XESL 125
S85226XJSL 125
S85226XKSL 125
S85226XNSL 125
S85226XRSL 125
S85227SL 130
S85227XCSL 126
S85227XESL 126
S85227XJSL 126
S85227XKSL 126
S85227XNSL 126
S85227XRSL 126
S85228SL 130
S85228XCSL 126
S85228XESL 126
S85228XJSL 126
S85228XKSL 126
S85228XNSL 126
S85228XRSL 126
S85229SL 130
S85229XCSL 126
S85229XESL 126
S85229XJSL 126
S85229XKSL 126
S85229XNSL 126
S85229XRSL 126

 Continues on next page.

Fiber-Classic® & Smooth-Star® *Continued*

S85230SL 207
S8529 163
S8545SL 163
S85700 129
S85700SL 207
S85700XC 125
S85700XCSL 207
S85700XE 125
S85700XESL 207
S85700XJ 125
S85700XJSL 207
S85700XK 125
S85700XKSL 207
S85700XN 125
S85700XNSL 207
S85700XR 125
S85700XRSL 207
S85701 207
S85705 128
S85705XC 125
S85705XE 125
S85705XJ 125
S85705XK 125
S85705XN 125
S85705XR 125
S8571 145
S85710 129
S85710SL 207
S85710XC 125
S85710XCSL 207
S85710XE 125
S85710XESL 207
S85710XJ 125
S85710XJSL 207
S85710XK 125
S85710XKSL 207
S85710XN 125
S85710XNSL 207
S85710XR 125
S85710XRSL 207
S85715 128
S85715XC 125
S85715XE 125
S85715XJ 125
S85715XK 125
S85715XN 125
S85715XR 125
S85720 129
S85720SL 207
S85720XC 125
S85720XCSL 207
S85720XE 125
S85720XESL 207
S85720XJ 125
S85720XJSL 207
S85720XK 125
S85720XKSL 207
S85720XN 125
S85720XNSL 207
S85720XR 125
S85720XRSL 207
S85721 207
S85725 129
S85725XC 125
S85725XE 125
S85725XJ 125
S85725XK 125
S85725XN 125
S85725XR 125
S8572SL 145
S8573SL 145
S8574 144
S8575 181
S8579 181
S8581 181
S8583SL 181
S85892 139
S85892SL 139
S85893 141
S85893SL 141
S85895 145
S85895SL 145
S85896 144
S85896SL 144
S85897 178
S85898 161
S85898SL 161
S85901 162
S85902 163
S85902SL 163
S85905 175
S85907 176
S85908 179
S85909 180
S85910SL 192
S85910XCSL 187
S85910XESL 187
S85910XJSL 187
S85910XKSL 187
S85910XNSL 187
S85910XRSL 187
S85912SL 175
S85914SL 176
S85915SL 177
S85916SL 178
S85917SL 179
S85918SL 178
S85920SL 182
S85922SL 180
S85924SL 157
S85925SL 157
S85926SL 157
S85927SL 139
S85928SL 153
S85930SL 145
S85931SL 141
S85932SL 143
S85934SL 144
S8600 208
S8600XC 201
S8600XE 201
S8600XJ 201
S8600XN 201
S8600XR 201
S8601 201
S8601SL 158
S8601XCSL 152
S8601XESL 152
S8601XJSL 152
S8601XKSL 152
S8601XNSL 152
S8601XRSL 152
S8602 199
S86021 192
S86021XC 187
S86021XE 187
S86021XJ 187
S86021XK 187
S86021XN 187
S86021XR 187
S86022XC 186
S86022XE 186
S86022XJ 186
S86022XK 186
S86022XN 186
S86022XR 186
S86025 177
S86026 182
S86027 176
S86029 179
S8602SL 142
S86030 180
S86031 177
S86032 175
S86035 188
S86036 183
S8604 199
S8605 201
S8605SL 157
S8605XC 200
S8605XE 200
S8605XJ 200
S8605XN 200
S8605XR 200
S8606 201
S8606SL 157
S8606XC 200
S8606XE 200
S8606XJ 200
S8606XN 200
S8606XR 200
S8607 201
S86074 179
S8607SL 157
S8607XC 201
S8607XE 201
S8607XJ 201
S8607XN 201
S8607XR 201
S8608 201
S8608XC 201
S8608XE 201
S8608XJ 201
S8608XN 201
S8608XR 201
S8609 199
S86107 178
S86200 134
S86200SL 134
S86200XC 133
S86200XCSL 133
S86200XE 133
S86200XESL 133
S86200XJ 133
S86200XJSL 133
S86200XN 133
S86200XNSL 133
S86200XR 133
S86200XRSL 133
S86201SL 135
S86240 135
S86240SL 135
S86500 147
S86500SL 147
S86520 200
S86533 197
S86536 184
S86550 147
S86550SL 147
S86560 183
S86560SL 184
S86565 183
S86570 204
S86580 164
S86580SL 164
S8675SL 191
S867SL 183
S8682 167
S8682SL 167
S8685L 129
S8685LXC 126
S8685LXE 126
S8685LXJ 126
S8685LXK 126
S8685LXN 126
S8685LXR 126
S8685R 130
S8685RXC 126
S8685RXE 126
S8685RXJ 126
S8685RXK 126
S8685RXN 126
S8685RXR 126
S8691 129
S8691XC 125
S8691XE 125
S8691XJ 125
S8691XK 125
S8691XN 125
S8691XR 125
S86975 200
S8704 203
S8707 202
S8708 203
S8721 202
S8735 203
S8736 202
S8745 203
S8752 203
S880 171
S880SL 171
S880XC 167
S880XCSL 167
S880XE 167
S880XESL 167
S880XJ 167
S880XJSL 167
S880XK 167
S880XKSL 167
S880XN 167
S880XNSL 167
S880XR 167
S880XRSL 167
S881 170
S881SL 170
S881XC 166
S881XCSL 167
S881XE 166
S881XESL 167
S881XJ 166
S881XJSL 167
S881XK 166
S881XKSL 167
S881XN 166
S881XNSL 167
S881XR 166
S881XRSL 167
S882 170
S887 160
S887SL 160
S888 160
S888SL 160
S891 161
S891SL 161
S892 162
S89200 134
S89200XC 133
S89200XE 133
S89200XJ 133
S89200XN 133
S89200XR 133
S892SL 162
S893 178
S894 159
S894SL 159
S895 161
S895SL 161
S896 205
S896XC 205
S896XE 205
S896XJ 205
S896XK 205
S896XN 205
S896XR 205
S897 208
S89701 183
S8971 188
S8972 198
S898 170
S898SL 170
S90 171
S902 164
S902SL 164
S90SL 132
S90XC 167
S90XE 167
S90XJ 167
S90XK 167
S90XN 167
S90XR 167
S91 160
S912 163
S916 140
S916SL 140
S91SL 160
S92 170
S9200 134
S9200XC 133
S9200XE 133
S9200XJ 133
S9200XN 133
S9200XR 133
S925 198
S92SL 132
S92XC 166
S92XE 166
S92XJ 166
S92XK 166
S92XN 166
S92XR 166
S93 207
S9320 198
S93203 198
S93203XC 197
S93203XE 197
S93203XJ 197
S93203XK 197
S93203XN 197
S93203XR 197
S9320XC 198
S9320XE 198
S9320XJ 198
S9320XK 198
S9320XN 198
S9320XR 198
S9342 197
S9343 195
S9347 196
S9349 196
S9352 195
S9353 195
S9354 196
S9355 196
S95 160
S960 208
S97 163
S971 188
S972 175
S973 178
S975 159
S975SL 159
S977 160
S979 159
S981 160
S982 161
S983 162
S992 174
S997 172
S999 173
SART 209

Steel

100 233
104 229
105 229
108 223
118 223
128 223
130 223
131 229
137 229
139 221
198 223
310 221
369 221
571 221
610 221
620 221
626 222
800 238
808 234
810 238
818 235
828 234
829 234
896 238
916 221
1006 221
1028 222
1029 221
1200 223
1201 223
1202 223
1203 223
5425 225
8132 236
8145 236
8206 236
8317 237
8321 236
8322 236
8323 236
8324 236
8704 237
8708 238
8752 237
03142HD 224
1001HD 226
1002HD 226
1004HD 229
1005HD 233
1006SL 221
1007HD 226
1007SLHD 226
1008HD 230
1009HD 224
1009SLHD 224
100SL 223
100SL 235
100XCSL 223
100XCSL 234
100XESL 223
100XESL 234
100XJSL 223
100XJSL 234
100XKSL 223
100XKSL 234
100XNSL 223
100XNSL 234
100XRSL 223
100XRSL 234
1011HD 226
1020HD 226
1022HD 226
1024HD 226
1025HD 226
1029SL 221
1032HD 227
1035HD 227
1037HD 224
1037SLHD 224
1039HD 224
1039SLHD 224
1040HD 224
1040SLHD 224
1041HD 224
1041SLHD 224
1042HD 224
104XC 228
104XE 228
104XJ 228
104XK 228
104XN 228
104XR 228
1089SLHD 225
108XC 222
108XE 222
108XJ 222
108XK 222
108XN 222
108XR 222
1101HD 229
1101XCHD 228
1101XEHD 228
1101XJHD 228
1101XKHD 228
1101XNHD 228
1101XRHD 228
1102HD 229
1111HD 227
1112HD 227
1113HD 227
1114HD 226
1115HD 226
1116HD 226
1117HD 226
1118HD 227
1120HD 227
1121HD 229
1123HD 229
1123HDXC 228
1123HDXE 228
1123HDXJ 228
1123HDXK 228
1123HDXN 228
1123HDXR 228
115HD 229
118XC 223
118XE 223
118XJ 223
118XK 223
118XN 223
118XR 223
1200SL 223
1200SL 234
1201SL 223
1201SL 234
1202SL 223
1202SL 234
128XC 222
128XE 222
128XJ 222
128XK 222
128XN 222
128XR 222
130SL 223
130SL 234
132HD 228
132SLHD 229
139SL 221
1400SLHD 225
1403HD 225
1405HD 229
1405SLHD 229
1406HD 229
1408HD 229
1411HD 231
1643HD 233
1643SLHD 233
1644HD 225
1644SLHD 225
1650HD 231
1651HD 222
1651SL 222
1657HD 228
1657SLHD 228
1659HD 228
1660HD 228
1662HD 230
19020T 239
19055T 239
19200T 239
19210T 239
19220T 239
19520T 239
19720T 239
19730T 239
19740T 239
19750T 239
198SL 223
198SL 235
203HD 233
205HD 233
206HD 229
206HDXC 228
206HDXE 228
206HDXJ 228
206HDXK 228
206HDXN 228
206HDXR 228
2109HD 225
210HD 233
210SLHD 229
210SLHDXC 228
210SLHDXE 228
210SLHDXJ 228
210SLHDXK 228
210SLHDXN 228
210SLHDXR 228
2110HD 225
2111HD 225
211HD 226
236HD 233
237HD 233
2382HD 222
2382SL 222
2385HD 222
2385SL 222
2389HD 222
2389SL 222
243HD 229
255HD 233
256HD 233
262HD 229
262HDXC 228
262HDXE 228
262HDXJ 228
262HDXK 228
262HDXN 228
262HDXR 228
263HD 231
263HDXC 230
263HDXE 230
263HDXJ 230
263HDXK 230
263HDXN 230
263HDXR 230
263SLHD 229
263SLHDXC 228
263SLHDXE 228
263SLHDXJ 228
263SLHDXK 228
263SLHDXN 228
263SLHDXR 228
289HD 231
289HDXC 230
289HDXE 230
289HDXJ 230
289HDXK 230
289HDXN 230
289HDXR 230
294HD 230
294SLHD 226
296HD 233
296HDXC 233
296HDXE 233
296HDXJ 233
296HDXK 233
296HDXN 233
296HDXR 233
296SLHD 233
296SLHDXC 233
296SLHDXE 233
296SLHDXJ 233
296SLHDXK 233
296SLHDXN 233
296SLHDXR 233
309HD 226
310SL 221
311HD 230
311SLHD 226
369SL 221
371HD 230
371SLHD 226
374HD 226
391HD 225
391SLHD 225
395HD 228
395SLHD 228
396HD 230
397HD 228
416SL 222
426HD 227
430HD 230
430SLHD 227
454HD 232
4572SLHD 225
469HD 225
469SLHD 225
508HD 231
5425SL 225
544HD 224
546SLHD 224
576HD 227
578HD 227
582HD 227
584SLHD 227
588HD 230
601HD 232
601XCHD 232
601XEHD 232
601XJHD 232
601XNHD 232
601XRHD 232
602HD 231
604HD 231
605HD 232
605HDXC 231
605HDXE 231
605HDXJ 231
605HDXN 231
605HDXR 231
606HD 232
606HDXC 231
606HDXE 231
606HDXJ 231
606HDXN 231
606HDXR 231
607HD 232
607HDXC 231
607HDXE 231
607HDXJ 231
607HDXN 231
607HDXR 231
608HD 232
608HDXC 231
608HDXE 231
608HDXJ 231
608HDXN 231
608HDXR 231
609HD 231
610SL 221
613HD 227
615HD 230
615SLHD 227
6184SL 223
6184SL 235
6184XCSL 222
6184XCSL 234
6184XESL 222
6184XESL 234
6184XJSL 222
6184XJSL 234
6184XNSL 222
6184XNSL 234
6184XRSL 222
6184XRSL 234
6185SL 223
6185SL 235
6185XCSL 222
6185XCSL 234
6185XESL 222
6185XESL 234
6185XJSL 222
6185XJSL 234
6185XNSL 222
6185XNSL 234
6185XRSL 222
6185XRSL 234
6186SL 223
6186SL 235
6186XCSL 222
6186XCSL 234
6186XESL 222
6186XESL 234
6186XJSL 222
6186XJSL 234
6186XNSL 222
6186XNSL 234
6186XRSL 222
6186XRSL 234
620SL 221
623HD 227
625HD 230
625SLHD 227
626SL 222
627HD 227
628HD 230
628SLHD 227
630HD 226
631HD 227
632SL 223
632SL 235
632XCSL 222
632XCSL 234
632XESL 222
632XESL 234
632XJSL 222
632XJSL 234
632XKSL 222
632XKSL 234
632XNSL 222
632XNSL 234
632XRSL 222
632XRSL 234
6500HD 222
6500SL 222
6520HD 231
6560HD 228
6565HD 228
6565SLHD 228
6568HD 228
6570HD 233
6570SLHD 233
6572HD 230
6578HD 226
6580SLHD 224
6582HD 224
6720HDXCSL 225
6720HDXESL 225
6720HDXJSL 225
6720HDXKSL 225
6720HDXNSL 225
6720HDXRSL 225
6720SLHD 225
6975HD 231
704HD 232
707HD 232
708HD 232
721HD 232
735HD 232
736HD 232
745HD 232
752HD 232
818SL 235
818XC 234
818XCSL 234
818XE 234
818XESL 234
818XJ 234
818XJSL 234
818XK 234
818XKSL 234
818XN 234
818XNSL 234
818XR 234
818XRSL 234
8206XC 235
8206XE 235
8206XJ 235
8206XK 235
8206XN 235
8206XR 235
828SL 235
829SL 234
8321XC 235
8321XE 235
8321XJ 235
8321XK 235
8321XN 235
8321XR 235
835HD 228
86184SL 235
86185SL 235
86186SL 235
896XC 237
896XE 237
896XJ 237
896XK 237
896XN 237
896XR 237
916SL 221
956SLHD 224
959HD 225
959HDXC 225
959HDXCSL 225
959HDXE 225
959HDXESL 225
959HDXJ 225
959HDXJSL 225
959HDXK 225
959HDXKSL 225
959HDXN 225
959HDXNSL 225
959HDXR 225
959HDXRSL 225
959SLHD 225
961HD 225
961HDXC 225
961HDXE 225
961HDXJ 225
961HDXK 225
961HDXN 225
961HDXR 225
965HD 224
965SLHD 224
966SLHD 224
967HD 224
967SLHD 224
968HD 224
969HD 233
971SLHD 224
978HD 233
980HD 229
980HDXC 228
980HDXE 228
980HDXJ 228
980HDXK 228
980HDXN 228
980HDXR 228
982HD 229
982HDXC 228
982HDXE 228
982HDXJ 228
982HDXK 228
982HDXN 228
982HDXR 228
984HD 228
988HD 227
989HD 227
996HD 226
999HD 227
AXRT 239
BSRT 239
CNRT 239
CX30T 239
CXRT 239
EC30T 239
ECRT 239
FWRT 239
KNRT 239
LT30T 239
LTRT 239
PBRT 239
RSRT 239
SART 239
TS100 238
TS104 236
TS104XC 235
TS104XE 235
TS104XJ 235
TS104XK 235
TS104XN 235
TS104XR 235

 Continues on next page.

Steel *Continued*

TS105 236
TS108 234
TS108XC 234
TS108XE 234
TS108XJ 234
TS108XK 234
TS108XN 234
TS108XR 234
TS115 236
TS118 235
TS118XC 234
TS118XE 234
TS118XJ 234
TS118XK 234
TS118XN 234
TS118XR 234
TS1200 234
TS1201 234
TS1202 234
TS1203 234
TS128 234
TS128XC 234
TS128XE 234
TS128XJ 234
TS128XK 234
TS128XN 234
TS128XR 234
TS130 234
TS131 236
TS132 236
TS132SL 236
TS137 236
TS1405SL 236
TS1408 236
TS1411 237
TS198 235
TS206 236
TS206XC 235
TS206XE 235
TS206XJ 235
TS206XK 235
TS206XN 235
TS206XR 235
TS210 238
TS210SL 236
TS210XCSL 235
TS210XESL 235
TS210XJSL 235
TS210XKSL 235
TS210XNSL 235
TS210XRSL 235
TS236 237
TS237 238
TS243 236
TS255 237
TS256 238
TS262 236
TS262XC 235
TS262XE 235
TS262XJ 235
TS262XK 235
TS262XN 235
TS262XR 235
TS263 237
TS263SL 236
TS263XC 237
TS263XCSL 235
TS263XE 237
TS263XESL 235
TS263XJ 237
TS263XJSL 235
TS263XK 237
TS263XKSL 235
TS263XN 237
TS263XNSL 235
TS263XR 237
TS263XRSL 235
TS289 237
TS289XC 237
TS289XE 237
TS289XJ 237
TS289XK 237
TS289XN 237
TS289XR 237
TS296 238
TS296SL 238
TS296XC 237
TS296XCSL 237
TS296XE 237
TS296XESL 237
TS296XJ 237
TS296XJSL 237
TS296XK 237
TS296XKSL 237
TS296XN 237
TS296XNSL 237
TS296XR 237
TS296XRSL 237
TS572SL 221
TS704 237
TS708 238
TS752 237

Fire

100 243
1005HD 243
203HD 243
205HD 243
210HD 243
969HD 243
978HD 243
SSF100 243
SSF1100 242
SSF120 242
SSF160 243
SSF200 242
SSF205 242
SSF220 242
SSF31 242
SSF45 242
SSF4800 242
SSF600 243
SSF755 242
SSF8100 243
SSF81100 242
SSF8120 242
SSF8160 243
SSF8200 242
SSF8205 242
SSF8220 242
SSF831 242
SSF84800 242
SSF8600 243
SSF93 242
SSF960 242
TS100 243
TS210 243

Pulse®

DRS2131SL 255
DRS82131SL 255
S10AXSL 256
S10CLSL 256
S10PBSL 255
S10XCSL 256
S10XESL 256
S10XJSL 256
S10XKSL 256
S10XNSL 256
S10XRSL 256
S1651SL 255
S1AX 250
S1BL 248
S1BS 248
S1CL 250
S1CX 250
S1EC 250
S1LAX 250
S1LBL 248
S1LBS 248
S1LCL 250
S1LCX 250
S1LEC 250
S1LLT 250
S1LPB 249
S1LRS 249
S1LSA 249
S1LSG 249
S1LSN 249
S1LT 250
S1LXC 250
S1LXE 250
S1LXJ 250
S1LXK 250
S1LXN 250
S1LXR 250
S1PB 249
S1RAX 250
S1RBL 249
S1RBS 248
S1RCL 250
S1RCX 250
S1REC 250
S1RLT 250
S1RPB 249
S1RRS 249
S1RS 249
S1RSA 249
S1RSG 249
S1RSN 249
S1RXC 250
S1RXE 250
S1RXJ 250
S1RXK 250
S1RXN 250
S1RXR 250
S1SA 249
S1SG 249
S1SN 249
S1XC 250
S1XE 250
S1XJ 250
S1XK 250
S1XN 250
S1XR 250
S2382SL 255
S2385SL 255
S2389SL 255
S2AX 248
S2CL 248
S2CX 248
S2EC 248
S2PB 248
S2RS 248
S2SG 248
S2SN 248
S2XC 248
S2XE 248
S2XJ 248
S2XK 248
S2XN 248
S2XR 248
S4570SL 255
S4AX 252
S4AXSL 256
S4CL 253
S4CLSL 256
S4LAX 252
S4LCL 253
S4LPB 251
S4LXC 253
S4LXE 253
S4LXJ 253
S4LXK 253
S4LXN 253
S4LXR 253
S4PB 251
S4PBSL 255
S4RAX 252
S4RCL 253
S4RPB 251
S4RXC 253
S4RXE 253
S4RXJ 253
S4RXK 253
S4RXN 253
S4RXR 253
S4XC 253
S4XCSL 256
S4XE 253
S4XESL 256
S4XJ 253
S4XJSL 256
S4XK 253
S4XKSL 256
S4XN 253
S4XNSL 256
S4XR 253
S4XRSL 256
S572SL 255
S5AX 252
S5AXSL 256
S5CL 254
S5CLSL 256
S5LAX 252
S5LCL 253
S5LPB 251
S5LXC 253
S5LXE 253
S5LXJ 253
S5LXK 253
S5LXN 253
S5LXR 253
S5PB 251
S5PBSL 255
S5RAX 252
S5RCL 254
S5RPB 251
S5RXC 254
S5RXE 254
S5RXJ 254
S5RXK 254
S5RXN 254
S5RXR 254
S5XC 254
S5XCSL 256
S5XE 254
S5XESL 256
S5XJ 254
S5XJSL 256
S5XK 254
S5XKSL 256
S5XN 254
S5XNSL 256
S5XR 254
S5XRSL 256
S601SL 255
S601XCSL 255
S601XESL 255
S601XJSL 255
S601XKSL 255
S601XNSL 255
S601XRSL 255
S602SL 255
S604SL 255
S6130SL 255
S6134SL 255
S6500SL 255
S81086SL 255
S81086XCSL 255
S81086XESL 255
S81086XJSL 255
S81086XKSL 255
S81086XNSL 255
S81086XRSL 255
S810AX 253
S810AXSL 256
S810CL 254
S810CLSL 256
S810LAX 253
S810LCL 254
S810LPB 252
S810LXC 254
S810LXE 254
S810LXJ 254
S810LXK 254
S810LXN 254
S810LXR 254
S810PB 252
S810PBSL 255
S810RAX 253
S810RCL 254
S810RPB 252
S810RXC 254
S810RXE 254
S810RXJ 254
S810RXK 254
S810RXN 254
S810RXR 254
S810XC 254
S810XCSL 256
S810XE 254
S810XESL 256
S810XJ 254
S810XJSL 256
S810XK 254
S810XKSL 256
S810XN 254
S810XNSL 256
S810XR 254
S810XRSL 256
S811AX 253
S811AXSL 256
S811CL 254
S811CLSL 256
S811LAX 253
S811LCL 254
S811LPB 252
S811LXC 254
S811LXE 254
S811LXJ 254
S811LXK 254
S811LXN 254
S811LXR 254
S811PB 252
S811PBSL 255
S811RAX 253
S811RCL 254
S811RPB 252
S811RXC 254
S811RXE 254
S811RXJ 254
S811RXK 254
S811RXN 254
S811RXR 254
S811XC 254
S811XCSL 256
S811XE 254
S811XESL 256
S811XJ 254
S811XJSL 256
S811XK 254
S811XKSL 256
S811XN 254
S811XNSL 256
S811XR 254
S811XRSL 256
S81651SL 255
S81AX 250
S81BL 248
S81BS 248
S81CL 250
S81CX 250
S81EC 250
S81LAX 250
S81LBL 248
S81LBS 248
S81LCL 250
S81LCX 250
S81LEC 250

S81LLT 250
S81LPB 249
S81LRS 249
S81LSA 249
S81LSG 249
S81LT 250
S81LXC 250
S81LXE 250
S81LXJ 250
S81LXK 250
S81LXN 250
S81LXR 250
S81PB 249
S81RAX 250
S81RBL 249
S81RBS 248
S81RCL 250
S81RCX 250
S81REC 250
S81RLT 250
S81RPB 249
S81RRS 249
S81RS 249
S81RSA 249
S81RSG 249
S81RXC 250
S81RXE 250
S81RXJ 250
S81RXK 250
S81RXN 250
S81RXR 250
S81SA 249
S81SG 249
S81XC 250
S81XE 250
S81XJ 250
S81XK 250
S81XN 250
S81XR 250
S82382SL 255
S82385SL 255
S82389SL 255
S83AX 248
S83CL 248
S83CX 248
S83EC 248
S83PB 248
S83RS 248
S83SG 248
S83SN 248
S83XC 248
S83XE 248
S83XJ 248
S83XK 248
S83XN 248
S83XR 248
S84586SL 255
S84AX 252
S84AXSL 256
S84CL 253
S84CLSL 256
S84LAX 252
S84LCL 253
S84LPB 251
S84LXC 253
S84LXE 253
S84LXJ 253
S84LXK 253
S84LXN 253
S84LXR 253
S84PB 251
S84PBSL 255
S84RAX 252
S84RCL 253
S84RPB 251
S84RXC 253
S84RXE 253
S84RXJ 253
S84RXK 253
S84RXN 253
S84RXR 253
S84XC 253
S84XCSL 256
S84XE 253
S84XESL 256
S84XJ 253
S84XJSL 256
S84XK 253
S84XKSL 256
S84XN 253
S84XNSL 256
S84XR 253
S84XRSL 256
S8572SL 255
S85927SL 255
S85931SL 255
S85932SL 255
S85AX 252
S85AXSL 256
S85CL 254
S85CLSL 256
S85LAX 252
S85LCL 253
S85LPB 251
S85LXC 253
S85LXE 253
S85LXJ 253
S85LXK 253
S85LXN 253
S85LXR 253
S85PB 251
S85PBSL 255
S85RAX 252
S85RCL 254
S85RPB 251
S85RXC 254
S85RXE 254
S85RXJ 254
S85RXK 254
S85RXN 254
S85RXR 254
S85XC 254
S85XCSL 256
S85XE 254
S85XESL 256
S85XJ 254
S85XJSL 256
S85XK 254
S85XKSL 256
S85XN 254
S85XNSL 256
S85XR 254
S85XRSL 256
S86500SL 255
S86AX 252
S86AXSL 256
S86CL 254
S86CLSL 256
S86LAX 252
S86LCL 254
S86LPB 251
S86LXC 254
S86LXE 254
S86LXJ 254
S86LXK 254
S86LXN 254
S86LXR 254
S86PB 251
S86PBSL 255
S86RAX 252
S86RCL 254
S86RPB 251
S86RXC 254
S86RXE 254
S86RXJ 254
S86RXK 254
S86RXN 254
S86RXR 254
S86XC 254
S86XCSL 256
S86XE 254
S86XESL 256
S86XJ 254
S86XJSL 256
S86XK 254
S86XKSL 256
S86XN 254
S86XNSL 256
S86XR 254
S86XRSL 256
S8AX 253
S8CL 254
S8LAX 253
S8LCL 254
S8LPB 251
S8LXC 254
S8LXE 254
S8LXJ 254
S8LXK 254
S8LXN 254
S8LXR 254
S8PB 251
S8RAX 253
S8RCL 254
S8RPB 251
S8RXC 254
S8RXE 254
S8RXJ 254
S8RXK 254
S8RXN 254
S8RXR 254
S8XC 254
S8XE 254
S8XJ 254
S8XK 254
S8XN 254
S8XR 254
S9AX 253
S9AXSL 256
S9CL 254
S9CLSL 256
S9LAX 253
S9LCL 254
S9LPB 251
S9LXC 254
S9LXE 254
S9LXJ 254
S9LXK 254
S9LXN 254
S9LXR 254
S9PB 251
S9PBSL 255
S9RAX 253
S9RCL 254
S9RPB 251
S9RXC 254
S9RXE 254
S9RXJ 254
S9RXK 254
S9RXN 254
S9RXR 254
S9XC 254
S9XCSL 256
S9XE 254
S9XESL 256
S9XJ 254
S9XJSL 256
S9XK 254
S9XKSL 256
S9XN 254
S9XNSL 256
S9XR 254
S9XRSL 256

Top: Fiber-Classic Mahogany Collection, Calix Glass, Door – FCM82223, Finish – Acorn
Bottom: Impressions Storm & Entry Door System – IM8100, Finish – White; Fiber-Classic Mahogany Collection, Chord Glass, Door – FCM84810XC, Finish – Tumbleweed

Top Right: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelites – DRS82131SL, Finish – Tumbleweed
Bottom: Smooth-Star, Latitude Glass, Doors – S4525, Finish – Onyx

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at **thermatru.com/inspiration.**

Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at **brainshark.com/thermatru.**

THERMA-TRU®
Advancement Center

Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at **thermatru.com/installer.**

THERMA-TRU® DOORS
CERTIFIED DOOR SYSTEM INSTALLER PROGRAM

Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at **thermatru.widencollective.com/login.**

Trade Professionals Online

Find everything from selling tools and training materials to technical information at **thermatru.com/professionals**.

Design Your Door

Homeowners can research and design a door with their own personal touch – all from the convenience of home. To get started, visit **thermatru.com/design-your-door**.

THERMA-TRU® DOORS

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle
Maumee, OH 43537

#thermatru

Cover: Classic Craft Fir Grain Door – CCA81166; Low-E Glass, Sidelites – CCA3500SL, Finish – Acorn
Back Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door – CCM82806, Finish – Tumbleweed

©2024 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. – an industry-leading home and security products company. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2024 HESB / JAN 2024