


# INTERIOR DOORS BROCHURE









# ABOUT MMI DOOR

#### YOUR DOORWAY TO A BEAUTIFUL HOME


For nearly 70 years, MMI DOOR, a wholly owned subsidiary of JELD-WEN Holdings, Inc., has earned the reputation of being the preferred door supplier to building supply dealers and home centers. With 3 locations, MMI DOOR is a true, single source door provider. We strive to be the most dependable and innovative, value-add fabricator in the marketplace.

Our products are stored, assembled and staged in over 700,000 square feet of heated warehouses. We adhere to rigorous quality control standards to ensure that we provide exceptional value, backed by one of the most extensive and varied inventories nationwide. MMI DOOR offers product choices that are second to none.



#### FEATURING ALL THE BRANDS YOU TRUST

For decades, MMI has been a solutions provider to the multifamily industry, your partner providing beauty, safety and security, through a comprehensive door and door hardware portfolio. You can be assured that the entry products you receive from MMI brands and partners will be the right fit, form and stylish function at the right price to make every project a success.





Impressions Mirror, Molded Door

# **TABLE OF CONTENTS**

ABOUT MMI 2

DOOR TYPES 5

CHOOSE YOUR DOOR 6-7

HOLLOW & SOLID CORE MOLDED DOORS 8-11

FRENCH DOORS 12-13

PRIMED SHAKER FLAT PANEL DOORS 14

PANEL & LOUVER DOORS 15

FLUSH & PREFINISHED DOORS 16

LITES & LOUVERS 17

BARN DOORS & HARDWARE KITS 18-19

THE MILLENNIUM COLLECTION® 20-21

SLIDING DOOR POCKETS, 22-23

FRAMES & HARDWARE

FIRE-RATED DOORS 24-25

COMMERCIAL DOORS & HARDWARE 26

OPTIONS 27

KARONA™ RESIDENTIAL 28-29

SPECIFICATIONS 30

CARE. FINISHING & WARRANTIES 31

# THOUSANDS OF DOOR OPTIONS RIGHT AT YOUR FINGERTIPS!

DOWNLOAD · SNAP · SHARE






Available for all Apple and Android devices.





# **DOOR TYPES**



# **CHOOSE YOUR DOOR**

#### 7 Easy Steps to Choose Your New Interior Door

MMI DOOR has developed a simple, easy-to-follow system outlined below to help you choose the door that's right for you.



#### **Functionality**

This is a critical planning stage; use it wisely. Every opening doesn't require the same door.

Examples: A) French doors (single or double) can provide light to an adjoining room while maintaining privacy

- B) Solid core doors look the same on the outside but contain sound-reducing material on the inside.

  Great for bathrooms, game rooms, music rooms, bedrooms, offices, etc.
- Mirrored doors on a bedroom closet or bathroom door saves space, enlarges the room, and creates additional reflective light
- D) Doors with frosted glass provide extra light without sacrificing privacy
- E) Barn doors combine style and practicality while transforming your space to complement the modern home



## Choose a Door Design

Whether you're looking for a traditional style, classic colonial, or something unique, the options are endless. This is your home - make it your own!





3-Lite Frosted, Primed French Door

# 3

#### Are You Painting or Staining?

This will narrow your choices:

Consumer Tips:

Painting offers a fast, cost-effective, and easily changeable option. On the other hand, staining provides a contrasting approach that produces dramatic results.



















#### Choose Your Door Jamb

Consumer Tips:

A. If painting - choose primed.

B. If you want to stain your door, choose a species with a grain that matches or closely resembles your door. We offer a range of jamb species to enhance the look of your door. Let's add the wow factor! Don't hesitate to finish the door and trim in different styles. You can find examples throughout this brochure.



#### **Choose Your Hinges**

Don't forget that hinges can also add a touch of style! Coordinate the hinge finish with the rest of your home's hardware, like locks, light fixtures, and decorative accents. Consider switching to Ball Bearing Hinges for extra strength. They're designed for the most seamless and quiet door movement.

Only compatible with solid core doors.

#### Round Ball Bearing Hinges







US-5 Antique Brass



US-3 Bright Brass



US-26 Bright Chrome



US-26D Dull Chrome



US-15 Satin Nickel



US-15A Antique Nickel



Dark Bronze



US-19 Flat Black



US-P White Primed

#### Square Ball Bearing Hinges



US-3 Bright Brass



Dark Bronze



US-15 Satin Nickel



#### Sizing

Double-check the dimensions of each opening, both the width and height. This applies to the door and the space between the door frame (don't forget about the frame depth).



#### Place Your Order!

Please note: availability varies by location.



6-Panel, Pine Panel Door

#### **Molded Doors**

If you're looking for a wide range of choices, go for interior molded wood fiber doors. They come in various styles, panel designs, and sizes.

Single and double doors are available as prehung units ready to install. They are available in a diverse selection of sizes, jamb species, and decorative hinge finishes.

			Α	VAIL	ABLE	6/8	, 7/0,	& 8/c	о мо	LDE	DO	OR S	IZES			
DOOR MODEL	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	STICKING PROFILE	BI-FOLDS
BIRKDALE																
6'8" Hollow Core				•	•	•		•		•	•	•	•	•	Craftsman	•
6'8" Solid Core					•			•		•	•	•		•	Craftsman	
CAIMAN																
6'8" Hollow Core				•	•	•	•	•	•	•	•	•	•	•	Cove & Bead	•
6'8" Solid Core				•	•	•		•	•	•	•	•	•	•	Cove & Bead	
8'0" Hollow Core					•			•		•	•	•		•	Cove & Bead	
CAMDEN																
6'8" Hollow Core				•	•	•	•	•		•	•	•	•	•	Cove & Bead	•
6'8" Solid Core								•		•	•	•		•	Cove & Bead	
CARRARA																
6'8" Hollow Core				•	•	•	•	•	•	•	•	•	•	•	Cove & Bead	•
6'8" Solid Core				•	•	•		•	•	•	•	•	•	•	Cove & Bead	•
7'0" Solid Core					•			•		•	•	•	•	•	Cove & Bead	
8'0" Hollow Core					•			•		•	•	•		•	Cove & Bead	
8'0" Solid Core					•			•		•	•	•		•	Cove & Bead	
COLONIST																
6'8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Cove & Bead	•
6'8" Solid Core					•	•		•	•	•	•	•	•	•	Cove & Bead	•
CONMORE																
6'8" Hollow Core					•			•		•	•	•	•	•	Stepped	•
6'8" Solid Core					•			•		•	•	•	•	•	Stepped	
CRAFTSMAN																
6'8" Hollow Core				•	•	•	•	•	•	•	•	•	•	•	Craftsman	•
6'8" Solid Core	1				•			•		•	•	•	•	•	Craftsman	
MADISON																
6'8" Hollow Core				•			•			•	•		•	•	Craftsman	•
6'8" Solid Core					•			•		•	•	•	•	•	Craftsman	-
8'0" Solid Core					•			•		•	•	•		•	Craftsman	
MONROE																
6'8" Hollow Core				•	•		•	•	•	•	•	•	•	•	Craftsman	•
6'8" Solid Core					•		_			•	•		•	•	Craftsman	
8'0" Solid Core					•			•		•	•	•		•	Craftsman	
ROCKPORT																
6'8" Hollow Core					•			•		•	•	•		•	Cove & Bead	•
6'8" Solid Core						•				•	•			•	Cove & Bead	•
8'0" Hollow Core					•			•		•	•	•		•	Cove & Bead	
SANTA FE																
6'8" Hollow Core											•	•		•	Ovolo	•
6'8" Solid Core						•				•	•	•	•	•	Ovolo	,
SMOOTH COLONIST																
6'8" Hollow Core	•				•									•	Cove & Bead	
6'8" Solid Core		•				•	•								Cove & Bead	•
8'0" Hollow Core					•			•		•	•	•		•	Cove & Bead	
COLONIST/ IMPRESSIONS MIRROR																
6'8" Hollow Core															Cove & Bead	
6 8 Hollow Core								•			•	•		•	Cove a Beda	

<sup>•</sup> Stocked

#### 6/8 Doors

#### **Hollow Core**



Smooth Surface

BIRKDALE™ Craftsman Sticking 3-Flat Panel



**Smooth Surface** 

**CAIMAN®** Cove & Bead Sticking 2-Panel Arch Top



**Grained Surface** 

**CAMDEN®** Cove & Bead Sticking 2-Panel Arch Top



Smooth Surface

**CARRARA®** Cove & Bead Sticking 2-Panel



Birkdale, Molded Door



**Grained Surface** 

**COLONIST®** Cove & Bead Sticking 6-Panel



**Grained Surface** 

**Grained Surface** TWO SIDED DOOR

Side A **COLONIST®** Cove & Bead Sticking 6-Panel




1-Panel



CONMORE® Stepped Sticking 5-Flat Panel



Sticking profile denoted in door description





Smooth Surface

CRAFTSMAN III™ MADISON® Craftsman Sticking

3-Flat Panel



Craftsman Sticking 1-Flat Panel



Smooth Surface

MONROE® Craftsman Sticking 2-Flat Panel



**Smooth Surface** 

ROCKPORT™ Cove & Bead Sticking 5-Panel



Smooth Surface

SANTA FE™ Ovolo Sticking 2-Panel Arch Top Planked



Smooth Surface

**COLONIST®** Cove & Bead Sticking 6-Panel

#### 6/8 Doors

#### Solid Core



BIRKDALE™ Craftsman Sticking 3-Flat Panel



CAIMAN®
Cove & Bead
Sticking
2-Panel
Arch Top



CAMDEN®
Cove & Bead
Sticking
2-Panel
Eyebrow



CARRARA®
Cove & Bead
Sticking
2-Panel



COLONIST®
Cove & Bead
Sticking
6-Panel



CONMORE®
Stepped
Sticking
5-Flat Panel



Smooth Surface
CRAFTSMAN III™
Craftsman
Sticking

3-Flat Panel



Rockport, Molded Door



MADISON®
Craftsman
Sticking
1-Flat Panel



MONROE® Craftsman Sticking 2-Flat Panel



Consider upgrading to our *solid* core doors that provide more than just warmth and style. **ProCore<sup>TM</sup>** doors reduce noise transmission by 50%, compared to hollow core doors.



ROCKPORT™ Cove & Bead Sticking 5-Panel



Smooth Surface





Smooth Surface
COLONIST®
Cove & Bead
Sticking
6-Panel

#### 7/0 Doors Solid Core



**Smooth Surface** CARRARA® Cove & Bead Sticking 2-Panel

#### 8/0 Doors





**Smooth Surface** MADISON® Craftsman Sticking 1-Flat Panel



Smooth Surface MONROE® Craftsman Sticking 2-Flat Panel



**Smooth Surface CARRARA®** Cove & Bead Sticking 2-Panel

#### 8/0 Doors



**Smooth Surface** CAIMAN® Cove & Bead Sticking 2-Panel Arch Top



**CARRARA®** Cove & Bead Sticking 2-Panel



ROCKPORT™ Cove & Bead Sticking 6-Panel



**COLONIST®** Cove & Bead Sticking 6-Panel



#### STICKING PROFILES

Sticking profile denoted in door description



Cove & Bead Sticking



Craftsman Sticking







Stepped Sticking



## FRENCH DOORS

Enhance the beauty of any interior with our elegantly crafted line of French doors. They add elegance and privacy while maintaining brightness from one room to the next. French doors have tempered glass for extra strength and safety. Most feature a unique glass wrap that makes staining and finishing a snap.




15-Lite True Divided, Pine French Door

#### STICKING PROFILES



Sticking profile denoted in door description



Stocked

<sup>\*</sup>Available as Special Order (available in 3-6 weeks)

# FRENCH DOORS

#### 6/8 Doors

#### Primed



5-LITE CLEAR True Divided Ovolo Tempered Glass



1-LITE **CLEAR** Ovolo Tempered Glass



1-LITE **MIRROR** Ovolo Tempered Glass



10-LITE **CLEAR** True Divided Ovolo Tempered Glass



15-LITE **CLEAR** True Divided Ovolo Tempered Glass



9-LITE CLEAR True Divided Ovolo Tempered Glass



1-LITE **PANTRY** Obscure Ovolo Tempered Glass



1-LITE **PANTRY MODERN** Obscure Ovolo Tempered Glass



1-LITE LAUNDRY Obscure Ovolo Tempered Glass

#### **Primed**



1-LITE **LAMINATED** Obscure Ovolo Tempered Glass



1-LITE RAIN Obscure Ovolo Tempered Glass



1-LITE

FROSTED

Obscure

Ovolo

Tempered

Glass

1-LITE **HAMILTON** Obscure Ovolo Tempered Glass



1-LITE **FROSTED** Shaker Tempered Glass



3-LITE 5-LITE **FROSTED FROSTED** Shaker Shaker Tempered Tempered Glass Glass



5-LITE CLEAR True Divided Ovolo Tempered Glass



1-LITE **CLEAR** Ovolo Tempered Glass



10-LITE **CLEAR** True Divded Ovolo Tempered Glass



**CLEAR** True Divded Ovolo Tempered Glass

#### 6/8 Doors

Pine



5-LITE **CLEAR** True Divided Ovolo Tempered Glass



1-LITE **CLEAR** Ovolo Tempered Glass



1-LITE MIRROR Ovolo Tempered Glass



10-LITE **CLEAR** True Divded Ovolo Tempered Glass



15-LITE **CLEAR** True Divded Ovolo Tempered Glass



15-LITE **CLEAR** V-Groove Ovolo Tempered Glass



1-LITE **PANTRY** Obscure Ovolo Tempered Glass





12-LITE **CLEAR** True Divided Ovolo Tempered Glass

#### 7/0 Doors **Primed**



15-LITE **CLEAR** True Divided Ovolo Tempered Glass

#### 8/0 Doors **Primed**



1-LITE **CLEAR** Ovolo Tempered

Glass



12-LITE **CLEAR** True Divided Ovolo Tempered

Glass



CLEAR True Divided Ovolo Tempered Glass



1-LITE **FROSTED** Shaker Tempered Glass



3-LITE **FROSTED** Shaker Tempered Glass



5-LITE **FROSTED** Shaker Tempered Glass



# PRIMED SHAKER FLAT PANEL DOORS

Our primed shaker flat panel doors are manufactured to eliminate warp, panel shifting, and rattling so your shaker door performs properly for years to come.



6/8 Doors

Primed

1-PANEL 2-PANEL CRAFTSMAN 3-PANEL EQUAL

8/0 Doors

Primed

Primed

**CRAFTSMAN** 

3-PANEL

**EQUAL** 

5-PANEL

**EQUAL** 



Superior priming – four coats with sanding between coats

AVAILA	BLE	6/8	& 8/C	PRI	MED	SHA	KER I	FLAT	PANEL DOORS	
DOOR MODEL	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3,0,	STICKING PROFILE	BI-FOLDS
1-PANEL										
6'8" Primed 8'0" Primed*	•	•	•	•	•	•	•	•	Shaker Shaker	•
2-PANEL										
6'8" Primed 8'0" Primed	•	•	•	•	•	•	•	•	Shaker Shaker	•
CRAFTSMAN										
6'8" Primed 8'0" Primed	•	•	•	•	•	•	•	•	Shaker Shaker	•
3-PANEL EQUAL										
6'8" Primed 8'0" Primed	•	•	•	•	•	•	•	•	Shaker Shaker	•
5-PANEL EQUAL										
6'8" Primed 8'0" Primed	•	•	•	•	•	•	•	•	Shaker Shaker	•

2-PANEL

1-PANEL

Stocked

<sup>\*</sup>Note: In stock in MI. Special order in OH and PA.

# PANEL & LOUVER DOORS

#### **Panel Doors**

Solid wood panel doors are a classic choice that always stays in style. They are versatile enough to complement any decor, and the natural beauty of wood brings a cozy and inviting atmosphere to every room.

#### 6/8 Doors







6-Panel, Oak Panel Door

	AVAILABLE 6/8 PANEL DOORS															
DOOR MODEL	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	STICKING PROFILE	BI-FOLDS
4-PANEL																
6'8" Pine					•			•		•	•	•		•	Ovolo	•
6-PANEL																
6'8" Pine	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Ovolo	•
6'8" Oak															Ovolo	



#### Full Louver, Primed Louver Door

#### **Louver Doors**

#### 6/8 Doors





Pine



LOUVER

FULL LOUVER

HALF LOUVER

Note: Louver direction is down

			AVA	ILA	BLE 6	6/8 L0	OUVE	ER D	OOR	S				
DOOR MODEL	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	BI-FOLDS
FULL LOUVER														
6'8" Primed				•			•		•	•	•	•	•	•
6'8" Pine	•	•	•	•	•	•	•	•	•	•	•	•	•	•
HALF LOUVER														
6'8" Pine				•			•		•	•	•		•	•

# FLUSH & PREFINISHED DOORS

Crafted using select raw materials that undergo precise machining and assembly, these doors are visually appealing and highly dependable. They are designed to withstand the test of time and will continue to serve you for many years.





Birch, Solid Core Flush Door

	AVAILABLE 6/8 & 7/0 FLUSH DOORS															
DOOR MODEL	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3,0,	3'6"	BI-FOLDS
PRIMED HARDBOARD																
6'8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•
8'0" Hollow Core												•		•		
6'8" Solid Core					•			•		•	•	•	•	•		
7'0" Solid Core											•	•	•	•		
BIRCH																
6'8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•
7'0" Hollow Core											•	•		•		
6'8" Solid Core					•			•	•	•	•	•	•	•	•	
7'0" Solid Core											•	•	•	•		
RED OAK																
6'8" Hollow Core				•	•	•	•	•	•	•	•	•	•	•		•
6'8" Solid Core					•			•		•	•	•	•	•		
7'0" Solid Core											•	•	•	•		

Note: Available in Hollow and Solid core & 1-3/8" and 1-3/4" thick flush doors\*

#### **Prefinished Embossed Hardboard Doors**

Our hardboard doors offer an easy and convenient way to upgrade your home with new interior doors. Being prefinished and ready for installation is a major plus!




	AVAILABLE 6/8 & 7/0 FLUSH DOORS															
DOOR MODEL	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3,0,	3'6"	BI-FOLDS
PRIMED HARDBOARD																
6'8" Hollow Core	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•
8'0" Hollow Core												•		•		
6'8" Solid Core					•			•		•	•	•	•	•		
7'0" Solid Core											•	•	•	•		

<sup>•</sup> Stocked\*

# LITES & LOUVERS

Revolutionize your flush door with the below lites and louvers to add functional appeal.





20" x 12", Flush Louver Door

# **BARN DOORS**

Combining both style and practicality, barn doors are a fresh and unique take on a traditional and timeless look.

- Ideal for openings 28"-42" wide
- Unique barn door style hardware enables the door to slide parallel to the wall
- · Primed for field finishing
- Barn door hardware kits are also available to be sold separately



Frosted 3-Lite, Primed Barn Door



**FROSTED** 3-LITE

Primed

**CARRARA** 



**FROSTED** 4-LITE



K BAR **PLANKED** 



15-LITE

Primed

**Z BAR** 

**PLANKED** 



#### K and Z Bar Planked:



Frosted 3 and 4-LITE:



Stile and Rail Construction **Smooth Surface** Pre-Routed Door Bottom

#### Carrara:



Solid Core Smooth Surface Cove & Bead Sticking

		1-3	/8" 7	/0 B	ARN	DOOI	RS		
DOOR MODEL	1'6"	2'0"	2'4"	2'6"	2'8"	2'10"	3,0,,	3'6"	STICKING PROFILE
3-LITE FROSTED									
7'0" Primed							•	•	Shaker
4-LITE FROSTED									
7'0" Primed							•	•	Shaker
15-LITE CLEAR									
7'0" Primed							•		Ovolo
CARRARA									
7'0" Primed	•	•	•	•	•	•	•		Cove & Bead
K BAR PLANKED									
7'0" Primed							•	•	Shaker
Z BAR PLANKED									
7'0" Primed							•	•	Shaker

Stocked



Ovolo Sticking



Shaker Sticking

# BARN DOOR HARDWARE KITS



K Bar Planked, Primed Barn Door

A traditional system is redefined with contemporary styles and finishes to complement the home, office space, or any opening space imaginable. Includes instructions that make it easy for "Do It Yourself" customers.

- Hardware kits support 1-3/8" and 1-3/4" thick doors weighing up to 250 lbs
- Kits available in 78-3/4" and 90" track lengths and also includes: door straps, wall spacer, safety anti-jump block, floor guide, and all hardware
- 78-3/4" track is ideal for openings/doors up to 36" wide
- 90" track is ideal for openings/doors between 36" 42" wide
- Available in three factory finishes ready to install: Matte Black, Brushed Steel and Oil Rubbed Bronze
- Unique barn door-style hardware enables the door to slide parallel to the wall, with one inch offset
- Use for closets, room dividers, or passage door applications
- Available accessories: Track joiner for bi-parting door application, door handle, and recessed door pull
- Special hardware is available. Ask your salesperson

#### FINISHES:







#### **BARN DOOR KIT OPTIONS:**



Top of Door Mount Kit



Stainless Steel

Bent Strap Kit

Rubbed Bronze and



Door Handle



Recessed Door Pull

BARN DOOR KITS									
KITS	MATTE BLACK	STAINLESS STEEL	OIL RUBBED BRONZE						
Top of Door Mount Kit - Track & Hardware 78-3/4" Track BD101K	•								
Top of Door Mount Kit - Track & Hardware 90" Track BD101K	•								
Bent Strap Mount Kit - Track & Hardware 78-3/4" Track BD102K	•	•	•						
Bent Strap Mount Kit - Track & Hardware 90" Track BD102K	•	•	•						

# THE MILLENNIUM COLLECTION®

The Millennium Collection consists of four distinct door products that each fit a specific demand in the world of design and construction. *Encore*, *Ovation*, *Infinity*, and *Bravo* Doors are manufactured of renewable composite wood fiber materials for stability and reliability. Our state-of-the-art process and environmentally friendly construction techniques mean endless flexibility for your architectural design. Below are some samples of our standard designs:



1-Panel Encore® Door





#### **ROUTER CARVED DOORS**


- Dramatic raised panels or grooved options
- · Traditional molding profiles
- Made in the USA by proud American craftsmen
- 152 Designs Available



# Ovation.

#### LAYERED PANEL DOORS


- Uniquely layered construction
- Environmentally friendly substrate that will not split or warp
- Made in the USA by proud American craftsmen
- 142 Standard Designs Available





#### INLAID MOLDING DOORS

- · Features dramatic raised panels
- Detailed inlaid molding profiles: Raised, Flush, and Plant-On
- Made in the USA by proud American craftsmen
- 138 Standard Designs Available




# THE MILLENNIUM COLLECTION®



#### TRADITIONAL STILE & RAIL DOORS

- Crisp detailed miters and profiles
- Architecturally correct panel configuration
- Made in the USA by proud American craftsmen
- 51 Traditional Designs Available





4-Panel Bravo® Door







3-Panel Ovation® Door

# SLIDING DOOR POCKETS & HARDWARE

#### **Sliding Door Pockets**

#### Boxed Unit Frame - Unassembled

- Available in 3/0 x 6/8 (door sizes up to) DRPKTKD3068 Universal Frame and Hardware
- 3/0 x 8/0 (door sizes up to) DRPKTKD3080 Universal Frame and Hardware
- Mullion Kit (Join 2 kits together for double door opening)

#### **Features**

- · Carton packaged easy storage and handling
- Steel stiffener reinforcement frame
- Door thickness of 1-3/8" or 1-3/4" and weight up to 125 lbs.
- Four wheel roller on v-groove jump proof track
- · Easy adjustment after installation
- Cut marks for easy sizing to standard door widths

ROUGH	ROUGH OPENING FOR K.D. BOXED FRAME										
DOOR SIZE	6/8 HEIGHT	8/0 HEIGHT									
2/0	49-1/4"x 84-1/2"	49-1/4"x 100-1/2"									
2/4	57-1/4"x 84-1/2"	57-1/4"x 100-1/2"									
2/6	61-1/4"x 84-1/2"	61-1/4"x 100-1/2"									
2/8	65-1/4"x 84-1/2"	65-1/4"x 100-1/2"									
3/0	73-1/4"x 84-1/2"	73-1/4"x 100-1/2"									


#### **Built Up Frame**

#### **Features**

- Built up wood frame for easy installation
- Door thickness of 1-3/8" and weight up to 150 lbs.
- Four wheel roller on v-groove jump proof track
- · Easy adjustment after installation

ROUGH OPEN	ROUGH OPENING FOR BUILT UP FRAME								
DOOR SIZE	6/8 HEIGHT								
2/0	50" x 84"								
2/4	58" x 84"								
2/6	62" x 84"								
2/8	66" x 84"								
3/0	74" x 84"								

Note: Call for Bypass and Bi-folds rough openings



## Bypass Track & Hardware

#### #2200



- 4/0 Aluminum #2200 Track and Hardware
- 5/0 Aluminum #2200 Track and Hardware
- 6/0 Aluminum #2200 Track and Hardware

#### #2222



- 4/0 Aluminum #2222 Track with Hardware\*
- 5/0 Aluminum #2222 Track with Hardware\*
- 6/0 Aluminum #2222 Track with Hardware\*
- \* Note: In stock in OH only. Special order in MI and PA.

#### #2200F



- 4/0 Aluminum #2200F
   Track with Hardware
- 5/0 Aluminum #2200F Track with Hardware
- 6/0 Aluminum #2200F
   Track with Hardware



# **SLIDING DOOR FRAMES & HARDWARE**

#### The Premium Pocket Door Solution

The CS Cavity Slider $^{\text{\tiny{TM}}}$  is a practical solution for those areas where there is not enough space for a swinging door. Unlike other pocket systems, the CS Cavity Slider $^{\text{\tiny TM}}$ is structurally robust due to its construction from aluminum extrusions. The CS Cavity Slider™ is suitable for residential and commercial projects as it meets Type 1 construction code without any combustible materials.

CS Cavity Sliders Fra	CS Cavity Sliders Frames - 2x4 stud (1-3/8" and 1-3/4" doors)										
2'0"x 6'8" PKTFRA	L49162068 2'6"x	8'0" PKTFRAL49162680									
2'6"x 6'8" PKTFRA	L49162668 2'8"x	8'0" PKTFRAL49162880									
2'8"x 6'8" PKTFRA	L49162868 3'0"x	8'0" PKTFRAL49163080									
3'0"x 6'8" PKTFRA	L49163068 4'0"x	8'0" PKTFRAL49164080									

Stop Carriage Packs includes carriages, mounti	ng plates, T-Guide, fixing screws & adjusting wrench
PKT1CRGPCK200LB	2-wheel carriages suitable for standard sliding door up to 200lb
PKT1CRGPCK500LB	4-wheel carriages with cast stainless steel body for heavy sliding doors up to 500lb

CS Sofstop® Single & Double Soft Close							
PKT1SGLSS176LB	Single action with one stop up to 200lb (for door widths 2'2"and above)						
PKT1DBLSS176LB	Double action with one stop up to 200lb (for door widths 2'2" and above)						



7102 Ovation, Pocket Door





# INTERIOR FIRE-RATED DOORS



Smooth Colonist, Fire-Rated Door

#### 20-MIN Standard 6/8 Fire Door Units

FIRE RATING 20 MIN

The unit Includes:

- 4-9/16" primed 20-minute frame with applied brickmould & weatherstripping
- · Composite adjustable sill
- 20-Minute NAMI Fire Label
- Standard 4" hinges, 2 spring/1 standard



Although these door units are not designed to be exposed to the weather (see our Fiberglass Exterior Door Offering); you can perfectly match your interior molded doors with a fire code-compliant "garage-to-home entry door!"

#### Molded Fire Door Units



Smooth Surface
BIRKDALE
Craftsman
Sticking
3-Flat Panel



CAIMAN
Cove & Bead
Sticking
2-Panel
Arch Top



Smooth Surface
CARRARA
Cove & Bead
Sticking
2-Panel



CRAFTSMAN Craftsman Sticking 3-Flat Panel



CONMORE
Stepped
Sticking
5-Flat Panel



ROCKPORT Cove & Bead Sticking 5-Panel



SANTA FE
Ovolo
Sticking
2-Panel
Arch Top
Planked



Smooth Surface
SMOOTH
COLONIST
Cove & Bead
Sticking
6-Panel
(Only Available
in 3/0 x 6/8)

#### 20-MIN Millennium Fire Door Units





- Fire-rated doors are 1-3/4" thick
- · Millennium fire-rated doors are also available in 45 and 90 MIN configurations
- · Additional special order options available

#### Note:

Check local statutes for compliance. Please call your local representative for available sizes.

Codes vary by community. Homeowner must confirm specification requirements. All 90-MIN doors come with steel frames. Call for options!



3-Panel Equal, 20 MIN Fire Door

# **ENTRY FIRE-RATED DOORS**

#### 20-MIN Fiberglass Smooth Fire Doors on 20-min Wood Frames

















FS 20 FIBERGLASS FIBERGLASS FIBERGLASS FIBERGLASS FIBERGLASS FIBERGLASS **SMOOTH** 2-Panel

FS 21 **SMOOTH** 6-Panel

FS 22 **SMOOTH** 2-Panel

FS 200 **SMOOTH** 2-Panel Planked

FS 10 SHK **SMOOTH** 1-Panel Shaker

FS 20 SHK **SMOOTH** 2-Panel Shaker

FS 30 SHK **SMOOTH** 3-Panel Shaker

#### 90-MIN Fire Doors on Steel Frames









**MAJESTIC** STEEL MJ-20-90M



**MAJESTIC** STEEL MJ-21-90M



**MAJESTIC** STEEL MJ-22-90M



**MAJESTIC** STEEL MJ-40-90M



**MAJESTIC** STEEL MJ-300-90M



10 CRF 90M **MAJESTIC STEEL** 1-Panel



20 CRF 90M **MAJESTIC** STEEL 2-Panel



30 CRF 90M **MAJESTIC STEEL** 3-Panel



30 CRF 90M, Majestic Steel

Note:

Please call your local representative for available sizes. Codes vary by community. Homeowner must confirm specification requirements. All 90-MIN doors come with steel frames. Call for options!

# **COMMERCIAL DOORS & HARDWARE**

#### 20-MIN, 45-MIN & 90-MIN Commercial & Residential Flush doors

#### Unfinished & Prefinished Doors



Note:

Available in 20-Mln, 45-MlN and 90-Min configurations. Please call your local representative for available fire rating configuration and sizes. Codes vary by community. Homeowner must confirm specification requirements. All 90-MIN doors come with steel frames. Call for options!

#### Commercial Hardware (Interior & Exterior Application)

MMI DOOR stocks a full line of commercial doors, frames and hardware. We offer a variety of commercial hardware such as self-closing hinges, automatic door closers, panic devices, and more to suit most applications.



# **OPTIONS**

4-9/16" Primed   6/8 Unit   4-9/16" Primed   7/0 Unit   4-9/16" Primed   8/0 Unit   4-9/16" Primed   8/0 Unit   4-9/16" Primed   6/8 Unit   4-13/16" Primed   6/8 Unit   4-13/16" Primed   8/0 Unit   4-13/16" Primed   8/0 Unit   5-1/4" Primed   6/8 Unit   5-1/4" Primed   6/8 Unit   6-7/8" Primed   7/0 Unit   6-7/8" Primed   7/0 Unit   6-7/8" Primed   7/0 Unit   6-7/8" Primed   8/0 Unit   6-7/8" Primed   8/0 Unit   6-7/8" Primed   8/0 Unit   6-7/8" Primed   8/0 Unit   6-9/16" Primed   8/0 Unit   6-9/16" Primed   6/8 Unit   6-9/16" Primed   6/8 Unit   6-9/16" Primed   8/0 Unit   6-9/16" Solid Pine   6/8 Unit   4-9/16" Solid Pine   6/8 Unit   4-9/16" Solid Pine   7/0 Unit   6/8 Unit   6/9/16" Solid Pine   6/8 Unit   6/9/16" Solid Pine   7/0 Unit   6/9/16" Sol	Single	Double	Single	Double	Single	Double	Single	Double
4-9/16" Primed 7/0 Unit 4-9/16" Primed 8/0 Unit 4-13/16" Primed 6/8 Unit 4-13/16" Primed 7/0 Unit 4-13/16" Primed 7/0 Unit 4-13/16" Primed 8/0 Unit 5-1/4" Primed 6/8 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 4-9/16" Poile Veneer Wood Back 6/8 Unit 4-9/16" Solid Pine 6/8 Unit				•	•	•	·	•
4-9/16" Primed 8/0 Unit 4-13/16" Primed 6/8 Unit 4-13/16" Primed 7/0 Unit 4-13/16" Primed 8/0 Unit 4-13/16" Primed 8/0 Unit 5-1/4" Primed 6/8 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit				•	•	•	•	•
4-13/16" Primed 6/8 Unit 4-13/16" Primed 7/0 Unit 4-13/16" Primed 8/0 Unit 5-1/4" Primed 6/8 Unit 5-1/4" Primed 6/8 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 4-9/16" Primed 6/8 Unit 4-9/16" Solid Pine 6/8 Unit				•	•	•	•	•
4-13/16" Primed 7/0 Unit 4-13/16" Primed 8/0 Unit 5-1/4" Primed 6/8 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 4-9/16" Primed 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 6/8 Unit				•	•	•	•	•
4-13/16" Primed 8/0 Unit 5-1/4" Primed 6/8 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 4-9/16" Primed 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 6/8 Unit					•		·	
5-1/4" Primed 6/8 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 4-9/16" Primed 8/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 6/8 Unit					•		·	
6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 4-9/16" Primed 8/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 6/8 Unit							•	
6-7/8" Primed 7/0 Unit 6-7/8" Primed 7/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 4-9/16" Primed 6/8 Unit 4-9/16" Primed 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 7/0 Unit				·		•	·	
6-7/8" Primed 7/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 8/0 Unit 7-1/4" Primed 8/0 Unit 7-1/4" Primed 6/8 Unit 4-9/16" Polid Pine 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 7/0 Unit				·	·	·	·	
6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 7-1/4" Primed 8/0 Unit 7-1/4" Primed 6/8 Unit 4-9/16" Poine Wood Back 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 7/0 Unit		•		•		·	·	•
6-7/8" Primed 8/0 Unit 6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 8/0 Unit 7-1/4" Primed 8/0 Unit 7-1/4" Primed 6/8 Unit 4-9/16" Polid Pine 6/8 Unit 4-9/16" Solid Pine 6/8 Unit		•		•		•		•
6-7/8" Primed 8/0 Unit 6-9/16" Primed 6/8 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 6-9/16" Primed 8/0 Unit 7-1/4" Primed 6/8 Unit 4-9/16" Pine Veneer Wood Back 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 7/0 Unit	· · ·			٠		٠	•	•
6-9/16" Primed 6/8 Unit 6-9/16" Primed 7/0 Unit 6-9/16" Primed 8/0 Unit 7-1/4" Primed 6/8 Unit 4-9/16" Poine Wood Back 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 7/0 Unit		:		•	•	•		•
6-9/16" Primed 8/0 Unit 7-1/4" Primed 6/8 Unit 4-9/16" Pine Veneer Wood Back 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 7/0 Unit	•	•						
7-1/4" Primed 6/8 Unit 4-9/16" Pine Veneer Wood Back 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 7/0 Unit	•	•	•					
4-9/16" Pine Veneer Wood Back 6/8 Unit 4-9/16" Solid Pine 6/8 Unit 4-9/16" Solid Pine 7/0 Unit	•	•	•					
4-9/16" Solid Pine         6/8 Unit           4-9/16" Solid Pine         7/0 Unit	•			•	•	•	•	•
4-9/16" Solid Pine 7/0 Unit	_		•	•	•	•	•	•
	•	•	•	•	•	•	•	•
		•						
4-9/16" Solid Pine 8/0 Unit	•	•						
5-1/4" Solid Pine 6/8 Unit	•	•	•	•	•	•	•	•
5-1/4" Solid Pine 7/0 Unit	•	•						
6-9/16" Solid Pine 6/8 Unit	•	•	•		•	•	•	•
7-1/4" Solid Pine 6/8 Unit	•	•	•	•	•	•	•	•
7-1/4" Solid Pine 7/0 Unit 7-1/4" Solid Pine 8/0 Unit	- :	•						
9-1/4" Solid Pine 8/0 Unit 9-1/4" Solid Pine 6/8 Unit	<u> </u>					•		
9-1/4 Solid Pine 6/8 Unit 9-1/4" Solid Pine 7/0 Unit	- :		•	•	•	•	•	•
9-1/4" Solid Pine 8/0 Unit	- :							
11-1/4" Solid Pine 6/8 Unit	•							
11-1/4" Solid Pine 7/0 Unit								
11-1/4" Solid Pine 8/0 Unit								
4-9/16" Solid Poplar 6/8 Unit						•		
4-9/16" Solid Poplar 7/0 Unit	•	•						
4-9/16" Solid Poplar 8/0 Unit	•							
4-13/16" Solid Poplar 6/8 Unit	•	•	•	•	•	•	•	•
4-13/16" Solid Poplar 7/0 Unit	•	•						
4-13/16" Solid Poplar 8/0 Unit	•	•						
6-9/16" Solid Poplar 6/8 Unit	•	•	•	•	•	•	•	•
9-1/4" Solid Poplar 6/8 Unit	•	•	•	•	•	•	•	•
9-1/4" Solid Poplar 7/0 Unit	•	•						
9-1/4" Solid Poplar 8/0 Unit	•	•						
4-9/16" Oak Veneer Wood Back 6/8 Unit 4-9/16" Solid Oak 6/8 Unit	_	•		•		•	•	•
4-9/16 Solid Odk 6/8 O'llt 4-9/16" Solid Odk 7/0 Unit	- :		•	•	•	•	•	•
4-9/16 Solid Odk 7/0 Unit 4-9/16" Solid Odk 8/0 Unit	- :							
4-9/16 Solid Odk 8/0 Unit	+ :	:				•		•
4-13/16 Solid Oak 7/0 Unit	•							-
5-1/4" Solid Oak 6/8 Unit	•					•		
5-1/4" Solid Oak 7/0 Unit	•							
6-9/16" Solid Oak 6/8 Unit			•		•	•	•	•
7-1/4" Solid Oak 6/8 Unit	•	•	•	•	•	•	•	•
7-1/4" Solid Oak 7/0 Unit	•	•						
9-1/4" Solid Oak 6/8 Unit	•	•	•	•	•	•	•	•
9-1/4" Solid Oak 7/0 Unit	•	•						
4-9/16" PF Embossed Imperial Oak 6/8 Unit	•	•	•	•	•	•	•	•
4-13/16" PF Embossed Imperial Oak 6/8 Unit	•	•	•		•	•	•	•
4-1/4 - 4-3/4" Primed Split Jamb 6/8 Unit	•	•	•	•	•	•	•	•
4-1/4 - 4-3/4" Solid Pine Split Jamb 6/8 Unit 4-1/4 - 4-3/4" PF Emb. Imperial Oak Split Jamb 6/8 Unit	•	•	•	•	•	•	•	•

	11/16" x 2-1/4" 327 Primed Casing
*	11/16" x 2-1/4" 366 Primed Casing
	11/16" x 2-1/4" 356 Primed Casing
*	11/16" x 2-1/4" 376 Primed Casing
*	11/16" x 3-1/4" 445 Primed Casing
*	11/16" x 3-1/4" 444 Primed Casing
<i></i> *	11/16" x 2-5/8" CM1 Primed Casing
*	11/16" x 2-3/4" CM 299 Primed Casing
*	11/16" x 3-1/2" CM 450 Primed Casing
*	9/16" x 3-1/2" MDF CRF Casing
	1-1/16"x3-1/2" 97 Primed Casing

CASED OPENINGS									
MITERED CASING SETS									
	11/16" x 2-1/4" 356 Imperial Oak Casing								
	9/16" x 2-1/4" 356 Red Oak Casing								
	11/16" x 2-1/4" 356 Primed MDF Casing								
	11/16" x 2-1/4" 327 Pine Casing								
	11/16" x 2-1/4" 356 Pine Casing								
*	11/16" x 2-1/4" 376 Pine Casing								
*	11/16" x 2-1/2" 361 Pine Casing								
*	11/16" x 3-1/4" 445 Pine Casing								

 $<sup>^{\</sup>star}$  Varies by location. Additional lead time may apply.

<sup>• =</sup> Stocked

# KARONA™ RESIDENTIAL

Expertly crafted for high-end homes and commercial spaces, Karona™ interior doors are distinctive and beautiful, capturing the substantial feel and warm appearance of real wood. Choose from dozens of timeless door designs or create your own custom solution. Karona™ doors present a wealth of options for creating an elevated look and getting the finest of details right – including more than 20 wood species, decorative glass choices, and more.

#### TRADITION MEETS TECHNOLOGY

Karona<sup>™</sup> doors blend precise production technology with skillful team craftsmanship to produce a stunning appearance and lasting performance.

#### STABILITY IS BUILT IN

The Karona<sup>™</sup> Solid Core material resists expansion, contraction, and cracking, and its premium wood veneers meet or exceed industry standards.

#### **COMPREHENSIVE CUSTOM CAPABILITIES**

Karona<sup>™</sup> can turn your concepts into a design, develop construction and aesthetic details, and present you with drawings for approval. From wood species, sticking, and custom stains to glass and more, choose the best options for your projects.

Limited Lifetime for Interior Use, Karona offers 20-minute, 45-minute, 60-minute, and 90-minute fire rated options. Please call your local representative for more information

# GLASS RAIN FLEMISH REEDED VELOUR SPECIES ALDER WHITE OAK MAPLE WALNUT STICKING SQUARE OVOLO OGEE MISSION

SUNTAN

CHOCOLATE

BROWN

SUGAR

KHAKI





## **SPECIFICATIONS**









#### Cores, Handings & Rough Openings

#### Flush Door Cores:

A. Hollow Core: • Combination Wood/MDF Frame

• 1-3/8" or 1-3/4" Doors

· Corrugated honeycomb cell core

• 2-3" x 16" lock blocks

• 1-5/32" MDF stiles - optional wood stiles

• Optional wood top and bottom rails in customer-specified widths

• 1/8" premium hardwood veneers or pre-primed hardboard

B. Solid Core: · Wood or MDF Frame • 1-3/8" or 1-3/4" Doors

• 1-5/32" MDF top & bottom rails

• 1-5/32" MDF stiles

• Optional wood top and bottom rails in customer-specified widths

• 1/8" premium hardwood veneers, pre-primed or unprimed hardboard

#### **Molded Door Cores:**

C. Hollow Core: • MDF Frame

• 1-3/8" or 1-3/4" Doors

• 1-5/32" MDF top & bottom rails

• 1-5/32" MDF stiles

• Blocking behind panels for support

• 1/8" HDF facings

• Two particleboard lock blocks

• Optional wood top and bottom rails in customer-specified widths

 Wood Frame D. Solid Core:

• 1-3/8" or 1-3/4" Door

• MDF top and bottom rails optional

• 1-1/4" wood stiles

• 1/8" HDF facings


• 20 minute fire rating

• 1-1/4" wood top and bottom rails in customer-specified widths

# UV Primer MDF Wood Core


#### The Finish:

Each door is individually finished with a UV sealer system. Applied before the finishing coat, sealing the wood, removing all traces of cracks and crevices in the joints and tones down brush stokes, knots and woodgrain.




#### Tenon & Mortise Joint:

High-quality construction with an adhesive binding technique that gives the joints exceptional strength and a lasting hold.



#### Panels:

Medium Density Fiber panels are incorporated in each panel for a stable door, resistant to expansion which helps to protect from cracks and leaks.





#### **Door Openings**

SINGLE DOOR WIDTH						DOUE	BLE DC	HEIGHT						
NOMINAL DOOR SIZE	1/6	2/0	2/4	2/6	2/8	3/0	3/0	4/0	4/8	5/0	5/4	6/0	6/8	8/0
Rough Opening Required	20"	26"	30"	32"	34"	38"	38"	50"	58"	62"	66"	74"	82-1/4"	98-1/4"
Unit Dimension	19-1/2"	25-1/2"	29-1/2"	31-1/2"	33-1/2"	37-1/2"	37-1/2"	49-1/2"	57-1/2"	61-1/2"	65-1/2"	73-1/2"	81-1/2"	97-1/2"

<sup>\*</sup>Double door unit dimensions shown are for units with ball catch only. For double door units with an astragal, add 1/2" to the width.

# CARE, FINISHING & WARRANTIES

Proper care and maintenance of your newly installed interior doors is crucial. Despite their simplicity, neglecting these guidelines often leads to avoidable damage.

- Doors stored for more than a few days should have the top and bottom rails sealed. Do not drag doors or walk on them.
- Single door slabs (not prehung doors) should be laid flat on a dry, clean surface.
- Do not subject them to extreme or rapid changes in humidity or heat.

#### Finishing

Proper care and finishing are critical to maximize your interior doors' benefits. If done right, a correctly applied finish will help you achieve a longer-lasting, higher-quality product that exceeds your aesthetic and operational expectations. Below are a few key points everyone should know when it comes to the care and finishing of interior doors.

 All doors have six sides – front, back, two edges, plus the most ignored and most vulnerable, the top and bottom. Failure to finish all six surfaces uniformly is the number one cause of door failures.



Madison, Molded Door

- No finishing process that eliminates the transmission of water vapor or moisture into and out of
  wood doors exists today. The key to proper finishing is slowing down the transmission process so the
  door performs tolerably.
- Sanding is a critical component of any finishing process. All doors may have visible and invisible blemishes from handling or other naturally occurring characteristics. Sanding techniques vary by door type and must be followed to achieve a quality finish.
- Natural wood doors (pine, poplar, oak, etc.) contain color, tone, and graining variations that occur
  in the natural process. Applying a pre-stain wood conditioner promotes a uniform appearance
  and minimizes sharp color contrasts. Carefully follow the manufacturer's instructions for wood
  conditioner application.
- Oil-based products are recommended for interior wood-veneered doors. Water-based products can
  raise the grain and cause multiple moisture related problems. Latex or oil-based paint is suitable for
  interior molded doors.

For more detailed information, please refer to the manufacturer's care, finishing, and maintenance directions located on our website – **www.mmidoor.com** 

Note: The color and texture of the doors shown in the catalog are not a 100% actual representation of the doors.

#### Warranty

At MMI DOOR, interior doors are produced to exacting standards, regardless of the manufacturer. Based on decades of superior performance, we warrant our interior doors from defects in material or artistry for a period of 5 years when they are:


- Properly installed
- Properly finished (paint or stain)
- Properly cared for and maintained on all 6 sides





# ase visit:

# www.mmidoor.com



# MMI DOOR LOCATIONS

#### Michigan (HQ)

6361 Sterling Drive North Sterling Heights, MI 48312 586.264.0950 800.686.9218 Fax: 586.264.5430

#### Ohio

400 Circle Freeway Drive Cincinnati, OH 45246 513.874.6771 800.215.3770 Fax: 513.870.0242

#### Pennsylvania

172 Plummer Road Sidman, PA 15955 814.487.7800 800.452.0251 Fax: 814.487.7850

