



# MULTI-RESIDENT DEVELOPMENT

Apartments, Condominiums, Dormitories,  
Mixed Use Assisted/Senior Living






# ABOUT MMI DOOR

## YOUR DOORWAY TO A BEAUTIFUL HOME


For nearly 70 years, MMI DOOR, a wholly owned subsidiary of JELD-WEN Holdings, Inc., has earned the reputation of being the preferred door supplier to building supply dealers and home centers. With 3 locations, MMI DOOR is a true, single source door provider. We strive to be the most dependable and innovative, value-add fabricator in the marketplace.

Our products are stored, assembled and staged in over 700,000 square feet of heated warehouses. We adhere to rigorous quality control standards to ensure that we provide exceptional value, backed by one of the most extensive and varied inventories nationwide. MMI DOOR offers product choices that are second to none.



## FEATURING ALL THE BRANDS YOU TRUST

For decades, MMI has been a solutions provider to the multifamily industry, your partner providing beauty, safety and security, through a comprehensive door and door hardware portfolio. You can be assured that the entry products you receive from MMI brands and partners will be the right fit, form and stylish function at the right price to make every project a success.





DM-27 2-Panel Euro, Design-Pro™ Fiberglass

## TABLE OF CONTENTS

### ENTRY DOORS

|                   |    |
|-------------------|----|
| FIBERGLASS        | 03 |
| STEEL             | 04 |
| FIRE-RATED        | 05 |
| HOLLOW METAL      | 06 |
| COMMERCIAL FRAMES | 07 |
| PATIO             | 08 |

### INTERIOR DOORS

|                            |    |
|----------------------------|----|
| AMERICAN SERIES COLLECTION | 08 |
| MILLENNIUM® COLLECTION     | 09 |
| MOLDED                     | 10 |
| POCKET FRAMES              | 11 |
| BARN DOORS                 | 12 |
| SPECIALTY DOORS            | 13 |

|               |       |
|---------------|-------|
| DOOR HARDWARE | 14-15 |
|---------------|-------|

## ENTRY DOORS

### Fiberglass



866 3-Lite, Smooth-Pro™ Fiberglass

A new fiberglass entry door can add substantial curb appeal to your home. Fiberglass wood textured doors features the look and feel of real wood but requires very little maintenance and is resistant to warping, rotting, denting, or splitting. Fiberglass exterior doors are made from two large, molded sides that are filled in the center with a polyurethane or polystyrene foam core that insulates the door against extreme temperatures. This manufacturing process makes fiberglass one of the most durable and energy-efficient options on the market.

**Composite capped LVL** stiles prevent water infiltration and ensure that the door will never warp, rot, or rust.

- The fiberglass-reinforced skin is built to withstand any conditions without denting or delaminating.
- The insulated core is 100% CFCFree and provides high R-Value for thermal protection.
- Composite top and bottom rails prevent water infiltration on all six sides.
- Available in smooth and wood grain designs.
- Limited Lifetime Warranty

### Smooth

Our fiberglass smooth series offers the cleanest possible look for front doors. With minimal-to-no surface texture, finish these doors easily in your favorite paint color. Due to the superior performance and low-maintenance of fiberglass, these doors are considered a better performing option for common steel door applications.

# ENTRY DOORS

## Steel

MMI offers a diverse selection of exterior steel doors providing an excellent option for any project requiring a budget friendly and code compliant alternative to difficult exposures, especially coastal applications.

Contour Steel doors offer a great insulation values to help maintain your indoor climate even if the outdoor climate varies. The 24-Gauge galvanized steel and baked on enamel primer provides a superior surface for paint, resists rust and corrosion, even direct sea salt spray.


With 20 and 90-minute fire-rating options, standard double-hip raised panel and code compliant layouts, not to mention one of the longest warranties in its price class, the Contour door will enhance your home's appearance bringing value and beauty without harming your budget.

LIMITED  
**10-YEAR**  
WARRANTY



Double Hip  
Panel Design

**JELD-WEN**




JELD-WEN Steel Flush Door

### Wood and Steel edge stiles create strength and stability

One piece polystyrene core provides a custom fit, eliminating core voids and delivering long lasting insulation.

Primed to prevent rusting.



JELD-WEN Steel French Door 10 Lite

# ENTRY DOORS


## Fire-Rated

Residential styling, commercial grade safety. MMI DOOR offers a comprehensive line of 20 and 90-minute fire-rated door units in fiberglass and steel.

### **FIRE RATING** 20 MIN FIRE DOORS ON 20-MINUTE WOOD FRAMES



### **FIRE RATING** 90 MIN FIRE DOORS ON 90-MINUTE STEEL FRAMES



### **FIRE RATING** 20 MIN PREHUNG PRIMED WOOD FRAME UNITS



\*Available with Dentil Shelf  
\*\*Available in Majestic Steel Wood Edge

#### UNITS INCLUDE:

- 4-9/16" primed 20-minute frame
- Primed brickmould
- High dam composite adjustable sill
- SN Spring Hinges (2 Spring/1 Std)
- Compression weatherstrip
- 20-minute fire-rated labeled door

#### PREHUNG OPTIONS

##### PREP OPTIONS:

- 2-1/8" Deadbolt Prep
- 200 degree UL door viewer 15 with privacy flap prep & install
- 200 degree UL door viewer 26D with privacy flap prep & install

##### SILL OPTIONS:

- Fixed Sill
- Low Profile Sill (ADA Compliant)

#### FRAME OPTIONS:

- 6-9/16" 20-Minute Frame
- 7-1/4" 20-Minute Frame
- No Brickmould
- Custom Frame size 4-7/8" thru 7-1/8" available

#### HINGE OPTIONS:

- (2) US-3/4 Brass Spring Hinges
- (2) US-15A Antique Nickel Spring Hinges
- (2) US-26D Brushed Chrome Spring Hinges
- 3rd Spring Hinge

**Note:** Spring Hinges include a 3rd, standard hinge.

#### WARRANTY

- 10-Year coverage on exterior steel door slabs for defects in material and workmanship
- 1-Year coverage on door frames for defects in material and workmanship

#### COMMERCIAL PRODUCTS

MMI DOOR offers a full line of commercial doors, frames and hardware in stock for immediate delivery. Many of these items are adaptable to our residential products in this catalog. You may want to consider self closing hinges, automatic door closers or panic devices for the choices above. Please refer to our commercial brochure for further details.



 10 SHK 90M, Majestic Steel 90-Minute

#### Unit Dimensions

| Frame Size | Width   | Height  |
|------------|---------|---------|
| 2/8 x 6/8  | 33-1/2" | 81-5/8" |
| 3/0 x 6/8  | 37-1/2" | 81-5/8" |

*Low profile (ADA Compliant) sill units deduct 3/4" from unit dimensions*

**Note:** All 20M FS flat panel shaker doors available with no sticking and all 90M MJ flat panel craftsman doors available with craftsman sticking.

# ENTRY DOORS

## Hollow Metal



L Series



Falcon SZ Series

## Steelcraft and Falcon Doors

L Series Flush Doors are designed to meet the SDI requirements for full flush doors. This premium standard door construction combines a beveled lock and hinge side, strong epoxy filled interlock edges, and unsurpassed 7-gauge hinge reinforcement. The continuous bonding of the laminated core to steel face sheets provides an attractive, flat door, free of face welding marks. Tests have proven that the L Series door has a high resistance to impact damage, low thermal conductivity and high STC ratings. The honeycomb core, 16/18-gauge steel with fire ratings up to 3 hours. each door is design to meet the meticulous standards of SDI A250.8 with inverted top and bottom channels and standard closer reinforcement.

Falcon commercial doors are an affordable non-handed, square-edge door solution designed to meet your requirements for commercial quality full flush steel doors. These flush doors are designed to meet the architectural requirements for full flush 18ga heavy duty doors. The continuous bonding of the laminated core to steel face sheets provides an attractive, smooth door comprised of cold rolled steel with honeycomb core, and 18-gauge, with fire rating capabilities up to 3 hours.

## Features

- Designed for institutional, commercial, and industrial applications, Steelcraft provides an impressive selection of hollow metal products for virtually wall condition, and entryway requirement.
- The standard honeycomb core system helps control thermal bow in high exposure applications. The beveled "L" Series door offers tighter margins and better performance against hinge bind. The standard field adjustable hinge depth offers the ability to field modify from a standard .134 hinge to a heavy weight .180 in a matter of minutes saving time and money.
- The Falcon door is a reversible swing non-handed door. This feature allows for one of the most price competitive products offered.
- Whether the "L" Series, or "Falcon Series each come with standard rust inhibiting primer.
- MMI custom fabrication such as cutout for vision lites, or flush bolts
- MMI stocks a myriad accessories in addition to models on the floor for immediate delivery

## Specification Compliance

Door construction for Steelcraft's Falcon SZ Series doors meets the requirements of ANSI A250.8-2017 (SDI 100).

Hardware preparations and reinforcements are in accordance with ANSI A250.6-2003 (R2009). Locations are in accordance with ANSI/DHI A115 unless otherwise stated.

## Fire Ratings

Falcon SZ Series 20-gauge doors are listed for installations requiring compliance to negative pressure testing (ASTM E152 and UL-10B) and positive pressure standards (UL-10C).


Doors are factory labeled with a Warnock Hersey 1 1/2 Hour (90 min) Mylar label.

# ENTRY DOORS

## Commercial Frames

### F Series


The F Series three-sided flush frames meet requirements for light-to-maximum-duty applications for interior and exterior locations in commercial and industrial buildings. They are designed for installation as part of the wall framing assembly and may be specified and supplied as knock-down (KD) for field assembly prior to installation or welded for installation as a complete unit. This 16-gauge cold rolled steel frame with a standard 4-1/2" tall hinge prep and 4-7/8" ASA prep the "F" Series frame has a maximum fire rating capability of 3 hours. MMI offers a variety of welding and fabrication options such as sidelites, transoms, borrowed lites, borrowed lites with mullions.



F Series


### Drywall K Series

The DW Series Drywall frames are designed for light to maximum duty applications in both commercial and institutional buildings. Standard jamb compression anchors and a unique tab/lock corner design for knock-down (KD) assembly assure that the K Series drywall frames install in minutes on finished drywall construction. The K Series frames are designed for interior drywall partitions that wrap a wall that has been sheet rocked. This 16-gauge cold rolled steel frame with 4-1/2" tall hinge and 4-7/8" ASA strike offer a maximum 90 minute fire rating capability.



Drywall K Series


## ADJUSTABLE AND FIXED STEEL FRAMES



ADJUSTABLE  
**A**  
Series  
18 GAUGE



CLASSIC  
**C**  
Series  
18 GAUGE



**EZ FLEX**  
Steel Frame

- Powder coated 18-gauge galvanized steel.
- Standard finish: Brownstone or Western White.
- Special order finish options include 7 standard colors and 30 custom colors.
- Fire Ratings up to 90 minutes are available for non-glazed openings, and up to 45 minutes for glazed openings.
- Mullions are not available for A-Series Adjustable Frames.
- will accommodate a 1 3/4" door weighing up to 250 lbs.
- hinge prep: three (3) 4-1/2" square corner hinges and 4-7/8" strike prep.
- Frame is made of GalXC, so they can be installed in any environment.
- Fire ratings up to 90 minutes are available for non-glazed openings, and up to 45 minutes for glazed openings.
- Mullions are available in all jamb depths from 3 1/2" to 13".
- Classic Frames will accommodate either a 1 3/8" or 1 3/4" door weighing up to 500 lbs.
- Timely frames are made to SteelCraft hinge and lock locations
- NAMI neutral and positive pressure fire rated label, wood or steel studs
- Constructed of 18-gauge galvanized A60 steel
- Can be prehung with adjustable or ADA compliant sill
- 3 adjustable frame sizes available\*\*
- \*\*1" adjustments, special/custom sizes are available
- 1-3/4" doors only
- 5/8" stop height
- Removal without damage to the existing wall
- Includes anchoring holes and nail clearance slots for wood casing
- Prefinished White or field paintable
- Hinge Prep for 4"
- 2-3/4" deadbolt prep and 2-3/4" adjustable T-strike prep

# ENTRY DOORS

## Patio Doors



15-Lite French, Outswing

MMI offers variety of distinctive patio door door styles. High exposure, or high-end, hot or cold climates MMI has a patio door system to fit your design and budget needs. Our systems offer an array of style and comfort with insulated glass in either fiberglass or galvanized steel. Available in single, pair, triple, or quad, 1-lite, to simulated divided 15-lite, the insulated glass will provide comfort and controlled interior climate while keeping your budget in check buy increasing the homes perimeter with some of the industries highest R-Values. Our systems offer a variety of swinging, folding, or sliding door systems.

Check with your local dealer for door types, and available options, or visit [www.mmidoor.com](http://www.mmidoor.com)

# INTERIOR DOORS

## American Series Collection



Ovation Specialty (Custom), 7516 with 1/4" Lami Glass

We offer a full line of residential, light commercial, and architectural grade doors ranging from economy to extra heavy duty. Providing an array of door products from paint grade, hardwood, plastic laminate in three ply, and five ply construction. We comply with WDMA industry standards including our factory prefinished Architectural doors in various species, and opaque finishes. Coupled with our Extensive fire, sound transmission, and environmental certifications available on many products.

With 9 standard transparent finishes, hundreds of developed colors including custom color matching, not to mention our opaque topcoat options, skies the limit.

We meet or exceed WDMA I.S. 1A, in both A Grade and AA Grade veneers utilizing virtually any specie, any slice and any assembly.

With rating capabilities from 20 - 90 minutes, both category A and B, coupled with 1-3/8" or 1-3/4" thick in either hollow core or solid core, loose lay-up or bonded construction in sizes from 5'-0" wide to 10'-0" tall, the American Series is the perfect fit for your project.



Visit a local delaaer near you or visit the following websites for full product offerings and available downloads:

[www.mmidoor.com](http://www.mmidoor.com) / [www.doormerica.com](http://www.doormerica.com)

# INTERIOR DOORS

## Millennium® Collection

### Premium Manufactured


The Millennium® Collection consists of four distinct families of door products, each designed to complement a specific architectural design and build specification. Encore, Ovation, Infinity, and Bravo Doors are all manufactured from renewable composite wood fiber materials for stability and reliability. Their state-of-the-art design and environmentally friendly construction techniques mean endless flexibility for your project needs. The Millennium Collection will provide unique solutions to any paint-grade door application requirement. For all options visit [www.doormerica.com](http://www.doormerica.com) or a local dealer near you.



7102 Ovation


### Encore - Router Carved, Raised Panel Only

When you are looking for diverse options with split design capabilities. The Encore door offers over 150 standard designs with 90% being the same cost. Costs are controlled by router carving each face using CNC technology, then fiberfusing the faces together. The independent routing of each face allows for split design capability. You can insert a full-length dress mirror, dry-erase marker, or chalkboard on the opposing side of your panel design. Size capabilities range from 4'-0" wide to 8'-0" tall, in both 1-3/8" and 1-3/4" thick, and fire rating from 20 to 90 minutes available.



### Ovation® - Layered, Raised Panel, Flat Panel, Bolection Molding

Think of this door series like an Oreo cookie - an outer layer (face 1), a core (panel) and an opposing outer layer (face 2). Choose from a wide selection of more than 140 designs, each of which can be uniquely tailored to meet your specific requirements - face, panels, and even multiple sticking profiles. Though split designing is limited to flat panel configurations, the options for false or ventilated louvers is an option. Size capabilities range from 4'-0" wide to 8'-0" tall in both 1-3/8" and 1-3/4" thick, and fire rating from 20 to 90 minutes available.




### Infinity - Traditional Inlaid Raised or Flush Molding

With over 120 designs and a myriad of split design options. The Infinity collection brings elegant style with dramatic hip- raised panel flair with three styles of flush or raised molding. In addition to louvers, chalk, and dry-erase boards, we provide a diverse range of decorative glass inserts including clear, obscure, white laminated, and mirror options. Size capabilities range from 5'-0" wide to 10'-0" tall in both 1-3/8" and 1-3/4" thick, and fire rating from 20 to 90 minutes is available.



### Bravo - True Stile and Rail

This collection is up for the challenge when it comes to historical renovation coupled with affordability, quality, and consistency. With over 51 standard design options and 20-minute fire rating capabilities, utilizing historic design with 21st-century technology, the Bravo collection will get the job done.



### Specialty Doors

The Millennium® Collection offers a myriad of flexible design options, and everything in between. By applying modern technology and reliable construction, specialty doors can easily become a reality. We offer a series of glass doors ranging from clear to mirrored as well as louvers in both ventilated or false. In addition to these options we offer magnetic chalk and dry-erase board doors as a split design - allowing for creativity on one side and formal beauty on the other.

All of these options are available in various configurations, including singles, pairs, bi-folding, pocket, bypass, or barn sliding configurations. Visit [www.doormerica.com](http://www.doormerica.com) for full details and offerings.



THE  
**MILLENNIUM®**  
COLLECTION

**All products listed are available prehung or prefit by skilled American Building Supply craftsmen to exacting standards with the highest level of scrutiny.**

# INTERIOR DOORS

## Molded Doors



Conmore

When you want plenty of options, select interior molded wood fiber doors. These doors are created in several styles, panel designs and sizes. Single and double doors can be ordered as ready-to-install prehung units in a wide variety of sizes, jamb species and decorative hinge finishes.

These doors mimic the look of classic wood at a much more budget-friendly price, while also providing superior durability and a broader range of design options. In new construction, their versatile design and ease of installation is prized. In renovation projects, replacing an outdated or dinged-up door is one of the easiest and least expensive ways to refresh the look of a room.

Hollow core doors have made great strides in quality compared to the early years and are lightweight and easy to move and install.

Solid core doors look the same on the outside but contain sound reducing material on the inside. Great for bathrooms, game rooms, music rooms, bedrooms, offices, etc.

Keep in mind you can use our molded Interior doors as barn doors! All you need is the door and barn door hardware.

- Stylish options
- Multiple designs
- Eco-friendly construction
- 1-3/8 & 1-3/4 up to 3/0 in width and 8/0 in height
- Flat panel and raised panel options
- Contemporary and traditional designs
- 20-minute fire rating capabilities



**PROCORE**  
THE QUIET DOOR™

**JELD-WEN**



Caiman®

# INTERIOR DOORS

## Pocket Frames & Hardware



7102 Ovation, Pocket Door

If you are looking to build a multifamily property, you'll want to consider the best use of space, along with the most practical features and stunning design elements. Pocket doors are an alternative to conventional doors and can be used throughout a build to make the most of your space. Instead of using hinges, they operate on a sliding door track that allows them to become hidden in the walls when open.

| CS Cavity Sliders Frames - 2x4 stud (1-3/8" and 1-3/4" doors) |                                 |             |                                 |
|---|---------------------------------|-------------|---------------------------------|
| 2'0" x 6'8"   | <a href="#">PKTFRAL49162068</a> | 2'6" x 8'0" | <a href="#">PKTFRAL49162680</a> |
| 2'6" x 6'8"   | <a href="#">PKTFRAL49162668</a> | 2'8" x 8'0" | <a href="#">PKTFRAL49162880</a> |
| 2'8" x 6'8"   | <a href="#">PKTFRAL49162868</a> | 3'0" x 8'0" | <a href="#">PKTFRAL49163080</a> |
| 3'0" x 6'8"   | <a href="#">PKTFRAL49163068</a> | 4'0" x 8'0" | <a href="#">PKTFRAL49164080</a> |

| Stop Carriage Packs<br>includes carriages, mounting plates, T-Guide, fixing screws & adjusting wrench |  |
|---|--|
| <a href="#">PKT1CRGPCK200LB</a>   | 2-wheel carriages suitable for standard sliding door up to 200lb                     |
| <a href="#">PKT1CRGPCK500LB</a>   | 4-wheel carriages with cast stainless steel body for heavy sliding doors up to 500lb |

| CS Sofstop® Single & Double Soft Close |  |
|--|--|
| <a href="#">PKT1SGLSS176LB</a>         | Single action with one stop up to 200lb (for door widths 2'2" and above) |
| <a href="#">PKT1DBLSS176LB</a>         | Double action with one stop up to 200lb (for door widths 2'2" and above) |




# INTERIOR DOORS

## Barn Doors

MMI DOOR takes pride in combining both style and practicality. Barn doors are a fresh and unique take on a traditional and timeless look. Primed for field finishing, ideal for openings 28"-42" wide and 96" tall, and with over 150 door design options these make a statement in any property. Our unique barn door style hardware allows for more functional spaces by enabling the door to slide parallel to the wall.

Our barn doors provide the ultimate addition to any home while complementing the space. Our grade 1 tested hardware kits offer diverse designs from simply modern to rustic, allowing doors up to 250lbs a smooth and unobstructed floating feel. This effort movement meets any required codes.

Barn door hardware kits are also available to be sold separately in various colors. If you would like to know more about the barn doors and hardware we offer, visit our website [www.mmidoor.com](http://www.mmidoor.com)



Encore 6659, Type 5 Barn Door Hardware

### AVAILABLE FINISHES:



Oil Rubbed Bronze



Stainless Steel



Matte Black

### AVAILABLE STYLES:



**Type 1** (available with Soft Close option)

- Designed for Wood Doors 1-3/4" & 1-3/8" thick
- Top mounted hardware
- Door weight up to 176 pounds per door
- Available in Dark Bronze



**Type 2**

- Designed for Wood Doors 1-3/4" & 1-3/8" thick
- Top mounted hardware
- Door weight up to 242 pounds per door



**Type 4**

- Designed for Wood Doors 1-3/4" & 1-3/8" thick
- Top mounted hardware
- Door weight up to 176 pounds per door



**Type 5**

- Designed for Wood Doors 1-3/4" & 1-3/8" thick
- Top mounted hardware
- Door weight up to 198 pounds per door
- Available in Dark Bronze

# INTERIOR DOORS


## Specialty Doors

### Doors to Add Functional Style & Charm

Allow MMI DOOR to add practical elegance to a living area or home office with beautifully-crafted French doors. Our attractive and affordable decorative series doors add elegance and privacy while maintaining brightness from one room to the next. These interior designer doors have tempered glass for extra strength and safety. Most feature a unique protective glass wrap that makes staining and finishing a snap. We provide a wide array of 13 glass and two stile and rail options. These doors are perfect for swinging, sliding, or pocketed applications. Available in both 6'-8" and 8'-0" tall and 1-3/8" thick doors.




1-Lite Pantry Primed



10-Lite Pine. French Doors

- Glass options include, Pantry, Laundry, Etched, Grooved, Reed, Frosted, Pattern, Reflective, White Laminate, and Plain glass.
- If privacy is a concern, each glass option is offered with our privacy rating chart (example shown below).
- For a copy, download our literature at [www.mmidoor.com](http://www.mmidoor.com)



# DOOR HARDWARE

## Levers & Locks

MMI offers the full line of Allegion Premium Hardware as well as Doormerica Hardware for budget-conscious projects.



Schlage Control Smart Interconnect lock



Schlage LE wireless locks



Schlage CO Series and AD Series electronic locks



Schlage NDE wireless locks



Schlage smart cards



Schlage ND series keyed entry



Schlage deadbolt



Schlage decorative trim



### Main entrances

- Multi-technology reader
- Smart credential
- Von Duprin 98/99 EL exit device with trim
- LCN 4040XP closer

### Media rooms and common areas

- Schlage ND Series or
- Multi-technology reader
- Smart credential
- Falcon 24/25 EL exit device with trim

### Stairwells and emergency exits

- Schlage CO Series (lock or exit trim)
- Smart credential
- Falcon 25 EL exit device
- LCN 4050 closer

### These solutions offer many benefits

- Ability to limit accessibility as needed
- Increased security
- patented key system prohibits the duplication of keys without the authorization of the manufacturer or its contracted locksmith vendors

### Resident entrances

- Schlage Control smart lock or
- Schlage LE wireless lock
- Smart credential

### Conference centers and business offices

- Schlage NDE lock or
- Schlage LE wireless lock
- Smart or multi-technology credential

### MMI also offer:


- Keying Services
- Job Accounts to assist with credit limits
- Bundle Discounts where you can earn additional discounts by using doors, frames and hardware





MMI offers a variety of self-closing hinges, door closers, panic devices, trim, door viewers, kick and mop plates, pushes and pulls, wall and door stops, and more.

For additional product support for multi-family construction please visit [www.doormerichardware.com](http://www.doormerichardware.com)



Vertical Exit Device



Commercial Weight Hinges



Barn Door Hardware



Door Viewer

Floor and Wall Door Stops

Signs



Push, Pull and Kick Plates

For more information on MMI DOOR  
products and services, please visit:  
[www.mmidoor.com](http://www.mmidoor.com)



## MMI DOOR LOCATIONS

### Michigan (HQ)

6361 Sterling Drive North  
Sterling Heights, MI 48312  
586.264.0950  
800.686.9218  
Fax: 586.264.5430

### Ohio

400 Circle Freeway Drive  
Cincinnati, OH 45246  
513.874.6771  
800.215.3770  
Fax: 513.870.0242

### Pennsylvania

172 Plummer Road  
Sidman, PA 15955  
814.487.7800  
800.452.0251  
Fax: 814.487.7850